Erratum to: Stand structure, floristic composition and species diversity along altitudinal gradients of a Bornean mountain range 30 years after selective logging

Renee Sherna LAING¹ <https://orcid.org/0000-0003-2503-6889>; e-mail: ren_elleenna@yahoo.com

Kian Huat ONG^{1*} <https://orcid.org/0000-0001-9378-3531>; e-mail: okhuat@upm.edu.my

Roland Jui Heng KUEH¹ <https://orcid.org/0000-0002-0154-2632>; e-mail: roland@upm.edu.my

Nixon Girang MANG² <https://orcid.org/0000-0001-6199-4481>; e-mail: nixongm@sarawak.gov.my

Patricia Jie Hung KING¹ <https://orcid.org/0000-0003-4522-0165>; e-mail: patricia@upm.edu.my

Muaish SAIT¹ <https://orcid.org/0000-0003-1199-6037>; e-mail: muaish@upm.edu.my

*Corresponding author

¹ Faculty of Agriculture and Food Sciences, Universiti Putra Malaysia Bintulu Sarawak Campus, P. O. Box 396, 97008 Bintulu, Sarawak, Malaysia

² Forest Department Sarawak, Wisma Sumber Alam, Jalan Stadium, Petra Jaya, 93660 Kuching, Sarawak, Malaysia

Citation: Laing RS, Ong KH, Kueh RJH, et al. (2021) Erratum to: Stand structure, floristic composition and species diversity along altitudinal gradients of a Bornean mountain range 30 years after selective logging. Journal of Mountain Science 18(8). <https://doi.org/10.1007/s11629-020-6060-0>

© Science Press, Institute of Mountain Hazards and Environment, CAS and Springer-Verlag GmbH Germany, part of Springer Nature 2019

Erratum to: J. Mt. Sci. (2019) 16(6): 1419–1434 <https://doi.org/10.1007/s11629-018-5219-4>

On Page 1428, Table 5 is missing. It should be placed after this paragraph “In this study, a total of 19 endemic species of Borneo were recorded (Table 5). The highest number of endemic species was found in S1 followed by S2 and S3. Four endemic Dipterocarpaceae (*Shorea crassa* at S2; *Shorea isoapteran*, *Shorea parvistipulata* and *Vatica micrantha* at S1) were found in this study area (Table 5). Three endemic species each from Fagaceae, Lauraceae and Myrtaceae were also documented during this study (Table 5). At a similar elevation range to S3, Kueh et al. (2017) recorded 12 endemic species in their study.”.

The online version of the original article can be found at <https://doi.org/10.1007/s11629-018-5219-4>