

# VLP: A Survey on Vision-language Pre-training

Fei-Long Chen<sup>1,2\*</sup>      Du-Zhen Zhang<sup>1,3\*</sup>      Ming-Lun Han<sup>1,3\*</sup>      Xiu-Yi Chen<sup>1,3</sup>  
Jing Shi<sup>1</sup>      Shuang Xu<sup>1</sup>      Bo Xu<sup>1,2,3</sup>

<sup>1</sup>Institute of Automation, Chinese Academy of Sciences, Beijing 100190, China

<sup>2</sup>School of Future Technology, University of Chinese Academy of Sciences, Beijing 100049, China

<sup>3</sup>School of Artificial Intelligence, University of Chinese Academy of Sciences, Beijing 100049, China

**Abstract:** In the past few years, the emergence of pre-training models has brought uni-modal fields such as computer vision (CV) and natural language processing (NLP) to a new era. Substantial works have shown that they are beneficial for downstream uni-modal tasks and avoid training a new model from scratch. So can such pre-trained models be applied to multi-modal tasks? Researchers have explored this problem and made significant progress. This paper surveys recent advances and new frontiers in vision-language pre-training (VLP), including image-text and video-text pre-training. To give readers a better overall grasp of VLP, we first review its recent advances in five aspects: feature extraction, model architecture, pre-training objectives, pre-training datasets, and downstream tasks. Then, we summarize the specific VLP models in detail. Finally, we discuss the new frontiers in VLP. To the best of our knowledge, this is the first survey focused on VLP. We hope that this survey can shed light on future research in the VLP field.

**Keywords:** Vision and language, pre-training, transformers, multimodal learning, representation learning.

**Citation:** F. L. Chen, D. Z. Zhang, M. L. Han, X. Y. Chen, J. Shi, S. Xu, B. Xu. VLP: A survey on vision-language pre-training. *Machine Intelligence Research*, vol.20, no.1, pp.38–56, 2023. <http://doi.org/10.1007/s11633-022-1369-5>

## 1 Introduction

Making machines respond in ways similar to humans has been a relentless goal of AI researchers. To enable machines to perceive and think, researchers propose a series of related tasks, such as face recognition, reading comprehension, and human-machine dialogue, to train and evaluate the intelligence of machines in a particular aspect. Specifically, domain experts manually construct standard datasets and then train and evaluate relevant models on them. However, due to the limitations of related technologies, it is often necessary to train on a large amount of labelled data to obtain a better and more capable model. The recent emergence of pre-training models based on the Transformer structure<sup>[1]</sup> has alleviated this problem. They are first pre-trained via self-supervised learning that typically exploits auxiliary tasks (pre-training objectives) to mine supervision signals from large-scale unlabelled data to train the model, thereby learning universal representations. Then, they can achieve surprising effectiveness by fine-tuning with only a tiny amount of manually-labelled data on downstream tasks. Since the advent of BERT<sup>[2]</sup> in natural language processing (NLP),

various pre-training models have sprung up in the uni-modal field, such as vision transformer (ViT)<sup>[3]</sup> in computer vision (CV) and Wave2Vec<sup>[4]</sup> in speech. Substantial works have shown they are beneficial for downstream uni-modal tasks and avoid training a new model from scratch.

Similar to the uni-modal field, there is also a problem of less high-quality labelled data in the multi-modal field. The natural question is, can the above pre-training method be applied to multi-modal tasks? Researchers have explored this problem and made significant progress. In this paper, we focus on mainstream vision-language pre-training (VLP), including image-text and video-text pre-training. VLP mainly learns the semantic correspondence between different modalities by pre-training on large-scale data. For example, in image-text pre-training, we expect the model to associate “dog” in text with what “dog” looks like in images. In video-text pre-training, we expect the model to map objects/actions in the text to objects/actions in the video. To achieve this goal, the VLP objects and model architecture need to be cleverly designed to allow the model to mine the associations between different modalities.

To give readers a better global grasp of VLP, we first comprehensively review its recent advances and focus on five significant aspects:

**Feature extraction.** This section includes the pre-processing and representation methods of image, video,

Review

Manuscript received June 5, 2022; accepted August 17, 2022

Recommended by Associate Editor Chun-Hua Shen

\*These authors contribute equally to this work

© The Author(s) 2023

and text in VLP models (see Section 2).

**Model architecture.** We introduce the architecture of the VLP models from two different perspectives: Single-stream versus dual-stream from multi-modal fusion perspective and encoder-only versus Encoder-decoder from the overall architectural design perspective (see Section 3).

**Pre-training objectives.** Pre-training objectives are the core of VLP, mainly used to guide the model to learn vision-language associated information. We summarize typical and characteristic pre-training objectives divided into completion, matching, temporal, and particular types (see Section 4).

**Pre-training datasets.** Data is critical for VLP. We briefly introduce mainstream corpora for VLP and their specific sizes (see Section 5).

**Downstream tasks.** Various tasks require a cooperative knowledge of both vision and language. We discuss the basic details and goals of these tasks (see Section 6).

Then we summarize the specific state-of-the-art (SOTA) VLP models in detail (see Section 7). Finally, we conclude the paper and have broad discussions on new frontiers in VLP (see Section 8).

Although there are many surveys on pre-trained language models<sup>[5, 6]</sup> and pre-trained vision models<sup>[7]</sup>, to the best of our knowledge, this is the first survey focused on VLP. We hope that our survey can help researchers better understand this field and inspire them to design better models.

## 2 Feature extraction

This section describes how VLP models preprocess and represent an image, video, and text to obtain counterpart features.

### 2.1 Feature extraction

#### 2.1.1 Image feature extraction

**OD-based region features (OD-RFs).** Most previous work<sup>[8–10]</sup> on VLP utilizes pre-trained object detectors to extract visual features. The most commonly used object detection model is Faster R-CNN<sup>[11]</sup> with bottom-up attention<sup>[12]</sup>. It is designed to identify objects belonging to certain classes and localize them with bounding boxes. By using the Faster R-CNN, VLP models obtain the OD-based Region feature embedding  $V = [o_1, o_2, \dots, o_k]$  of an image with  $k$  selected regions. Each region feature  $o_i$  is a 2048-d Region-of-Interest (RoI) feature with its bounding box. The bounding box is defined by the coordinates of the bottom-left and top-right corners of the region. VLP models use bounding boxes to construct 5-d vectors, and the vector is embedded into a high-dimensional representation (2048-d) named visual geometry embedding. The OD-RFs are obtained by adding the OD-based Region feature embedding with its

visual geometry embedding. Although ODFs have brought impressive performance, extracting region features can be time-consuming. To relieve this problem, the pre-trained object detectors are usually frozen during pre-training, which can limit the capacity of VLP models.

**CNN-based grid features (CNN-GFs).** VLP models<sup>[13, 14]</sup> extract visual features by utilizing convolutional neural networks (CNNs) to obtain the grid features. On the one hand, VLP models can train the CNNs end-to-end by using the grid features<sup>[15]</sup> directly. On the other hand, VLP models can also first discretize grid features using a learned vision dictionary and then feed them into the cross-modal module.

**ViT-based patch features (ViT-PFs).** Inspired by ViT<sup>[3, 16]</sup>, VLP models reshape the image  $I_i \in \mathbf{R}^{H \times W \times C}$  into a sequence of flattened 2D patches  $I_p \in \mathbf{R}^{N \times (P^2 \times C)}$ , where  $(H, W)$  is the resolution of the original image,  $C$  is the number of channels,  $(P, P)$  is the resolution of each image patch, and  $N = HW/P^2$  is the resulting number of patches, which also serves as the effective input sequence length for the transformer. An input image  $I_i$  is encoded into a sequence of embeddings:  $\{v_{\text{cls}}, v_1, \dots, v_N\}$ , where  $v_{\text{cls}}$  is the embedding of the [CLS] token.

#### 2.1.2 Video feature extraction

A video clip is denoted as  $M$  frames (images). VLP models<sup>[17, 18]</sup> extract the frame features using the method mentioned above. The two most commonly used features are CNN-GFs and ViT-PFs. For CNN-GFs, VLP models first use ResNet<sup>[19]</sup> pre-trained on ImageNet<sup>[20]</sup> or SlowFast<sup>[21]</sup>, and I3D<sup>[22]</sup> pre-trained on Kinetics<sup>[23]</sup> to extract 2D and 3D visual features for each video frame. These features are concatenated as visual features and fed through a fully-connected (FC) layer to be projected into the same lower-dimensional space as token embeddings. For ViT-PFs, a video clip  $V_i \in \mathbf{R}^{M \times H \times W \times C}$  consists of  $M$  frames of resolution  $H \times W$ , where  $M = 1$  for images. Following the protocol in ViT and Timesformer, the input video clip is divided into  $M \times N$  non-overlapping spatio-temporal patches of size  $P \times P$ , where  $N = HW/P^2$ .

#### 2.1.3 Text feature extraction

For the textual features, following pre-trained language models such as BERT<sup>[2]</sup>, RoBERTa<sup>[24]</sup>, ALBERT<sup>[25]</sup>, and XLNet<sup>[26]</sup>, VLP models<sup>[9, 27, 28]</sup> first segment the input sentence into a sequence of subwords, and then, insert a start-of-sequence token and an end-of-sequence token at the beginning and the end of the sequence to generate the input text sequence. Text input representations are computed via summing the corresponding word embedding, text position embedding, and text type embedding.

## 2.2 Feature representation

To make full use of uni-modal pre-trained models, VLP models can send the visual or text features to a

transformer encoder<sup>[4]</sup>. Specifically, VLP models utilize the standard transformer encoder with random initialization to generate the visual or textual representation. In addition, VLP models can utilize a pre-trained visual transformer to encode the ViT-PFs, such as ViT and DeiT<sup>[29]</sup>. VLP models can use a pre-trained textual transformer to encode the textual features, such as BERT. For simplicity, we name this transformer Xformer.

### 3 Model architecture

In this section, we introduce the architecture of the VLP models from two different perspectives: 1) single-stream versus dual-stream from a multi-modal fusion perspective, and 2) encoder-only versus encoder-decoder from the overall architectural design perspective.

#### 3.1 Single-stream versus dual-stream

The single-stream architecture<sup>[9, 30, 31]</sup> refers to that the text and visual features are concatenated together, then fed into a single transformer block, as shown in Fig. 1(a). The single-stream structure utilizes merged attention to fuse multi-modal inputs. The single-stream architecture is more parameter-efficient, as the same set of parameters is used for both modalities.

**Dual-stream architecture.** The dual-stream architecture<sup>[32, 33]</sup> refers to that the text and visual features are not concatenated together but sent to two different transformer blocks independently, as shown in Fig. 1(b). These two transformer blocks do not share parameters. To achieve higher performance, cross-attention (as shown by the dotted line in Fig. 1(b)) is used to enable cross-modal interaction. To achieve higher efficiency, there can be also no cross-attention between the visual transformer and textual transformer blocks.

#### 3.2 Encoder-only versus encoder-decoder

Many VLP models adopt the encoder-only architecture, where the cross-modal representations are directly

fed into an output layer to generate the final outputs. In contrast, other VLP models advocate using a transformer encoder-decoder architecture, where the cross-modal representations are first fed into a decoder and then to an output layer.

## 4 Pre-training objectives

This section introduces how we pre-train VLP models by using different pre-training objectives, which are crucial for learning the universal representation of vision-language. We summarize the pre-training objectives into four categories: completion, matching, temporal, and particular types.

1) Completion is to reconstruct the masked element by leveraging the unmasked remainders to understand the modality (see Sections 4.1–4.3).

2) Matching is to unify the vision and language into a shared hidden space to generate universal vision-language representation (see Sections 4.4–4.6).

3) Temporal is to learn good representation by re-ordering the disrupted input sequence (see Section 4.7).

4) Particular types consist of other pre-training objects, such as visual question answering and visual captioning (see Section 4.8).

Now we introduce the most used pre-training objectives.

### 4.1 Masked language modeling

Masked language modeling (MLM), which was first proposed by Taylor<sup>[34]</sup> in the literature, is widely known because the BERT model adapted it as a novel pre-training task. To model language conditioned on vision, MLM in VLP models is similar to MLM in pre-training language models (PLMs) but predicts the masked textual tokens not only by the rest of the textual tokens but also by the visual tokens. Empirically, VLP models following BERT randomly mask each textual input token with a probability of 15% and replace the masked one by using a special token [MASK] 80% of the time, a random textual




Fig. 1 Illustration of two types of model architectures for VLP

token 10% of the time, and the original token 10% of the time to perform masking. The formal definition is as follows:

$$\mathcal{L}_{\text{MLM}} = -\mathbb{E}_{(\mathbf{v}, \mathbf{w}) \sim D} \log P(\mathbf{w}_m | \mathbf{w}_{\setminus m}, \mathbf{v}) \quad (1)$$

where  $\mathbf{v}$  denotes the vision,  $\mathbf{w}$  denotes the textual tokens,  $\mathbf{w}_m$  denotes the masked textual tokens,  $\mathbf{w}_{\setminus m}$  denotes the remaining textual tokens, and  $D$  denotes the training dataset.

### 4.2 Prefix language modeling

Prefix language modeling (PrefixLM)<sup>[14]</sup> is unified in MLM and language modeling (LM). To make the model simultaneously have a good understanding and generation ability, PrefixLM is proposed to facilitate the model with solid generation capability that enables text-induced zero-shot generalization without fine-tuning. PrefixLM differs from the standard LM such that it enables bi-directional attention to the prefix sequence and only conducts autoregressive factorization on the remaining tokens. PrefixLM under the sequence-to-sequence (seq2seq) framework not only enjoys the bidirectional contextualized representation as in MLM but also can perform text generation similar to LM. The formal definition is as follows:

$$\mathcal{L}_{\text{PrefixLM}} = -\mathbb{E}_{(\mathbf{v}, \mathbf{w}) \sim D} \log P(\mathbf{w}_{\geq T_p} | \mathbf{w}_{\leq T_p}, \mathbf{v}) \quad (2)$$

where  $T_p$  denotes the length of the prefix sequence.

### 4.3 Masked vision modeling

To have a good understanding of vision or generate images/videos given text, like MLM, masked vision modeling (MVM)<sup>[30]</sup> samples vision (image or video) regions or patches and usually masks their visual features with a probability of 15%. VLP models need to reconstruct the masked visual features given the remaining visual features and all the textual features. The masked visual features are set to zeros. Because visual features are high-dimensional and continuous, VLP models propose two variants for MVM.

**Masked features regression.** Learns to regress the model output of masked features to its original visual features. VLP models convert the model output of the masked features to a vector of the same dimension as the original visual features first and apply L2 regression between the original visual features and the vector. The formal definition is as follows:

$$\mathcal{L}_{\text{MVM}} = \mathbb{E}_{(\mathbf{v}, \mathbf{w}) \sim D} f(\mathbf{v}_m | \mathbf{v}_{\setminus m}, \mathbf{w}) \quad (3)$$

$$f(\mathbf{v}_m | \mathbf{v}_{\setminus m}, \mathbf{w}) = \sum_{i=1}^K \|h(\mathbf{v}_m^i) - O(\mathbf{v}_m^i)\|_2^2 \quad (4)$$

where  $h(\mathbf{v}_m^i)$  denotes the predicted vision representation and  $O(\mathbf{v}_m^i)$  denotes the original vision representation.

**Masked feature classification.** Learns to predict the object semantic class for the masked features. VLP models first feed the output of the masked features into an FC layer to predict the scores of object class, which further goes through a softmax function to be transformed into a prediction normalized distribution. Note that there is no ground-truth label. There are two kinds of methods to train VLP models. One is that VLP models take the most likely object class from the object detection model as the hard label (with probability 0 or 1), assuming that the detected object class is the ground-truth label for the masked features, and apply cross-entropy loss to minimize the gap between the prediction and pseudo-class. The other is that VLP models utilize a soft label as a supervision signal, which is the raw output from the detector (i.e., a distribution of object classes), and minimize the Kullback-Leibler (KL) divergence between two distributions. The formal definition is as follows:

$$\mathcal{L}_{\text{MVM}} = \mathbb{E}_{(\mathbf{v}, \mathbf{w}) \sim D} f(\mathbf{v}_m | \mathbf{v}_{\setminus m}, \mathbf{w}). \quad (5)$$

We use the object detection output from Faster R-CNN and take the detected object category as the label of the masked region:

$$f_1(\mathbf{v}_m | \mathbf{v}_{\setminus m}, \mathbf{w}) = \sum_{i=1}^K \text{CE}(c(\mathbf{v}_m^i) - g_1(\mathbf{v}_m^i)) \quad (6)$$

where  $g_1(\mathbf{v}_m^i)$  is the detected object category and  $K$  denotes the number of vision regions.

We avoid this assumption by using a soft label as a supervision signal, which is the raw output from the detector:

$$f_2(\mathbf{v}_m | \mathbf{v}_{\setminus m}, \mathbf{w}) = \sum_{i=1}^K D_{KL}(\hat{c}(\mathbf{v}_m^i) - g_2(\mathbf{v}_m^i)) \quad (7)$$

where  $g_1(\mathbf{v}_m^i)$  is the detected object category distribution.

### 4.4 Vision-language matching

Vision-language matching (VLM)<sup>[35]</sup> is the most commonly used pre-training objective to align vision and language, which aims to project vision and language into the same space. In the single-stream VLP models, they use the representation of the special token [CLS] as the fused representation of both modalities. In the dual-stream VLP models, they concatenate the visual representation of the special visual token [CLS<sub>v</sub>] and the textual repres-

entation of the special textual token  $[\text{CLS}_T]$  as the fused representation of both modalities. VLP models feed the fused representation of both modalities to an FC layer and a sigmoid function to predict a score between 0 and 1, where 0 indicates that vision and language are mismatched, and 1 indicates that vision and language are matched. During training, VLP models sample positive or negative pairs from the dataset at each step. The negative pair is created by replacing the vision or text in a paired sample with randomly samples selected from other samples.

#### 4.5 Vision-language contrastive learning

Vision-language contrastive learning (VLC)<sup>[35]</sup> also aims to align vision and language. Different VLM, VLC predicts the matched vision-language pairs from  $N \times N$  possible vision-language pairs given a batch of  $N$  vision-language pairs. Note that there are  $N^2 - N$  negative vision-language pairs within a training batch. VLP models use the visual representation of the special visual token  $[\text{CLS}_V]$  and the textual representation of the special textual token  $[\text{CLS}_T]$  to denote the aggregated representation of the vision and language, respectively. VLP models compute the softmax-normalized vision (image or video)-to-text similarity and text-to-vision similarity and leverage cross-entropy losses over vision-to-text and text-to-vision similarities to update themselves. The similarity is often implemented by dot products. The formal definitions are as follows:

$$p_m^{v2t}(I) = \frac{\exp(s(I, T_m)/\tau)}{\sum_{m=1}^M \exp(s(I, T_m)/\tau)} \quad (8)$$

$$p_m^{t2v}(T) = \frac{\exp(s(T, I_m)/\tau)}{\sum_{m=1}^M \exp(s(T, I_m)/\tau)} \quad (9)$$

$$\mathcal{L}_{\text{VLC}} = \frac{1}{2} \mathbb{E}_{(I, T) \sim D} [\text{CE}(y^{v2t}, p^{v2t}(I)) + \text{CE}(y^{t2v}, p^{t2v}(T))] \quad (10)$$

where  $I, T$  denotes the images and texts,  $s(\cdot)$  denotes the similarity function,  $\tau$  denotes the temperature coefficient,  $y^{v2t}$ , and  $y^{t2v}$  denote the labels of vision2text retrieval and text2vision retrieval.

#### 4.6 Word-region alignment

Word-region alignment (WRA)<sup>[30]</sup> is an unsupervised pre-training objective to align vision regions (vision patches) and words. VLP models utilize optimal transport to learn the alignment between vision and language. Empirically, VLP models use the IPOT<sup>[30]</sup> algorithm to approximate the optimal transport (OT) distance since the exact minimization is computationally intractable.

After solving minimization, the OT distance serves as the WRA loss to train VLP models. The formal definition is as follows:

$$\mathcal{L}_{\text{WRA}} = \min_{T \in \text{II}(\mathbf{a}, \mathbf{b})} \sum_{i=1}^T \sum_{j=1}^K T_{ij} \cdot c(\mathbf{w}_i, \mathbf{v}_j) \quad (11)$$

where  $c(\mathbf{w}_i, \mathbf{v}_j)$  is the cost function evaluating the distance between  $\mathbf{w}_i$  and  $\mathbf{v}_j$ ,  $T \in \text{II}(\mathbf{a}, \mathbf{b}) = \{T \in \mathbf{R}^{T \times K} | T \mathbf{1}_m = \mathbf{a}, T^T \mathbf{1}_n = \mathbf{b}\}$ ,  $\mathbf{a}$  and  $\mathbf{b}$  are Dirac function coefficients centered on  $\mathbf{w}_i$  and  $\mathbf{v}_j$ .

#### 4.7 Frame order modeling

To better model the timing of the video, VLP models randomly disrupt the order of some input frames and then predict the actual position of each frame. Frame order modeling (FOM)<sup>[36]</sup> is modeled as a classification task in practice.

#### 4.8 Particular pre-training objects

To better adapt to downstream tasks, VLP models sometimes use the training objects of some downstream tasks, such as visual question answering (VQA)<sup>[12, 37, 38]</sup>, and visual captioning (VC)<sup>[39, 40]</sup>, as pre-training objectives. As for VQA, VLP models take the fused representation mentioned above, apply an FC layer, and use the transformed representation to predict the classification over predefined answer candidates. In addition to VLP models tackling the task as classification over predefined answer candidates, VLP models can also directly generate answers in their original text format. As for VC, to reconstruct the input sentence to endow VLP models with the generation capability, VLP models employ an auto-regressive decoder to generate a corresponding textual description of the image or video.

Note that due to space limitations, we only introduce some popular pre-training objectives. We omit some specific pre-training objectives such as grounding referring expression (GRE), image-conditioned denoising autoencoding (IDA)<sup>[41]</sup>, text-conditioned image feature generation (TIFG)<sup>[41]</sup>, object detection (OD)<sup>[42]</sup>, and aligned Kaleido patch modeling (AKPM)<sup>[43]</sup>. Moreover, we put masked action prediction into the category of MVM.

### 5 Pre-training datasets

Pre-training datasets are significant for the success of cross-modal representation learning. The quality and the size of pre-training datasets sometimes overwhelm the importance of training strategies and algorithms. Hence, a detailed description of several widely used pre-training datasets is necessary. Table 1 shows statistics of some popular pre-training datasets for VLP.

Since VLP includes image-language pre-training and



Table 1 Details of some popular pre-training datasets for VLP. Names of some datasets are abbreviated for the convenience of subsequent descriptions. FLKR represents Flickr30k, and HT100M represents HowTo100M.

Dataset	# Images	# Image-text pairs	Duration (hrs)	# Clips	# Videos
SBU <sup>[44]</sup>	875K	875K	–	–	–
FLKR <sup>[45]</sup>	29K	145K	–	–	–
COCO <sup>[46]</sup>	113K	567K	–	–	–
VG <sup>[47]</sup>	108K	5.4M	–	–	–
VGQA <sup>[47]</sup>	108K	1.8M	–	–	–
VQA <sup>[48]</sup>	83K	444K	–	–	–
Matterport3D <sup>[49]</sup>	104K	104K	–	–	–
FashionGen <sup>[50]</sup>	260K	260K	–	–	–
CC3M <sup>[51]</sup>	3M	3M	–	–	–
GQA <sup>[52]</sup>	82K	1M	–	–	–
LAIT <sup>[53]</sup>	10M	10M	–	–	–
CC12M <sup>[54]</sup>	12M	12M	–	–	–
ALIGN <sup>[55]</sup>	1.8B	1.8B	–	–	–
Kinetics400 <sup>[23]</sup>	–	–	817	306K	306K
TVQA <sup>[38]</sup>	–	–	461	22K	925
HT100M <sup>[56]</sup>	–	–	134K	136M	1.2M
WebVid2M <sup>[57]</sup>	–	–	13K	2.5M	2.5M

video-language pre-training, we roughly divide pre-training datasets into two main categories. In later sections, we provide more details about representative pre-training datasets for each category. It is worth noting that no matter which category pre-training datasets belong, they differ in size and sources across different research. In most works, the pre-training datasets for VLP are constructed by combining public datasets across different cross-modal tasks or scenarios. However, other works, such as VideoBERT<sup>[58]</sup>, ImageBERT<sup>[53]</sup>, ALIGN<sup>[55]</sup>, and CLIP<sup>[16]</sup>, conduct pre-training with self-constructed datasets. These self-constructed datasets are usually larger than most public datasets, but might contain more noise.

## 5.1 Datasets for image-language pre-training

For image-language pre-training, the most widely used data form is image-text pairs. Most image-language pre-training datasets consist of a large number of image-caption pairs. SBU<sup>[44]</sup> and Flickr30k<sup>[45]</sup> are collected from Flickr and labelled with human-generated annotations. COCO<sup>[46]</sup> consists of images with five human-generated captions filtered with special procedures to guarantee the quality of images and annotations. CC3M<sup>[51]</sup> and CC12M<sup>[54]</sup> are constructed by crawling images and their alt-text HTML attributes from the Internet and annotating these pictures with filtered descriptions. Due to the looser filtering strategies, CC12M contains more noise than CC3M. Another data source is the visual question

answering task. Many image-language datasets are organized as structured data in the context of visual question answering. The representative large-scale dataset is the visual genome (VG)<sup>[47]</sup>. VG contains rich information in its structured data form. Its region-level descriptions and question-answer pairs are frequently used in the study of image-language pre-training. Besides VG, VQA<sup>[48]</sup> and GQA<sup>[52]</sup> are also popular datasets of visual question-answer pairs. Compared with VGA, GQA further alleviates systematic biases.

The datasets mentioned above are suitable for most common scenarios. There are also some datasets designed for special cases. Matterport3D<sup>[49]</sup> consists of RGB-D images of building-scale scenes annotated with labels for classification and segmentation. Fashion-Gen<sup>[50]</sup> contains fashion images paired with item descriptions generated by professional stylists.

## 5.2 Datasets for video-language pre-training

Compared to image-language pre-training datasets, video-language pre-training datasets are usually more time-consuming and more difficult to collect and process. These inconveniences restrict the development of the community and the scale of pre-training. Datasets for video-language pre-training cover different scenarios and sources. Most of them, such as Kinetics-400<sup>[23]</sup>, HowTo100M<sup>[56]</sup>, and WebVid-2M<sup>[57]</sup>, are collected from the Internet and processed with different procedures. These

kinds of videos are usually accompanied by subtitles, thus providing weak or strong alignments between video clips and text. Although those subtitles sometimes might be too weak to align modalities, they still provide useful information, especially for the pre-training on large-scale datasets. Another source of video-text pairs is television programs. TVQA<sup>[38]</sup> is a video-language pre-training dataset generated from television shows. These television shows are collected and converted to a dataset comprised of many dialogues for understanding the videos and recognizing semantic concepts in videos.

Considering the diversity of the sources and the formation of these datasets, researchers apply different annotation and processing procedures. For example, Kinetics-400<sup>[23]</sup> consists of many action-related videos annotated with action classes. For other datasets<sup>[38, 56, 57]</sup>, the accompanying captions/subtitles of video clips or the class of concepts in videos are usually processed and used as annotations.

## 6 Downstream tasks

As shown in Fig. 2, a diverse range of tasks requires cooperative knowledge of vision and language. In this section, we introduce the fundamental details and goals of these tasks.

**Visual question answering (VQA).**<sup>[37, 59–61]</sup> Giving a visual input (image or video), VQA represents the task of correctly providing an answer to a question. It is usually regarded as a classification task where the model predicts the most suitable answer from a pool of choices. To obtain an accurate performance, it is important to infer logical entailments from images (or videos) based on the question posed.

**Visual reasoning and compositional question answering (GQA).**<sup>[52, 62, 63]</sup> GQA is an upgraded version of VQA and aims to advance research on the visual reasoning of natural scenes. The images, questions, and answers in its dataset have matching semantic representations. The advantage of this structured representation is that the distribution of answers can be more uniform, and we can analyze the model's performance from more dimensions. Compared with the single evaluation metric (e.g., accuracy) of traditional VQA, GQA includes multi-dimensional evaluation metrics: consistency, validity, plausibility, distribution, and grounding.

**Video-language inference (VLI).**<sup>[36, 64, 65]</sup> Given a video clip with aligned subtitles as a premise paired with a natural language hypothesis based on the video content, a model needs to infer whether the hypothesis is entailed or contradicted by the given video clip.

**Visual entailment (VE).**<sup>[66–68]</sup> In the VE task, the image is the premise, and the text is the hypothesis. Its goal is to predict whether the text is an "Entailment Image". There are three labels, Entailment, Neutral, and

Contradiction.

**Visual commonsense reasoning (VCR).**<sup>[69–71]</sup> VCR is the task of inferring common sense information and cognitive understanding by a machine when it sees an image. It exists in the form of multiple-choice questions. For a question about the image, there are several alternative answers. The model must choose an answer from several answers and then select the reason for choosing this answer from several alternative reasons. Thus, VCR can be divided into two tasks, including question answering (selecting the best answer from a pool of expected answers to the question) and answer justification (providing the rationale behind the given answer). You can follow VCR's leaderboard<sup>1</sup> to track VLP's latest ideas.

**Natural language for visual reasoning (NLVR).**<sup>[72, 73]</sup> NLVR is a subtask of the broader VCR category, limited to the classification paradigm. The input of the NLVR task is two images and a text description, and the output is whether the corresponding relationship between the images and the text description is consistent (two labels: true or false). It is typically different from VQA due to longer text sequences covering various linguistic phenomena.

**Grounding referring expressions (GRE).**<sup>[74–76]</sup> The GRE task aims to localize certain regions (e.g., objects and persons) in an image given a referring expression, where the main challenge is to comprehend and align various types of information from a visual and textual domain, such as visual attributes, locations, and interactions with surrounding regions. Specifically, the model can output a score for each region, and the region with the highest score is used as the prediction region.

**Category recognition (CR).**<sup>[43]</sup> CR refers to identifying the category and sub-category of a product, such as {HOODIES, SWEATERS}, {TROUSERS, PANTS}, which are vital attributes for describing a product and are useful in many real-life applications.

**Multi-modal sentiment analysis (MSA).**<sup>[77–80]</sup> MSA is aimed to detect sentiments in videos by leveraging multi-modal signals (e.g., vision, language, etc.). It predicts the affective orientation of an utterance as a continuous intensity variable.

**Vision-language retrieval (VLR).**<sup>[81–84]</sup> VLR involves understanding both vision (image or video) and language domains with appropriate matching strategies. It includes two subtasks, vision-to-text, and text-to-vision retrieval, where vision-to-text retrieval is to fetch the top-most relevant text description from a larger pool of descriptions as per vision and vice versa. VLR is widely used in domain-specific searches, multiple search engines, and context-based vision retrieval design systems.

**Visual captioning (VC).**<sup>[40, 85, 86]</sup> VC aims to generate semantically and syntactically appropriate text descriptions for a given visual (image or video) input. Gen-

<sup>1</sup> <https://visualcommonsense.com/leaderboard/>




Fig. 2 Illustration of downstream tasks in VLP

erating relevant and explanatory captions for a visual input requires not only a rich knowledge of the language, but also a consistent understanding of scenes, entities, and their interactions that appear in the visual input.

**Novel object captioning at scale (NoCaps).**<sup>[87, 88]</sup> NoCaps extends the VC task to test a model’s capability of describing novel objects from the Open Images dataset, which are unseen in the training corpus.

**Visual dialogue (VD).**<sup>[89–92]</sup> The specific task in VD is the following: Given an image, a dialog history consisting of a sequence of question-answer pairs, and a natural language follow-up question, the goal for the task is to respond to the question in free-form natural language (e.g., generate an answer). VD is the visual analogue of the Turing Test.

**Multi-modal machine translation (MMT).**<sup>[93–95]</sup> MMT is a two-fold task of translation and text generation, translating text from one language to another with additional information from other modalities, e.g., images. The additional visual features aim to remove ambiguities that may arise in straightforward text machine translation and help retain the context of the text descriptions. The multi-modal representation space facilitates robust latent representations to complement the inherent semantic information preserved by visual and linguistic embeddings, respectively.

**Vision-language navigation (VLN).**<sup>[96–98]</sup> VLN is a grounding language task for an agent’s locomotion as it sees and explores real-world dynamics based on linguistic instructions. Like generation tasks, it is typically seen as the task of sequence-to-sequence transcoding. However, VLN has unique characteristics. It usually has longer sequences, and the dynamics of the problem are quite different since it is a real-time evolving task. Its main challenge lies in understanding the environment and making confident decisions during exploration.

**Optical character recognition (OCR).**<sup>[99, 100]</sup> OCR generally refers to extracting handwritten or printed text from images (such as street signs and photos of products) as well as documents (articles, bills, invoices, financial reports, etc.), which includes two parts: text detection

(similar to regression) and text recognition (similar to classification).

In addition, there are some image-related downstream tasks for evaluating the image-text pre-training models, including semantic segmentation<sup>[101, 102]</sup>, and object detection<sup>[103, 104]</sup>. There are also some video-related downstream tasks for evaluating the video-text pre-training models, including action classification (AC)<sup>[58]</sup>, action segmentation (AS)<sup>[105]</sup> and action step localization (ASL)<sup>[106]</sup>.

Recently, Changpinyo et al.<sup>[54]</sup> scaled up pre-training data for VLP tasks and benchmarked its effectiveness against Conceptual Captions 3M on multiple downstream tasks with an emphasis on long-tail visual recognition. Rethmeier and Augenstein<sup>[107]</sup> studied the performance of pre-trained model on a challenging long-tail task and analyze the resulting long-tail learning capabilities under zero-shot, few-shot, and full supervision conditions to explore the performance influence of model size and self-supervision signal amount.

## 7 SOTA VLP models

**Image-text VLP models.** VisualBERT<sup>[9]</sup>, known as the first image-text pre-training model, uses the visual features extracted by Faster R-CNN, concatenates the visual features and textual embeddings, and then feeds the concatenated features to a single transformer initialized by BERT. Many VLP models<sup>[13, 30, 53, 108]</sup> follow a similar feature extraction and architecture as VisualBERT while adjusting the pre-training objectives and pre-training datasets. Recently, VDBERT<sup>[109]</sup> modelled the common implicit vision-language alignment in vision and language by pre-training on large-scale image-text pairs via transfer learning<sup>[110, 111]</sup>. VLMO<sup>[112]</sup> leverages patch embeddings for image and word embeddings for text and feeds the concatenated embeddings into a single transformer with modality experts, and achieves an impressive performance. METER<sup>[33]</sup> explores how to use a uni-modal pre-trained model and proposes a dual-stream architecture model to handle the multimodal fusion,



which achieves the SOTA performance in many downstream tasks. The summary of mainstream image-text VLP models is shown in Table 2.

**Video-text VLP models.** VideoBERT<sup>[58]</sup>, known as the first video-text pre-training model, extends the BERT model to process videos and texts simultaneously. VideoBERT uses the pre-trained ConvNet and S3D<sup>[133]</sup> to extract video features and concatenate them with textual word embeddings to feed into a transformer initialized with BERT. ConvNet and S3D are frozen when training the VideoBERT, which indicates the approach is not end-to-end. Recently, inspired by ViT, CLIP4Clip<sup>[17]</sup> and CLIP2Video<sup>[18]</sup> first process video clips into frames and get patch embeddings according to the method of ViT processing images for each frame. CLIP4clip and CLIP2Video optimize themselves in an end-to-end manner and achieve SOTA performance. The summary of mainstream video-text VLP models is shown in Table 3.

## 8 Conclusions and new frontiers

In this paper, we provide the first VLP survey. We review its recent advances from five aspects: feature extraction, model architecture, pre-training objectives, pre-training datasets, and downstream tasks, and summarize the specific SOTA VLP models in detail. We hope that our survey can help researchers understand VLP better and inspire new work to advance this field. In the future, based on existing works, VLP can be further developed from the following aspects:

**Incorporating acoustic information.** Most previous work on multi-modal pre-training emphasize the joint modeling of language and vision but ignore the information buried in audio<sup>[137, 138]</sup>. Although the semantic information in audio might intersect with language, audio could provide extra emotion information, acoustic boundary information, etc. Moreover, pre-training with audio makes the model capable of downstream tasks with acoustic inputs. Until now, joint modeling and representation across text, vision, and audio is still an open problem left for further investigation. Several cutting-edge works have shed light on the future of this research field. Unlike previous VLP models, VATT<sup>[139]</sup> takes the raw audio as input and learns the multi-modal representations with the noise contrastive estimation (NCE). Differing from VATT, OPT<sup>[140]</sup> learns the cross-modal representations across text, image, and audio jointly with various multi-level masking strategies, and it is also capable of generating text and images. Some other works, such as AudioCLIP<sup>[141]</sup> and MERLOT Reserve<sup>[142]</sup>, also shows their unique approaches to learning the cross-modal representations over three modalities.

**Knowledgeable and cognitive learning.** Although the existing VLP models have achieved remarkable performance, their essence is to fit large-scale multi-modal datasets. Making VLP models more knowledge-

able is important for future VLP. For input vision and text, there is rich related external common sense world knowledge and illustrative situational knowledge<sup>[143]</sup>, which can be used to augment the input and accelerate the model training and inference. The solution to this problem requires unified cognitive model architectures, knowledge-guided pre-training objectives, and the support of interacting with new knowledge.

**Prompt tuning.** Currently, fine-tuning is the dominant method to transfer the knowledge of VLP to downstream tasks. However, as the scale of the model increases, each downstream task has its fine-tuning parameters, leading to parameter inefficiency. Moreover, the diverse downstream tasks also make the design of the pre-training and fine-tuning stages cumbersome, leading to a gap between them. Recently, prompt tuning has been getting more and more attention in NLP. By designing discrete or continuous prompts and using MLM for specific downstream tasks, these models could: 1) reduce the computational cost of fine-tuning the enormous amounts of parameters; 2) bridge the gap between pre-training and fine-tuning. Prompt tuning is a promising way to stimulate the linguistic and world knowledge distributed in PLMs. In the next step, it can be improved and transferred to multi-modal scenarios, breaking the traditional paradigm and solving the pain points of VLP<sup>[144]</sup>.

**Model compression and acceleration.** Model compression and acceleration is an essential approach to improve the efficiency of VLP models. In this case, large models are compressed to small ones to meet the need for faster inference and deployment on various real-life scenarios such as resource-constrained devices. In general PLMs, model compression and acceleration is a hot topic, and specific methods include parameter sharing<sup>[25]</sup>, model pruning<sup>[145]</sup>, knowledge distillation<sup>[146]</sup>, and model quantization<sup>[147]</sup>. Recently, knowledge distillation has been used to compress VLP models<sup>[148]</sup>, but other methods, such as pruning and quantization of VLP models, remain to be explored. Furthermore, a data-efficient VLP paradigm is constructed<sup>[149]</sup>. However, only a few efforts are currently focused on improving the efficiency of VLP models, leaving much room for exploration.

**Out-of-domain pre-training.** Despite the significant progress achieved by VLP models, part of their success can be traced back to the introduction of in-domain pre-training datasets used in both pre-training and downstream tasks. The out-of-domain pre-training will be an essential research direction, that is, VLP models transfer the learned knowledge and representation into downstream tasks with unknown data distributions. To mitigate the distribution biases between pre-training and fine-tuning, DeVL Bert<sup>[32]</sup> is proposed to perform intervention-based learning. It borrows the idea of the backdoor adjustment from the research area of causality and designs several neural-network based structures for Bert-style out-of-domain pre-training.

Table 2 The summary of mainstream image-text VLP models. The number of downstream tasks determines whether the model is generic or domain-specific VLP. FE: Feature extraction. PT: Pre-training. Emb: Embedding. SC in datasets column: Self-constructed or self-collected. MTL in datasets column: All datasets for multi-task learning in corresponding work. See other abbreviations in datasets column in Table 1.

Model	Domain	Vision FE	Language FE	Multi-modal fusion	Decoder	PT objectives	PT datasets	Downstream tasks
VisualBERT <sup>[9]</sup>	Image	OD-RFs	Emb	Single-stream	No	MLM+VLM	COCO	GRE+NLVR+VCR+VQA
ViLBERT <sup>[8]</sup>	Image	OD-RFs	Emb	Dual-stream	No	MLM+VLM+MVM	COCO+VG	VLR+NLVR+VE+VQA
LXMERT <sup>[113]</sup>	Image	OD-RFs+Xformer	Xformer	Dual-stream	No	MLM+VLM+MVM+VQA	COCO+VG+VQA+GQA+VGQA	GQA+NLVR+VQA
B2T2 <sup>[114]</sup>	Image	CNN-GFs	Emb	Single-stream	No	MLM+VLM	CC3M	VCR
Unicoder-VL <sup>[13]</sup>	Image	OD-RFs	Emb	Single-stream	No	MLM+VLM+MVM	CC3M+SBU	VLR+VCR
VL-BERT <sup>[108]</sup>	Image	OD-RFs	Emb	Single-stream	No	MLM+MVM	CC3M	GRE+VCR+VQA
VLP <sup>[31]</sup>	Image	OD-RFs	Emb	Dual-stream	Yes	MLM+LM	CC3M	VC+VQA
UNITER <sup>[30]</sup>	Image	OD-RFs	Emb	Single-stream	No	MLM+VLM+MVM+WRA	COCO+VG+SBU+CC3M	GRE+VLR+NLVR+VCR+VE+VQA
12-IN-1 <sup>[115]</sup>	Image	OD-RFs	Emb	Single-stream	No	MLM+MVM	MTL	GQA+GRE+VCR+NLVR+VE+VQA
VisDial-BERT <sup>[116]</sup>	Image	OD-RFs	Emb	Dual-stream	No	MLM+VLM+MVM	CC3M+VQA	VD
ImageBERT <sup>[53]</sup>	Image	OD-RFs	Emb	Single-stream	No	MLM+VLM+MVM	LAIT+CC3M+SBU	VLR
PREVALENT <sup>[117]</sup>	Image	CNN-GFs+Xformer	Xformer	Single-stream	No	MLM+MVM	Matterport3D	VLN
XGPT <sup>[41]</sup>	Image	OD-RFs	Emb	Dual-stream	Yes	MLM+IDA+VC+TIFG	CC3M	VC+VLR
InterBER <sup>[118]</sup>	Image	OD-RFs	Emb	Single-stream	No	MLM+VLM+MVM	COCO+CC3M+SBU	VLR+VCR
PixelBERT <sup>[119]</sup>	Image	CNN-GFs	Emb	Single-stream	No	MLM+VLM	COCO+VG	VLR+NLVR+VQA
OSCAR <sup>[10]</sup>	Image	OD-RFs	Emb	Single-stream	No	MLM+VLM	COCO+SBU+CC3M+FLKR+VQA+GQA+VGQA	GQA+VC+VLR+NLVR+NoCaps+VQA
VLN-BERT <sup>[120]</sup>	Image	OD-RFs	Emb	Dual-stream	No	MLM+VLM+MVM	CC3M	VLN
FashionBERT <sup>[121]</sup>	Image	Xformer	Emb	Single-stream	No	MLM+VLM+MVM	FashionGen	VLR
VILLA <sup>[122]</sup>	Image	OD-RFs+Xformer	Xformer	Single-stream	No	MLM+VLM+MVM	COCO+VG+CC3M+SBU	GRE+VLR+NLVR+VCR+VE+VQA
ERNIE-ViL <sup>[123]</sup>	Image	OD-RFs	Emb	Single-stream	No	MLM+MVM	CC3M+SBU	GRE+VLR+VCR+VQA
RVL-BERT <sup>[124]</sup>	Image	OD-RFs	Emb	Single-stream	No	MLM+VLM+MVM	CC3M	VC+VQA
VinVL <sup>[27]</sup>	Image	OD-RFs	Emb	Single-stream	No	MLM+VLM	COCO+CC3M+SBU+FLKR+VQA+GQA+VGQA	GQA+VC+VLR+NLVR+NoCaps+VQA
VL-T5 <sup>[125]</sup>	Image	OD-RFs	Emb	Single-stream	Yes	MLM+VLM+VQA+GRE+VC	COCO+VG+VQA+GQA+VGQA	GQA+GRE+VCR+MMT+NLVR+VCR+VQA
ViLT <sup>[126]</sup>	Image	ViT-PFs	Emb	Single-stream	No	MLM+VLM	COCO+VG+SBU+CC3M	VLR+NLVR+VQA
ALIGN <sup>[55]</sup>	Image	CNN-GFs	Xformer	Dual-stream	No	VLC	ALIGN	VLR
Kaleido-BERT <sup>[43]</sup>	Image	CNN-GFs	Emb	Single-stream	No	MLM+VLM+AKPM	FashionGen	CR+VC+VLR
MDETR <sup>[42]</sup>	Image	Xformer	Xformer	Single-stream	Yes	OD+MLM+VLC	COCO+VG+FLKR+GQA	GQA+VQA
SOHO <sup>[127]</sup>	Image	CNN-GFs	Emb	Single-stream	No	MLM+VLM+MVM	COCO+VG	VLR+NLVR+VE+VQA

Table 2 (continued) The summary of mainstream image-text VLP models. The number of downstream tasks determines whether the model is generic or domain-specific VLP. FE: Feature extraction. PT: Pre-training. Emb: Embedding. SC in datasets column: Self-constructed or self-collected. MTL in datasets column: All datasets for multi-task learning in corresponding work. See other abbreviations in datasets column in Table 1.

Model	Domain	Vision FE	Language FE	Multi-modal fusion	Decoder	PT objectives	PT datasets	Downstream tasks
E2E-VLP <sup>[128]</sup>	Image	CNN-GFs	Emb	Single-stream	Yes	OD+MLM+VLM	COCO+VG	VC+VLR+NLVR+VQA
Visual Parsing <sup>[129]</sup>	Image	Xformer	Emb	Single-stream	No	MLM+VLM+MVM	COCO+VG	VLR+VCR+VE+VQA
CLIP-ViL <sup>[130]</sup>	Image	CNN-GFs	Emb	Single-stream	Yes	MLM+VLM+VQA	COCO+VG+VQA+GQA+VGQA	VE+VLN+VQA
ALBEF <sup>[35]</sup>	Image	Xformer	Xformer	Dual-stream	No	MLM+VLM+VLC	COCO+VG+CC3M+SBU	VLR+NLVR+VQA
SimVLM <sup>[14]</sup>	Image	CNN-GFs	Emb	Single-stream	Yes	PrefixLM	ALIGN	VC+NLVR+VE+VQA
MURAL <sup>[131]</sup>	Image	CNN-GFs	Xformer	Dual-stream	No	VLC	CC12M+ALIGN	VC+VLR
VLMO <sup>[112]</sup>	Image	ViT-PFs	Emb	Single-stream	No	MLM+VLC+VLM	COCO+VG+CC3M+SBU	VQA+NLVR+VLR
METER <sup>[33]</sup>	Image	Xformer	Xformer	Dual-stream	No	MLM+VLM	COCO+VG+CC3M+SBU	VLR+NLVR+VE+VQA
X-VLM <sup>[28]</sup>	Image	Xformer	Xformer	Single-stream	No	MLM+VLM+VG	COCO+VG+CC3M+SBU	VLR+NLVR+VE+VQA
TCL <sup>[132]</sup>	Image	Xformer	Xformer	Single-stream	No	MLM+VLM+TCL	COCO+VG+CC3M+SBU	VLR+NLVR+VE+VQA

Table 3 The summary of mainstream video-text VLP models. The number of downstream tasks determines whether the model is generic or domain-specific VLP. FE: Feature extraction. PT: Pre-training. Emb: Embedding. SC in datasets column: Self-constructed or self-collected. MTL in Datasets column: All datasets for multi-task learning in corresponding work. See other abbreviations in the datasets column in Table 1.

Model	Domain	Vision FE	Language FE	Multi-modal fusion	Decoder	PT objectives	PT datasets	Downstream tasks
VideoBERT <sup>[58]</sup>	Video	CNN-GFs	Emb	Single-stream	No	MLM+VLM+MVM	SC	AC+VC
CBT <sup>[105]</sup>	Video	CNN-GFs+Xformer	Xformer	Single-stream	No	VLC	Kinetics	AC+AS+VC
UniVL <sup>[106]</sup>	Video	CNN-GFs	Xformer	Dual-stream	Yes	MLM+VLM+VC	HT100M	AS+ASL+MSA+VC+VLR
HERO <sup>[36]</sup>	Video	CNN-GFs+Xformer	Xformer	Single-stream	No	MLM+VLM+MVM+FOM	HT100M+TV	VC+VLI+VQA+VLR
MMFT-BERT <sup>[134]</sup>	Video	OD-RFs+Xformer	Xformer	Single-stream	No	VQA	TV	VQA
ActBERT <sup>[135]</sup>	Video	OD-RFs+CNN	Emb	Single-stream	No	MLM+VLM+MVM	HT100M	AS+ASL+VC+VQA+VLR
CLIP <sup>[16]</sup>	Image/Video	CNN/Xformer	Xformer	Dual-stream	No	VLC	SC	OCR+AC etc.
Frozen <sup>[57]</sup>	Video	ViT-PFs	Emb	Dual-Stream	No	VLC	WebVid2M+CC3M	VLR
Region-Learner <sup>[136]</sup>	Video	ViT-PFs	Emb	Dual-Stream	No	VLC	WebVid2M+CC3M	VLR
CLIP4Clip <sup>[17]</sup>	Video	ViT-PFs	Emb	Dual-Stream	No	VLC	WebVid2M+CC3M	VLR
CLIP2Video <sup>[18]</sup>	Video	ViT-PFs	Emb	Dual-Stream	No	VLC	WebVid2M+CC3M	VLR

**Advanced model architecture.** Nowadays, transformer-based architectures make great progress in VLP. Is such a structure the optimal structure for VLP? We note that the recently popular diffusion model<sup>[150]</sup> for image generation has succeeded greatly. Some researchers<sup>[151]</sup> also extend the diffusion model to controllable

text generation. So, whether the diffusion model can be used in VLP? It may be a question worth exploring in the future. Moreover, neural networks themselves are inspired by neuroscience, and we can explore next-generation VLP frameworks with support from other disciplines. The inspirations from mathematics include the frame-

work of non-Euclidean space manifold and how to put some geometric priors into the model<sup>[152, 153]</sup>, which are relatively new research directions. Research on the energy-efficient spiking neural networks<sup>[154–156]</sup> in the brain-inspired field may also provide insights into the exploration of novel VLP architectures.

## Acknowledgements

This work was supported by the Key Research Program of the Chinese Academy of Sciences (No. ZDBS-SSW-JSC006) and the Strategic Priority Research Program of the Chinese Academy of Sciences (No. XDA 27030300).

## Open Access

This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made.

The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder.

To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

## References

- [1] A. Vaswani, N. Shazeer, N. Parmar, J. Uszkoreit, L. Jones, A. N. Gomez, L. Kaiser, I. Polosukhin. Attention is all you need. In *Proceedings of the 31st International Conference on Neural Information Processing Systems*, ACM, Long Beach, USA, pp. 6000–6010, 2017.
- [2] J. Devlin, M. W. Chang, K. Lee, K. Toutanova. BERT: Pre-training of deep bidirectional transformers for language understanding. In *Proceedings of Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, Minneapolis, USA, pp. 4171–4186, 2019. DOI: [10.18653/v1/N19-1423](https://doi.org/10.18653/v1/N19-1423).
- [3] A. Dosovitskiy, L. Beyer, A. Kolesnikov, D. Weissenborn, X. H. Zhai, T. Unterthiner, M. Dehghani, M. Minderer, G. Heigold, S. Gelly, J. Uszkoreit, N. Houlsby. An image is worth 161×6 words: Transformers for image recognition at scale. In *Proceedings of the 9th International Conference on Learning Representations*, 2021.
- [4] S. Schneider, A. Baevski, R. Collobert, M. Auli. Wav2Vec: Unsupervised pre-training for speech recognition. In *Proceedings of the 20th Annual Conference of the International Speech Communication Association*, Graz, Austria, pp. 3465–3469, 2019. DOI: [10.21437/Interspeech.2019-1873](https://doi.org/10.21437/Interspeech.2019-1873).
- [5] X. P. Qiu, T. X. Sun, Y. G. Xu, Y. F. Shao, N. Dai, X. J. Huang. Pre-trained models for natural language processing: A survey. *Science China Technological Sciences*, vol. 63, no. 10, pp. 1872–1897, 2020. DOI: [10.1007/s11431-020-1647-3](https://doi.org/10.1007/s11431-020-1647-3).
- [6] X. Han, Z. Y. Zhang, N. Ding, Y. X. Gu, X. Liu, Y. Q. Huo, J. Z. Qiu, Y. Yao, A. Zhang, L. Zhang, W. T. Han, M. L. Huang, Q. Jin, Y. Y. Lan, Y. Liu, Z. Y. Liu, Z. W. Lu, X. P. Qiu, R. H. Song, J. Tang, J. R. Wen, J. H. Yuan, W. X. Zhao, J. Zhu. Pre-trained models: Past, present and future. *AI Open*, vol. 2, pp. 225–250, 2021. DOI: [10.1016/j.aiopen.2021.08.002](https://doi.org/10.1016/j.aiopen.2021.08.002).
- [7] K. Han, Y. H. Wang, H. T. Chen, X. H. Chen, J. Y. Guo, Z. H. Liu, Y. H. Tang, A. Xiao, C. J. Xu, Y. X. Xu, Z. H. Yang, Y. M. Zhang, D. C. Tao. A survey on vision transformer. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, to be published. DOI: [10.1109/TPAMI.2022.3152247](https://doi.org/10.1109/TPAMI.2022.3152247).
- [8] J. S. Lu, D. Batra, D. Parikh, S. Lee. ViLBERT: Pre-training task-agnostic visiolinguistic representations for vision-and-language tasks. In *Proceedings of the 33rd Conference on Neural Information Processing Systems*, Vancouver, Canada, pp. 13–23, 2019.
- [9] L. H. Li, M. Yatskar, D. Yin, C. J. Hsieh, K. W. Chang. VisualBERT: A simple and performant baseline for vision and language. [Online], Available: <https://arxiv.org/abs/1908.03557>, 2019.
- [10] X. J. Li, X. Yin, C. Y. Li, P. C. Zhang, X. W. Hu, L. Zhang, L. J. Wang, H. D. Hu, L. Dong, F. R. Wei, Y. Choi, J. F. Gao. OSCAR: Object-semantics aligned pre-training for vision-language tasks. In *Proceedings of the 16th European Conference on Computer Vision*, Springer, Glasgow, UK, pp. 121–137, 2020. DOI: [10.1007/978-3-030-58577-8\\_8](https://doi.org/10.1007/978-3-030-58577-8_8).
- [11] S. Q. Ren, K. M. He, R. Girshick, J. Sun. Faster R-CNN: Towards real-time object detection with region proposal networks. In *Proceedings of the 28th International Conference on Neural Information Processing Systems*, ACM, Montreal, Canada, pp. 91–99, 2015.
- [12] P. Anderson, X. D. He, C. Buehler, D. Teney, M. Johnson, S. Gould, L. Zhang. Bottom-up and top-down attention for image captioning and visual question answering. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Salt Lake City, USA, pp. 6077–6086, 2018. DOI: [10.1109/CVPR.2018.00636](https://doi.org/10.1109/CVPR.2018.00636).
- [13] G. Li, N. Duan, Y. J. Fang, M. Gong, D. X. Jiang. Uni-coder-VL: A universal encoder for vision and language by cross-modal pre-training. In *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 34, no. 7, pp. 11336–11344, 2020. DOI: [10.1609/aaai.v34i07.6795](https://doi.org/10.1609/aaai.v34i07.6795).
- [14] Z. R. Wang, J. H. Yu, A. W. Yu, Z. H. Dai, Y. Tsvetkov, Y. Cao. SimVLM: Simple visual language model pretraining with weak supervision. In *Proceedings of the 10th International Conference on Learning Representations*, 2022.
- [15] H. Z. Jiang, I. Misra, M. Rohrbach, E. Learned-Miller, X. L. Chen. In defense of grid features for visual question answering. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Seattle, USA, pp. 10267–10276, 2020. DOI: [10.1109/CVPR.2020.9915000](https://doi.org/10.1109/CVPR.2020.9915000).

- PR42600.2020.01028.
- [16] A. Radford, J. W. Kim, C. Hallacy, A. Ramesh, G. Goh, S. Agarwal, G. Sastry, A. Askell, P. Mishkin, J. Clark, G. Krueger, I. Sutskever. Learning transferable visual models from natural language supervision. In *Proceedings of the 38th International Conference on Machine Learning*, pp. 8748–8763, 2021.
- [17] H. S. Luo, L. Ji, M. Zhong, Y. Chen, W. Lei, N. Duan, T. R. Li. CLIP4Clip: An empirical study of clip for end to end video clip retrieval and captioning. *Neurocomputing*, vol. 508, pp. 293–304, 2022. DOI: [10.1016/j.neucom.2022.07.028](https://doi.org/10.1016/j.neucom.2022.07.028).
- [18] H. Fang, P. F. Xiong, L. H. Xu, Y. Chen. CLIP2Video: Mastering video-text retrieval via image clip. [Online], Available: <https://arxiv.org/abs/2106.11097>, 2021.
- [19] K. M. He, X. Y. Zhang, S. Q. Ren, J. Sun. Deep residual learning for image recognition. In *Proceedings of IEEE Conference on Computer Vision and Pattern Recognition*, Las Vegas, pp. 770–778, 2016. DOI: [10.1109/CVPR.2016.90](https://doi.org/10.1109/CVPR.2016.90).
- [20] J. Deng, W. Dong, R. Socher, L. J. Li, K. Li, L. Fei-Fei. ImageNet: A large-scale hierarchical image database. In *IEEE Conference on Computer Vision and Pattern Recognition*, Miami, USA, pp. 248–255, 2009. DOI: [10.1109/CVPR.2009.5206848](https://doi.org/10.1109/CVPR.2009.5206848).
- [21] C. Feichtenhofer, H. Q. Fan, J. Malik, K. M. He. Slow-Fast networks for video recognition. In *Proceedings of IEEE/CVF International Conference on Computer Vision*, IEEE, Seoul, Republic of Korea, pp. 6202–6211, 2019. DOI: [10.1109/ICCV.2019.00630](https://doi.org/10.1109/ICCV.2019.00630).
- [22] J. Carreira, A. Zisserman. Quo vadis, action recognition? A new model and the kinetics dataset. In *Proceedings of IEEE Conference on Computer Vision and Pattern Recognition*, Honolulu, USA, pp. 6299–6308, 2017. DOI: [10.1109/CVPR.2017.502](https://doi.org/10.1109/CVPR.2017.502).
- [23] W. Kay, J. Carreira, K. Simonyan, B. Zhang, C. Hillier, S. Vijayanarasimhan, F. Viola, T. Green, T. Back, P. Natsev, M. Suleyman, A. Zisserman. The kinetics human action video dataset. [Online], Available: <https://arxiv.org/abs/1705.06950>, 2017.
- [24] Y. H. Liu, M. Ott, N. Goyal, J. F. Du, M. Joshi, D. Q. Chen, O. Levy, M. Lewis, L. Zettlemoyer, V. Stoyanov. RoBERTa: A robustly optimized BERT pretraining approach. [Online], Available: <https://arxiv.org/abs/1907.11692>, 2019.
- [25] Z. Z. Lan, M. D. Chen, S. Goodman, K. Gimpel, P. Sharma, R. Soricut. ALBERT: A lite BERT for self-supervised learning of language representations. In *Proceedings of the 8th International Conference on Learning Representations*, Addis Ababa, Ethiopia, 2019.
- [26] Z. L. Yang, Z. H. Dai, Y. M. Yang, J. Carbonell, R. Salakhutdinov, Q. V. Le. XLNet: Generalized autoregressive pretraining for language understanding. In *Proceedings of the 33rd International Conference on Neural Information Processing Systems*, ACM, Vancouver, Canada, pp. 5753–5763, 2019.
- [27] P. C. Zhang, X. J. Li, X. W. Hu, J. W. Yang, L. Zhang, L. J. Wang, Y. Choi, J. F. Gao. VinVL: Revisiting visual representations in vision-language models. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Nashville, USA, pp. 5579–5588, 2021. DOI: [10.1109/CVPR46437.2021.00553](https://doi.org/10.1109/CVPR46437.2021.00553).
- [28] Y. Zeng, X. S. Zhang, H. Li. Multi-grained vision language pre-training: Aligning texts with visual concepts. In *Proceedings of the 39th International Conference on Machine Learning*, Baltimore, USA, pp. 25994–26009, 2022.
- [29] H. Touvron, M. Cord, M. Douze, F. Massa, A. Sablayrolles, H. Jegou. Training data-efficient image transformers & distillation through attention. In *Proceedings of the 38th International Conference on Machine Learning*, pp. 10347–10357, 2021.
- [30] Y. C. Chen, L. J. Li, L. C. Yu, A. El Kholy, F. Ahmed, Z. Gan, Y. Cheng, J. J. Liu. UNITER: Universal image-text representation learning. In *Proceedings of the 16th European Conference on Computer Vision*, Springer, Glasgow, UK, pp. 104–120, 2020. DOI: [10.1007/978-3-030-58577-8\\_7](https://doi.org/10.1007/978-3-030-58577-8_7).
- [31] L. W. Zhou, H. Palangi, L. Zhang, H. D. Hu, J. Corso, J. F. Gao. Unified vision-language pre-training for image captioning and VQA. In *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 34, no. 7, pp. 13041–13049, 2020. DOI: [10.1609/aaai.v34i07.7005](https://doi.org/10.1609/aaai.v34i07.7005).
- [32] S. Y. Zhang, T. Jiang, T. Wang, K. Kuang, Z. Zhao, J. K. Zhu, J. Yu, H. X. Yang, F. Wu. DeVLBert: Learning deconfounded visio-linguistic representations. In *Proceedings of the 28th ACM International Conference on Multimedia*, ACM, Seattle, USA, pp. 4373–4382, 2020. DOI: [10.1145/3394171.3413518](https://doi.org/10.1145/3394171.3413518).
- [33] Z. Y. Dou, Y. C. Xu, Z. Gan, J. F. Wang, S. H. Wang, L. J. Wang, C. G. Zhu, P. C. Zhang, L. Yuan, N. Y. Peng, Z. C. Liu, M. Zeng. An empirical study of training end-to-end vision-and-language transformers. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, New Orleans, USA, pp. 18145–18155, 2022. DOI: [10.1109/CVPR52688.2022.01763](https://doi.org/10.1109/CVPR52688.2022.01763).
- [34] W. L. Taylor. “Cloze procedure”: A new tool for measuring readability. *Journalism Quarterly*, vol. 30, no. 4, pp. 415–433, 1953. DOI: [10.1177/107769905303000401](https://doi.org/10.1177/107769905303000401).
- [35] J. N. Li, R. R. Selvaraju, A. D. Gotmare, S. Joty, C. M. Xiong, S. C. H. Hoi. Align before fuse: Vision and language representation learning with momentum distillation. In *Proceedings of 35th Conference on Neural Information Processing Systems*, pp. 9694–9705, 2021.
- [36] L. J. Li, Y. C. Chen, Y. Cheng, Z. Gan, L. C. Yu, J. J. Liu. HERO: Hierarchical encoder for video + language omni-representation pre-training. In *Proceedings of Conference on Empirical Methods in Natural Language Processing*, pp. 2046–2065, 2020. DOI: [10.18653/v1/2020.emnlp-main.161](https://doi.org/10.18653/v1/2020.emnlp-main.161).
- [37] S. Antol, A. Agrawal, J. S. Lu, M. Mitchell, D. Batra, C. L. Zitnick, D. Parikh. VQA: Visual question answering. In *Proceedings of IEEE International Conference on Computer Vision*, Santiago, Chile, pp. 2425–2433, 2015. DOI: [10.1109/ICCV.2015.279](https://doi.org/10.1109/ICCV.2015.279).
- [38] J. Lei, L. C. Yu, M. Bansal, T. L. Berg. TVQA: Localized, compositional video question answering. In *Proceedings of Conference on Empirical Methods in Natural Language Processing*, Brussels, Belgium, pp. 1369–1379, 2018. DOI: [10.18653/v1/D18-1167](https://doi.org/10.18653/v1/D18-1167).
- [39] O. Vinyals, A. Toshev, S. Bengio, D. Erhan. Show and tell: A neural image caption generator. In *Proceedings of*



- IEEE Conference on Computer Vision and Pattern Recognition*, Boston, USA, pp.3156–3164, 2015. DOI: [10.1109/CVPR.2015.7298935](https://doi.org/10.1109/CVPR.2015.7298935).
- [40] S. Bai, S. An. A survey on automatic image caption generation. *Neurocomputing*, vol.311, pp.291–304, 2018. DOI: [10.1016/j.neucom.2018.05.080](https://doi.org/10.1016/j.neucom.2018.05.080).
- [41] Q. L. Xia, H. Y. Huang, N. Duan, D. D. Zhang, L. Ji, Z. Sui, E. Cui, T. Bharti, M. Zhou. XGPT: Cross-modal generative pre-training for image captioning. In *Proceedings of the 10th CCF International Conference on Natural Language Processing and Chinese Computing*, Springer, Qingdao, China, pp.786–797, 2021. DOI: [10.1007/978-3-030-88480-2\\_63](https://doi.org/10.1007/978-3-030-88480-2_63).
- [42] A. Kamath, M. Singh, Y. LeCun, G. Synnaeve, I. Misra, N. Carion. MDETR-modulated detection for end-to-end multi-modal understanding. In *Proceedings of IEEE/CVF International Conference on Computer Vision*, IEEE, Montreal, Canada, pp.1780–1790, 2021. DOI: [10.1109/ICCV48922.2021.00180](https://doi.org/10.1109/ICCV48922.2021.00180).
- [43] M. Zhuge, D. H. Gao, D. P. Fan, L. B. Jin, B. Chen, H. M. Zhou, M. H. Qiu, L. Shao. Kaleido-BERT: Vision-language pre-training on fashion domain. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Nashville, USA, pp.12647–12657, 2021. DOI: [10.1109/CVPR46437.2021.01246](https://doi.org/10.1109/CVPR46437.2021.01246).
- [44] V. Ordonez, G. Kulkarni, T. L. Berg. Im2TEXT: Describing images using 1 million captioned photographs. In *Proceedings of the 24th International Conference on Neural Information Processing Systems*, ACM, Granada, Spain, pp.1143–1151, 2011.
- [45] P. Young, A. Lai, M. Hodosh, J. Hockenmaier. From image descriptions to visual denotations: New similarity metrics for semantic inference over event descriptions. *Transactions of the Association for Computational Linguistics*, vol.2, pp.67–78, 2014. DOI: [10.1162/tacl\\_a\\_00166](https://doi.org/10.1162/tacl_a_00166).
- [46] T. Y. Lin, M. Maire, S. J. Belongie, J. Hays, P. Perona, D. Ramanan, P. Dollár, C. L. Zitnick. Microsoft COCO: Common objects in context. In *Proceedings of the 13th European Conference on Computer Vision*, Springer, Zurich, Switzerland, pp.740–755, 2014. DOI: [10.1007/978-3-319-10602-1\\_48](https://doi.org/10.1007/978-3-319-10602-1_48).
- [47] R. Krishna, Y. K. Zhu, O. Groth, J. Johnson, K. Hata, J. Kravitz, S. Chen, Y. Kalantidis, L. J. Li, D. A. Shamma, M. S. Bernstein, L. Fei-Fei. Visual genome: Connecting language and vision using crowdsourced dense image annotations. *International Journal of Computer Vision*, vol.123, pp.1, pp.32–73, 2017. DOI: [10.1007/s11263-016-0981-7](https://doi.org/10.1007/s11263-016-0981-7).
- [48] Y. Goyal, T. Khot, D. Summers-Stay, D. Batra, D. Parikh. Making the V in VQA matter: Elevating the role of image understanding in visual question answering. In *IEEE Conference on Computer Vision and Pattern Recognition*, Honolulu, USA, pp.6904–6913, 2017. DOI: [10.1109/CVPR.2017.670](https://doi.org/10.1109/CVPR.2017.670).
- [49] A. X. Chang, A. Dai, T. A. Funkhouser, M. Halber, M. Nießner, M. Savva, S. R. Song, A. Zeng, Y. D. Zhang. Matterport3D: Learning from RGB-D data in indoor environments. In *Proceedings of International Conference on 3D Vision*, IEEE, Qingdao, China, pp.667–676, 2017. DOI: [10.1109/3DV.2017.00081](https://doi.org/10.1109/3DV.2017.00081).
- [50] N. Rostamzadeh, S. Hosseini, T. Boquet, W. Stokowiec, Y. Zhang, C. Jauvin, C. Pal. Fashion-Gen: The generative fashion dataset and challenge. [Online], Available: <https://arxiv.org/abs/1806.08317>, 2018.
- [51] P. Sharma, N. Ding, S. Goodman, R. Soricut. Conceptual captions: A cleaned, hypernymed, image alt-text dataset for automatic image captioning. In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics*, Melbourne, Australia, pp.2556–2565, 2018. DOI: [10.18653/v1/P18-1238](https://doi.org/10.18653/v1/P18-1238).
- [52] D. A. Hudson, C. D. Manning. GQA: A new dataset for real-world visual reasoning and compositional question answering. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Long Beach, USA, pp.6700–6709, 2019. DOI: [10.1109/CVPR.2019.00686](https://doi.org/10.1109/CVPR.2019.00686).
- [53] D. Qi, L. Su, J. Song, E. Cui, T. Bharti, A. Sacheti. ImageBERT: Cross-modal pre-training with large-scale weak-supervised image-text data. [Online], Available: <https://arxiv.org/abs/2001.07966>, 2020.
- [54] S. Changpinyo, P. Sharma, N. Ding, R. Soricut. Conceptual 12M: Pushing web-scale image-text pre-training to recognize long-tail visual concepts. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Nashville, USA, pp.3558–3568, 2021. DOI: [10.1109/CVPR46437.2021.00356](https://doi.org/10.1109/CVPR46437.2021.00356).
- [55] C. Jia, Y. F. Yang, Y. Xia, Y. T. Chen, Z. Parekh, H. Pham, Q. V. Le, Y. H. Sung, Z. Li, T. Duerig. Scaling up visual and vision-language representation learning with noisy text supervision. In *Proceedings of the 38th International Conference on Machine Learning*, pp.4904–4916, 2021.
- [56] A. Miech, D. Zhukov, J. B. Alayrac, M. Tapaswi, I. Laptev, J. Sivic. HowTo100M: Learning a text-video embedding by watching hundred million narrated video clips. In *Proceedings of IEEE/CVF International Conference on Computer Vision*, IEEE, Seoul, Republic of Korea, pp.2630–2640, 2019. DOI: [10.1109/ICCV.2019.00272](https://doi.org/10.1109/ICCV.2019.00272).
- [57] M. Bain, A. Nagrani, G. Varol, A. Zisserman. Frozen in time: A joint video and image encoder for end-to-end retrieval. In *Proceedings of IEEE/CVF International Conference on Computer Vision*, IEEE, Montreal, Canada, pp.1728–1738, 2021. DOI: [10.1109/ICCV48922.2021.00175](https://doi.org/10.1109/ICCV48922.2021.00175).
- [58] C. Sun, A. Myers, C. Vondrick, K. Murphy, C. Schmid. VideoBERT: A joint model for video and language representation learning. In *Proceedings of IEEE/CVF International Conference on Computer Vision*, IEEE, Seoul, Republic of Korea, pp.7463–7472, 2019. DOI: [10.1109/ICCV.2019.00756](https://doi.org/10.1109/ICCV.2019.00756).
- [59] Q. Wu, D. Teney, P. Wang, C. H. Shen, A. Dick, A. Van Den Hengel. Visual question answering: A survey of methods and datasets. *Computer Vision and Image Understanding*, vol.163, pp.21–40, 2017. DOI: [10.1016/j.cviu.2017.05.001](https://doi.org/10.1016/j.cviu.2017.05.001).
- [60] K. Kafle, C. Kanan. Visual question answering: Datasets, algorithms, and future challenges. *Computer Vision and Image Understanding*, vol.163, pp.3–20, 2017. DOI: [10.1016/j.cviu.2017.06.005](https://doi.org/10.1016/j.cviu.2017.06.005).
- [61] K. Kafle, C. Kanan. An analysis of visual question answering algorithms. In *Proceedings of IEEE International Conference on Computer Vision*, Venice, Italy,

- pp. 1965–1973, 2017. DOI: [10.1109/ICCV.2017.217](https://doi.org/10.1109/ICCV.2017.217).
- [62] S. J. Geng, J. Zhang, H. Zhang, A. Elgammal, D. N. Metaxas. 2nd place solution to the GQA challenge 2019. [Online], Available: <https://arxiv.org/abs/1907.06794>, 2019.
- [63] Y. Bitton, G. Stanovsky, R. Schwartz, M. Elhadad. Automatic generation of contrast sets from scene graphs: Probing the compositional consistency of GQA. In *Proceedings of Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pp. 94–105, 2021. DOI: [10.18653/v1/2021.naacl-main.9](https://doi.org/10.18653/v1/2021.naacl-main.9).
- [64] J. C. Li, S. L. Tang, L. C. Zhu, H. C. Shi, X. W. Huang, F. Wu, Y. Yang, Y. T. Zhuang. Adaptive hierarchical graph reasoning with semantic coherence for video-and-language inference. In *Proceedings of IEEE/CVF International Conference on Computer Vision*, IEEE, Montreal, Canada, pp. 1867–1877, 2021. DOI: [10.1109/ICCV48922.2021.00188](https://doi.org/10.1109/ICCV48922.2021.00188).
- [65] A. Chaudhary. Robust Vision and Language Inference via Semantics Transformed Adversarial Training, Ph.D. dissertation, Arizona State University, Phoenix, USA, 2021.
- [66] N. Xie, F. Lai, D. Doran, A. Kadav. Visual entailment: A novel task for fine-grained image understanding. [Online], Available: <https://arxiv.org/abs/1901.06706>, 2019.
- [67] H. Y. Song, L. Dong, W. N. Zhang, T. Liu, F. R. Wei. CLIP models are few-shot learners: Empirical studies on VQA and visual entailment. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics*, Dublin, Ireland, pp. 6088–6100, 2022. DOI: [10.18653/v1/2022.acl-long.421](https://doi.org/10.18653/v1/2022.acl-long.421).
- [68] N. Xie, F. Lai, D. Doran, A. Kadav. Visual entailment task for visually-grounded language learning. [Online], Available: <https://arxiv.org/abs/1811.10582>, 2018.
- [69] R. Zellers, Y. Bisk, A. Farhadi, Y. Choi. From recognition to cognition: Visual commonsense reasoning. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Long Beach, USA, pp. 6720–6731, 2019. DOI: [10.1109/CVPR.2019.00688](https://doi.org/10.1109/CVPR.2019.00688).
- [70] W. J. Yu, J. W. Zhou, W. H. Yu, X. D. Liang, N. Xiao. Heterogeneous graph learning for visual commonsense reasoning. In *Proceedings of the 33rd International Conference on Neural Information Processing Systems*, ACM, Vancouver, Canada, pp. 2769–2779, 2019.
- [71] K. Ye, A. Kovashka. A case study of the shortcut effects in visual commonsense reasoning. In *Proceedings of AAAI Conference on Artificial Intelligence*, vol. 35, no. 4, pp. 3181–3189, 2021. DOI: [10.1609/aaai.v35i4.16428](https://doi.org/10.1609/aaai.v35i4.16428).
- [72] A. Suhr, M. Lewis, J. Yeh, Y. Artzi. A corpus of natural language for visual reasoning. In *Proceedings of the 55th Annual Meeting of the Association for Computational Linguistics*, Vancouver, Canada, pp. 217–223, 2017. DOI: [10.18653/v1/P17-2034](https://doi.org/10.18653/v1/P17-2034).
- [73] A. Marasović, C. Bhagavatula, J. S. Park, R. Le Bras, N. A. Smith, Y. Choi. Natural language rationales with full-stack visual reasoning: From pixels to semantic frames to commonsense graphs. In *Proceedings of Conference on Empirical Methods in Natural Language Processing*, pp. 2810–2829, 2020. DOI: [10.18653/v1/2020.findings-emnlp.253](https://doi.org/10.18653/v1/2020.findings-emnlp.253).
- [74] X. H. Liu, Z. H. Wang, J. Shao, X. G. Wang, H. S. Li. Improving referring expression grounding with cross-modal attention-guided erasing. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Long Beach, USA, pp. 1950–1959, 2019. DOI: [10.1109/CVPR.2019.00205](https://doi.org/10.1109/CVPR.2019.00205).
- [75] S. B. Yang, G. B. Li, Y. Z. Yu. Cross-modal relationship inference for grounding referring expressions. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Long Beach, USA, pp. 4145–4154, 2019. DOI: [10.1109/CVPR.2019.00427](https://doi.org/10.1109/CVPR.2019.00427).
- [76] H. W. Zhang, Y. L. Niu, S. F. Chang. Grounding referring expressions in images by variational context. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Salt Lake City, USA, pp. 4158–4166, 2018. DOI: [10.1109/CVPR.2018.00437](https://doi.org/10.1109/CVPR.2018.00437).
- [77] D. Ghosal, M. S. Akhtar, D. Chauhan, S. Poria, A. Ekbal, P. Bhattacharyya. Contextual inter-modal attention for multi-modal sentiment analysis. In *Proceedings of Conference on Empirical Methods in Natural Language Processing*, Brussels, Belgium, pp. 3454–3466, 2018. DOI: [10.18653/v1/D18-1382](https://doi.org/10.18653/v1/D18-1382).
- [78] M. S. Akhtar, D. Chauhan, D. Ghosal, S. Poria, A. Ekbal, P. Bhattacharyya. Multi-task learning for multi-modal emotion recognition and sentiment analysis. In *Proceedings of Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, Minneapolis, USA, pp. 370–379, 2019. DOI: [10.18653/v1/N19-1034](https://doi.org/10.18653/v1/N19-1034).
- [79] J. M. Liu, P. X. Zhang, Y. Liu, W. D. Zhang, J. Fang. Summary of multi-modal sentiment analysis technology. *Journal of Frontiers of Computer Science and Technology*, vol. 15, no. 7, pp. 1165–1182, 2021. DOI: [10.3778/j.issn.1673-9418.2012075](https://doi.org/10.3778/j.issn.1673-9418.2012075). (in Chinese)
- [80] D. Z. Zhang, X. Y. Chen, S. Xu, B. Xu. Knowledge aware emotion recognition in textual conversations via multi-task incremental transformer. In *Proceedings of the 28th International Conference on Computational Linguistics*, Barcelona, Spain, pp. 4429–4440, 2020. DOI: [10.18653/v1/2020.coling-main.392](https://doi.org/10.18653/v1/2020.coling-main.392).
- [81] K. Y. Wang, Q. Y. Yin, W. Wang, S. Wu, L. Wang. A comprehensive survey on cross-modal retrieval. [Online], Available: <https://arxiv.org/abs/1607.06215>, 2016.
- [82] N. C. Mithun, J. C. Li, F. Metzger, A. K. Roy-Chowdhury. Learning joint embedding with multimodal cues for cross-modal video-text retrieval. In *Proceedings of ACM on International Conference on Multimedia Retrieval*, Yokohama, Japan, pp. 19–27, 2018. DOI: [10.1145/3206025.3206064](https://doi.org/10.1145/3206025.3206064).
- [83] H. Chen, G. G. Ding, X. D. Liu, Z. J. Lin, J. Liu, J. Han. IMRAM: Iterative matching with recurrent attention memory for cross-modal image-text retrieval. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Seattle, USA, pp. 12652–12660, 2020. DOI: [10.1109/CVPR42600.2020.01267](https://doi.org/10.1109/CVPR42600.2020.01267).
- [84] F. L. Chen, X. Y. Chen, J. X. Shi, D. Z. Zhang, J. L. Chang, Q. Tian. HiVLP: Hierarchical vision-language pre-training for fast image-text retrieval. [Online], Available: <https://arxiv.org/abs/2205.12105>, 2022.
- [85] K. Xu, J. L. Ba, R. Kiros, K. Cho, A. Courville, R. Salakhutdinov, R. S. Zemel, Y. Bengio. Show, attend and tell: Neural image caption generation with visual attention. In *Proceedings of the 32nd International Confer-*

- ence on *International Conference on Machine Learning*, ACM, Lille, France, pp. 2048–2057, 2015.
- [86] B. R. Wang, L. Ma, W. Zhang, W. Liu. Reconstruction network for video captioning. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Salt Lake City, USA, pp. 7622–7631, 2018. DOI: [10.1109/CVPR.2018.00795](https://doi.org/10.1109/CVPR.2018.00795).
- [87] H. Agrawal, K. Desai, Y. F. Wang, X. L. Chen, R. Jain, M. Johnson, D. Batra, D. Parikh, S. Lee, P. Anderson. Nocaps: Novel object captioning at scale. In *Proceedings of IEEE/CVF International Conference on Computer Vision*, IEEE, Seoul, Republic of Korea, pp. 8948–8957, 2019. DOI: [10.1109/ICCV.2019.00904](https://doi.org/10.1109/ICCV.2019.00904).
- [88] Q. Y. Feng, Y. Wu, H. H. Fan, C. G. Yan, M. L. Xu, Y. Yang. Cascaded revision network for novel object captioning. *IEEE Transactions on Circuits and Systems for Video Technology*, vol. 30, no. 10, pp. 3413–3421, 2020. DOI: [10.1109/TCSVT.2020.2965966](https://doi.org/10.1109/TCSVT.2020.2965966).
- [89] A. Das, S. Kottur, K. Gupta, A. Singh, D. Yadav, J. M. F. Moura, D. Parikh, D. Batra. Visual dialog. In *Proceedings of IEEE Conference on Computer Vision and Pattern Recognition*, Honolulu, USA, pp. 326–335, 2017. DOI: [10.1109/CVPR.2017.121](https://doi.org/10.1109/CVPR.2017.121).
- [90] F. L. Chen, F. D. Meng, J. M. Xu, P. Li, B. Xu, J. Zhou. DMRM: A dual-channel multi-hop reasoning model for visual dialog. In *Proceedings of AAAI Conference on Artificial Intelligence*, vol. 34, no. 5, pp. 7504–7511, 2020. DOI: [10.1609/aaai.v34i05.6248](https://doi.org/10.1609/aaai.v34i05.6248).
- [91] F. L. Chen, X. Y. Chen, F. D. Meng, P. Li, J. Zhou. GoG: Relation-aware graph-over-graph network for visual dialog. In *Proceedings of International Joint Conference on Natural Language Processing*, pp. 230–243, 2021. DOI: [10.18653/v1/2021.findings-acl.20](https://doi.org/10.18653/v1/2021.findings-acl.20).
- [92] F. L. Chen, F. D. Meng, X. Y. Chen, P. Li, J. Zhou. Multimodal incremental transformer with visual grounding for visual dialogue generation. In *Proceedings of International Joint Conference on Natural Language Processing*, pp. 436–446, 2021. DOI: [10.18653/v1/2021.findings-acl.38](https://doi.org/10.18653/v1/2021.findings-acl.38).
- [93] L. Specia, S. Frank, K. Sima'an, D. Elliott. A shared task on multimodal machine translation and crosslingual image description. In *Proceedings of the 1st Conference on Machine Translation*, Berlin, Germany, pp. 543–553, 2016. DOI: [10.18653/v1/W16-2346](https://doi.org/10.18653/v1/W16-2346).
- [94] Y. J. Yin, F. D. Meng, J. S. Su, C. L. Zhou, Z. Y. Yang, J. Zhou, J. B. Luo. A novel graph-based multi-modal fusion encoder for neural machine translation. In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pp. 3025–3035, 2020. DOI: [10.18653/v1/2020.acl-main.273](https://doi.org/10.18653/v1/2020.acl-main.273).
- [95] Y. H. Su, K. Fan, N. Bach, C. C. J. Kuo, F. Huang. Unsupervised multi-modal neural machine translation. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Long Beach, USA, pp. 10482–10491, 2019. DOI: [10.1109/CVPR.2019.01073](https://doi.org/10.1109/CVPR.2019.01073).
- [96] X. Wang, Q. Y. Huang, A. Celikyilmaz, J. F. Gao, D. H. Shen, Y. F. Wang, W. Y. Wang, L. Zhang. Reinforced cross-modal matching and self-supervised imitation learning for vision-language navigation. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Long Beach, USA, pp. 6629–6638, 2019. DOI: [10.1109/CVPR.2019.00679](https://doi.org/10.1109/CVPR.2019.00679).
- [97] F. D. Zhu, Y. Zhu, X. J. Chang, X. D. Liang. Vision-language navigation with self-supervised auxiliary reasoning tasks. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Seattle, USA, pp. 10012–10022, 2020. DOI: [10.1109/CVPR42600.2020.01003](https://doi.org/10.1109/CVPR42600.2020.01003).
- [98] J. Gu, E. Stefani, Q. Wu, J. Thomason, X. Wang. Vision-and-language navigation: A survey of tasks, methods, and future directions. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics*, Dublin, Ireland, pp. 7606–7623, 2022. DOI: [10.18653/v1/2022.acl-long.524](https://doi.org/10.18653/v1/2022.acl-long.524).
- [99] S. Mori, H. Nishida, H. Yamada. *Optical Character Recognition*, New York, USA: J. Wiley, 1999.
- [100] J. Memon, M. Sami, R. A. Khan, M. Uddin. Handwritten optical character recognition (OCR): A comprehensive systematic literature review (SLR). *IEEE Access*, vol. 8, pp. 142642–142668, 2020. DOI: [10.1109/ACCESS.2020.3012542](https://doi.org/10.1109/ACCESS.2020.3012542).
- [101] R. Strudel, R. Garcia, I. Laptev, C. Schmid. Segmenter: Transformer for semantic segmentation. In *Proceedings of IEEE/CVF International Conference on Computer Vision*, IEEE, Montreal, Canada, pp. 7242–7252, 2021. DOI: [10.1109/ICCV48922.2021.00717](https://doi.org/10.1109/ICCV48922.2021.00717).
- [102] Y. J. Mo, Y. Wu, X. N. Yang, F. L. Liu, Y. J. Liao. Review the state-of-the-art technologies of semantic segmentation based on deep learning. *Neurocomputing*, vol. 493, pp. 626–646, 2022. DOI: [10.1016/j.neucom.2022.01.005](https://doi.org/10.1016/j.neucom.2022.01.005).
- [103] Z. Q. Zhao, P. Zheng, S. T. Xu, X. D. Wu. Object detection with deep learning: A review. *IEEE transactions on neural networks and learning systems*, vol. 30, no. 11, pp. 3212–3232, 2019. DOI: [10.1109/TNNLS.2018.2876865](https://doi.org/10.1109/TNNLS.2018.2876865).
- [104] Y. X. Fang, B. C. Liao, X. G. Wang, J. M. Fang, J. Y. Qi, R. Wu, J. W. Niu, W. Y. Liu. You only look at one sequence: Rethinking transformer in vision through object detection. In *Proceedings of the 35th Conference on Neural Information Processing Systems*, pp. 26183–26197, 2021.
- [105] C. Sun, F. Baradel, K. Murphy, C. Schmid. Learning video representations using contrastive bidirectional transformer. [Online], Available: <https://arxiv.org/abs/1906.05743>, 2019.
- [106] H. S. Luo, L. Ji, B. T. Shi, H. Y. Huang, N. Duan, T. R. Li, J. Li, T. Bharti, M. Zhou. UniVL: A unified video and language pre-training model for multimodal understanding and generation. [Online], Available: <https://arxiv.org/abs/2002.06353>, 2020.
- [107] N. Rethmeier, I. Augenstein. Long-tail zero and few-shot learning via contrastive pretraining on and for small data. *Computer Sciences and Mathematics Forum*, vol. 3, no. 1, Article number 10, 2022. DOI: [10.3390/cmsf2022003010](https://doi.org/10.3390/cmsf2022003010).
- [108] W. J. Su, X. Z. Zhu, Y. Cao, B. Li, L. W. Lu, F. R. Wei, J. F. Dai. VL-BERT: Pre-training of generic visual-linguistic representations. In *Proceedings of the 8th International Conference on Learning Representations*, Addis Ababa, Ethiopia, 2019.
- [109] Y. Wang, S. R. Joty, M. R. Lyu, I. King, C. M. Xiong, S. C. H. Hoi. VD-BERT: A unified vision and dialog transformer with BERT. In *Proceedings of Conference on Em-*



- pirical Methods in Natural Language Processing*, pp. 3325–3338, 2020. DOI: [10.18653/v1/2020.emnlp-main.269](https://doi.org/10.18653/v1/2020.emnlp-main.269).
- [110] J. H. Dong, Y. Cong, G. Sun, B. N. Zhong, X. W. Xu. What can be transferred: Unsupervised domain adaptation for endoscopic lesions segmentation. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Seattle, USA, pp. 4022–4031, 2020. DOI: [10.1109/CVPR42600.2020.00408](https://doi.org/10.1109/CVPR42600.2020.00408).
- [111] J. H. Dong, Y. Cong, G. Sun, Z. Fang, Z. M. Ding. Where and how to transfer: Knowledge aggregation-induced transferability perception for unsupervised domain adaptation. *IEEE Transactions on Pattern Analysis and Machine Intelligence*, to be published. DOI: [10.1109/TPAMI.2021.3128560](https://doi.org/10.1109/TPAMI.2021.3128560).
- [112] H. B. Bao, W. H. Wang, L. Dong, Q. Liu, O. K. Mohammed, K. Aggarwal, S. Som, F. R. Wei. VLMo: Unified vision-language pre-training with mixture-of-modality-experts. [Online], Available: <https://arxiv.org/abs/2111.02358>, 2021.
- [113] H. Tan, M. Bansal. LXMERT: Learning cross-modality encoder representations from transformers. In *Proceedings of Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing*, Hong Kong, China, pp. 5100–5111, 2019. DOI: [10.18653/v1/D19-1514](https://doi.org/10.18653/v1/D19-1514).
- [114] C. Alberti, J. Ling, M. Collins, D. Reitter. Fusion of detected objects in text for visual question answering. In *Proceedings of Conference on Empirical Methods in Natural Language Processing and the 9th International Joint Conference on Natural Language Processing*, Hong Kong, China, pp. 2131–2140, 2019. DOI: [10.18653/v1/D19-1219](https://doi.org/10.18653/v1/D19-1219).
- [115] J. S. Lu, V. Goswami, M. Rohrbach, D. Parikh, S. Lee. 12-in-1: Multi-task vision and language representation learning. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Seattle, USA, pp. 10437–10446, 2020. DOI: [10.1109/CVPR42600.2020.01045](https://doi.org/10.1109/CVPR42600.2020.01045).
- [116] V. Murahari, D. Batra, D. Parikh, A. Das. Large-scale pretraining for visual dialog: A simple state-of-the-art baseline. In *Proceedings of the 16th European Conference on Computer Vision*, Springer, Glasgow, UK, pp. 336–352, 2020. DOI: [10.1007/978-3-030-58523-5\\_20](https://doi.org/10.1007/978-3-030-58523-5_20).
- [117] W. T. Hao, C. Y. Li, X. J. Li, L. Carin, J. F. Gao. Towards learning a generic agent for vision-and-language navigation via pre-training. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Seattle, USA, pp. 13134–13143, 2020. DOI: [10.1109/CVPR42600.2020.01315](https://doi.org/10.1109/CVPR42600.2020.01315).
- [118] J. Y. Lin, A. Yang, Y. C. Zhang, J. Liu, J. R. Zhou, H. X. Yang. InterBERT: Vision-and-language interaction for multi-modal pretraining. [Online], Available: <https://arxiv.org/abs/2003.13198>, 2020.
- [119] Z. C. Huang, Z. Y. Zeng, B. Liu, D. M. Fu, J. L. Fu. Pixel-BERT: Aligning image pixels with text by deep multi-modal transformers. [Online], Available: <https://arxiv.org/abs/2004.00849>, 2020.
- [120] Y. C. Hong, Q. Wu, Y. K. Qi, C. R. Opazo, S. Gould. VLN-BERT: A recurrent vision-and-language bert for navigation. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Nashville, USA, pp. 1643–1653, 2021. DOI: [10.1109/CVPR46437.2021.00169](https://doi.org/10.1109/CVPR46437.2021.00169).
- [121] D. H. Gao, L. B. Jin, B. Chen, M. H. Qiu, P. Li, Y. Wei, Y. Hu, H. Wang. FashionBERT: Text and image matching with adaptive loss for cross-modal retrieval. In *Proceedings of the 43rd International ACM SIGIR Conference on Research and Development in Information Retrieval*, pp. 2251–2260, 2020. DOI: [10.1145/3397271.3401430](https://doi.org/10.1145/3397271.3401430).
- [122] Z. Gan, Y. C. Chen, L. J. Li, C. Zhu, Y. Cheng, J. J. Liu. Large-scale adversarial training for vision-and-language representation learning. In *Proceedings of the 34th International Conference on Neural Information Processing Systems*, ACM, Vancouver, Canada, pp. 6616–6628, 2020.
- [123] F. Yu, J. J. Tang, W. C. Yin, Y. Sun, H. Tian, H. Wu, H. F. Wang. ERNIE-ViL: Knowledge enhanced vision-language representations through scene graphs. In *Proceedings of the AAAI Conference on Artificial Intelligence*, vol. 35, no. 4, pp. 3208–3216, 2021. DOI: [10.1609/aaai.v35i4.16431](https://doi.org/10.1609/aaai.v35i4.16431).
- [124] M. J. Chiou, R. Zimmermann, J. S. Feng. Visual relationship detection with visual-linguistic knowledge from multimodal representations. *IEEE Access*, vol. 9, pp. 50441–50451, 2021. DOI: [10.1109/ACCESS.2021.3069041](https://doi.org/10.1109/ACCESS.2021.3069041).
- [125] J. Cho, J. Lei, H. Tan, M. Bansal. Unifying vision-and-language tasks via text generation. In *Proceedings of the 38th International Conference on Machine Learning*, pp. 1931–1942, 2021.
- [126] W. Kim, B. Son, I. Kim. ViLT: Vision-and-language transformer without convolution or region supervision. In *Proceedings of the 38th International Conference on Machine Learning*, pp. 5583–5594, 2021.
- [127] Z. C. Huang, Z. Y. Zeng, Y. P. Huang, B. Liu, D. M. Fu, J. L. Fu. Seeing out of the box: End-to-end pre-training for vision-language representation learning. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Nashville, USA, pp. 12976–12985, 2021. DOI: [10.1109/CVPR46437.2021.01278](https://doi.org/10.1109/CVPR46437.2021.01278).
- [128] H. Y. Xu, M. Yan, C. L. Li, B. Bi, S. F. Huang, W. M. Xiao, F. Huang. E2E-VLP: End-to-end vision-language pre-training enhanced by visual learning. In *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing*, pp. 503–513, 2021. DOI: [10.18653/v1/2021.acl-long.42](https://doi.org/10.18653/v1/2021.acl-long.42).
- [129] H. W. Xue, Y. P. B. Liu, H. W. Peng, J. L. Fu, H. Q. Li, J. B. Luo. Probing inter-modality: Visual parsing with self-attention for vision-language pre-training. In *Proceedings of the 35th Conference on Neural Information Processing Systems*, pp. 4514–4528, 2021.
- [130] S. Shen, L. H. Li, H. Tan, M. Bansal, A. Rohrbach, K. W. Chang, Z. W. Yao, K. Keutzer. How much can clip benefit vision-and-language tasks? In *Proceedings of the 10th International Conference on Learning Representations*, 2022.
- [131] A. Jain, M. Guo, K. Srinivasan, T. Chen, S. Kudugunta, C. Jia, Y. F. Yang, J. Baldridge. MURAL: Multimodal, multitask retrieval across languages. [Online], Available: <https://arxiv.org/abs/2109.05125>, 2021.
- [132] J. Y. Yang, J. L. Duan, S. Tran, Y. Xu, S. Chanda, L. Q. Chen, B. Zeng, T. Chilimbi, J. Z. Huang. Vision-language pre-training with triple contrastive learning. In

- Proceeding of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, New Orleans, USA, pp.15650–15659, 2022. DOI: [10.1109/CVPR52688.2022.01522](https://doi.org/10.1109/CVPR52688.2022.01522).
- [133] S. N. Xie, C. Sun, J. Huang, Z. W. Tu, K. Murphy. Rethinking spatiotemporal feature learning: Speed-accuracy trade-offs in video classification. [Online], Available: <https://arxiv.org/abs/1712.04851>, 2017.
- [134] A. Urooj, A. Mazaheri, N. da Vitoria Lobo, M. Shah. MMFT-BERT: Multimodal fusion transformer with BERT encodings for visual question answering. In *Proceeding of Conference on Empirical Methods in Natural Language Processing*, pp.4648–4660, 2020. DOI: [10.18653/v1/2020.findings-emnlp.417](https://doi.org/10.18653/v1/2020.findings-emnlp.417).
- [135] L. C. Zhu, Y. Yang. ActBERT: Learning global-local video-text representations. In *Proceeding of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, Seattle, USA, pp.8743–8752, 2020. DOI: [10.1109/CVPR42600.2020.00877](https://doi.org/10.1109/CVPR42600.2020.00877).
- [136] R. Yan, M. Z. Shou, Y. X. Ge, A. J. Wang, X. D. Lin, G. Y. Cai, J. H. Tang. Video-text pre-training with learned regions. [Online], Available: <https://arxiv.org/abs/2112.01194>, 2021.
- [137] H. Zhu, M. D. Luo, R. Wang, A. H. Zheng, R. He. Deep audio-visual learning: A survey. *International Journal of Automation and Computing*, vol.18, no.3, pp.351–376, 2021. DOI: [10.1007/s11633-021-1293-0](https://doi.org/10.1007/s11633-021-1293-0).
- [138] J. H. Tao, J. Huang, Y. Li, Z. Lian, M. Y. Niu. Correction to: Semi-supervised ladder networks for speech emotion recognition. *International Journal of Automation and Computing*, vol.18, no.4, pp.680–680, 2021. DOI: [10.1007/s11633-019-1215-6](https://doi.org/10.1007/s11633-019-1215-6).
- [139] H. Akbari, L. Z. Yuan, R. Qian, W. H. Chuang, S. F. Chang, Y. Cui, B. Q. Gong. VATT: Transformers for multimodal self-supervised learning from raw video, audio and text. In *Proceedings of the 35th Conference on Neural Information Processing Systems*, pp.24206–24221, 2021.
- [140] J. Liu, X. X. Zhu, F. Liu, L. T. Guo, Z. J. Zhao, M. Z. Sun, W. N. Wang, H. Q. Lu, S. Y. Zhou, J. J. Zhang, J. Q. Wang. OPT: Omni-perception pre-trainer for cross-modal understanding and generation. [Online], Available: <https://arxiv.org/abs/2107.00249>, 2021.
- [141] A. Guzhov, F. Raue, J. Hees, A. Dengel. Audioclip: Extending clip to image, text and audio. In *Proceedings of IEEE International Conference on Acoustics, Speech and Signal Processing*, Singapore, pp.976–980, 2022. DOI: [10.1109/ICASSP43922.2022.9747631](https://doi.org/10.1109/ICASSP43922.2022.9747631).
- [142] R. Zellers, J. S. Lu, X. M. Lu, Y. Yu, Y. P. Zhao, M. Salehi, A. Kusupati, J. Hessel, A. Farhadi, Y. Choi. MERLOT reserve: Neural script knowledge through vision and language and sound. In *Proceedings of IEEE/CVF Conference on Computer Vision and Pattern Recognition*, IEEE, New Orleans, USA, pp.16354–16366, 2022. DOI: [10.1109/CVPR52688.2022.01589](https://doi.org/10.1109/CVPR52688.2022.01589).
- [143] K. Z. Chen, Q. Y. Huang, Y. Bisk, D. McDuff, J. F. Gao. KB-VLP: Knowledge based vision and language pretraining. In *Proceedings of the 38th International Conference on Machine Learning*, 2021.
- [144] M. Tsimpoukelli, J. Menick, S. Cabi, S. M. Ali Eslami, O. Vinyals, F. Hill. Multimodal few-shot learning with frozen language models. In *Proceedings of the 35th Conference on Neural Information Processing Systems*, pp.200–212, 2021.
- [145] A. Fan, E. Grave, A. Joulin. Reducing transformer depth on demand with structured dropout. In *Proceedings of the 8th International Conference on Learning Representations*, Addis Ababa, Ethiopia, 2020.
- [146] V. Sanh, L. Debut, J. Chaumond, T. Wolf. DistilBERT, a distilled version of BERT: Smaller, faster, cheaper and lighter. [Online], Available: <https://arxiv.org/abs/1910.01108>, 2019.
- [147] O. Zafrir, G. Boudoukh, P. Izsak, M. Wasserblat. Q8BERT: Quantized 8Bit BERT. In *Proceedings of the 5th Workshop on Energy Efficient Machine Learning and Cognitive Computing*, IEEE, Vancouver, Canada, pp.36–39, 2019. DOI: [10.1109/EMC2-NIPS53020.2019.00016](https://doi.org/10.1109/EMC2-NIPS53020.2019.00016).
- [148] Z. Y. Fang, J. F. Wang, X. W. Hu, L. J. Wang, Y. Z. Yang, Z. C. Liu. Compressing visual-linguistic model via knowledge distillation. In *Proceedings of IEEE/CVF International Conference on Computer Vision*, IEEE, Montreal, Canada, pp.1428–1438, 2021. DOI: [10.1109/ICCV48922.2021.00146](https://doi.org/10.1109/ICCV48922.2021.00146).
- [149] Y. G. Li, F. Liang, L. C. Zhao, Y. F. Cui, W. L. Ouyang, J. Shao, F. W. Yu, J. J. Yan. Supervision exists everywhere: A data efficient contrastive language-image pre-training paradigm. In *Proceedings of the 10th International Conference on Learning Representations*, 2022.
- [150] C. Saharia, W. Chan, S. Saxena, L. L. Li, J. Whang, E. Denton, S. K. S. Ghasemipour, B. K. Ayan, S. S. Mahdavi, R. G. Lopes, T. Salimans, J. Ho, D. J. Fleet, M. Norouzi. Photorealistic text-to-image diffusion models with deep language understanding. [Online], Available: <https://arxiv.org/abs/2205.11487>, 2022.
- [151] X. L. Li, J. Thickstun, I. Gulrajani, P. Liang, T. B. Hashimoto. Diffusion-LM improves controllable text generation. [Online], Available: <https://arxiv.org/abs/2205.14217>, 2022.
- [152] W. Z. Chen, X. Han, Y. K. Lin, H. X. Zhao, Z. Y. Liu, P. Li, M. S. Sun, J. Zhou. Fully hyperbolic neural networks. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics*, Dublin, Ireland, pp.5672–5686, 2022. DOI: [10.18653/v1/2022.acl-long.389](https://doi.org/10.18653/v1/2022.acl-long.389).
- [153] M. M. Bronstein, J. Bruna, T. Cohen, P. Veličković, P. Geometric deep learning: Grids, groups, graphs, geodesics, and gauges. [Online], Available: <https://arxiv.org/abs/2104.13478>, 2021.
- [154] W. Maass. Networks of spiking neurons: The third generation of neural network models. *Neural Networks*, vol.10, no.9, pp.1659–1671, 1997. DOI: [10.1016/S0893-6080\(97\)00011-7](https://doi.org/10.1016/S0893-6080(97)00011-7).
- [155] D. Z. Zhang, T. L. Zhang, S. C. Jia, Q. Y. Wang, B. Xu. Recent advances and new frontiers in spiking neural networks. In *Proceedings of the 31st International Joint Conference on Artificial Intelligence*, Vienna, Austria, 2022.
- [156] D. Z. Zhang, T. L. Zhang, S. C. Jia, X. Cheng, B. Xu. Population-coding and dynamic-neurons improved spiking actor network for reinforcement learning. [Online], Available: <https://arxiv.org/abs/2106.07854>, 2021.





**Fei-Long Chen** received the B.Sc. degree in computer sciences from Hefei University of Technology, China in 2018. He is currently a Ph.D. degree candidate in pattern recognition and intelligent system at Institute of Automation, Chinese Academy of Sciences and University of Chinese Academy of Sciences, China.

His research interests include theoretical research on vision-language pre-training, multi-modal question answering and dialog.

E-mail: chenfeilong2018@ia.ac.cn

ORCID iD: 0000-0002-4860-8483



**Du-Zhen Zhang**, received the B.Sc. degree in software engineering from Shandong University, China in 2019. He is currently a Ph.D. degree candidate in pattern recognition and intelligent system at Institute of Automation, Chinese Academy of Sciences and University of Chinese Academy of Sciences, China.

His research interests include theoretical research on reinforcement learning, natural language processing, and spiking neural networks.

E-mail: zhangduzhen2019@ia.ac.cn



**Ming-Lun Han** received the B.Sc. degree in electronic and information engineering from Harbin Institute of Technology, China in 2018. He is a Ph.D. degree candidate in pattern recognition and intelligent system at Institute of Automation, Chinese Academy of Sciences and the University of Chinese Academy of Sciences, China.

His research interests include speech recognition, speech synthesis, and speech chain.

E-mail: hanminglun2018@ia.ac.cn



**Xiu-Yi Chen** received the B.Sc. degree in automation from Department of Control Science and Engineering, Jilin University, China in 2017, and the Ph.D. degree in pattern recognition and intelligent system from Institute of Automation, Chinese Academy of Sciences, China in 2022.

His research interests include cross-modal retrieval, multimodal learning, dia-

logue system, knowledge-grounded generation and speech separation.

E-mail: chenxiuyi2017@ia.ac.cn



**Jing Shi** received the B.Sc. degree in automation from School of Instrumentation and Optoelectronic Engineering from Beihang University, China in 2012, and the Ph.D. degree in pattern recognition and intelligent system from Institute of Automation, Chinese Academy of Sciences, China in 2021. He is a research assistant in Institute of Automation, Chinese

Academy of Sciences, China.

His interests include cross-modal modeling, multimodal learning, dialogue system, speech recognition and speech separation.

E-mail: shijing2014@ia.ac.cn



**Shuang Xu** received the B.Sc. and M.Sc. degrees in measuring and testing technologies and instruments from Yanshan University, China in 2001 and 2004, respectively, and the Ph.D. degree in pattern recognition and intelligent system from Institute of Automation, Chinese Academy of Sciences, China in 2009. She is a professor in Institute of Automation, Chinese

Academy of Sciences, China.

Her research interests include natural language processing and understanding, human-AI hybrid intelligence.

E-mail: shuang.xu@ia.ac.cn



**Bo Xu** received the B.Sc. degree in electrical engineering from Zhejiang University, China in 1988, and the M.Sc. and Ph.D. degrees in pattern recognition and intelligent system from Institute of Automation, Chinese Academy of Sciences, China in 1992 and 1997, respectively. He is a professor, the director of Institute of Automation, Chinese Academy of Sciences, China, and also deputy director of the Center for Excellence in Brain Science and Intelligence Technology, Chinese Academy of Sciences, China.

His research interests include brain-inspired intelligence, brain-inspired cognitive models, natural language processing and understanding, brain-inspired robotics.

E-mail: xubo@ia.ac.cn (Corresponding author)

ORCID iD: 0000-0002-1111-1529