Correction to: Electrochemical-Based Surface Enhancement of Additively Manufactured Ti-6Al-4V Complex Structures

Haniyeh Fayazfar, Issa Rishmawi, and Mihaela Vlasea

Published online: 9 August 2021

Correction to:

JMEPEG (2021) 30:2245–2255

<https://doi.org/10.1007/s11665-021-05512-x>

In Fig. 5(a), images for electropolishing times of 250 and 700 s were labeled incorrectly. The images in fact correspond to electropolishing times of 150 and 250 s, respectively. In Fig. 7(a), SEM images of as-built and polished surfaces were

mis-labeled. The image labeled as the as-built rectangular sample shows the as-built U-shaped sample. The image labeled as the polished cylindrical sample shows the polished rectangular sample, and the image labeled as the polished U-shaped sample represents the polished rectangular sample.

The images have been re-taken using a single SEM instrument to ensure consistency across samples, and each image has been labeled correctly.

The original articles can be found online at <https://doi.org/10.1007/s11665-021-05512-x>.

Haniyeh Fayazfar, Department of Mechanical and Mechatronics Engineering, University of Waterloo, Waterloo, ON N2L 3G1, Canada; and Department of Mechanical and Manufacturing Engineering, University of Ontario Tech, Oshawa, ON L1G 0C5, Canada; and **Issa Rishmawi** and **Mihaela Vlasea**, Department of Mechanical and Mechatronics Engineering, University of Waterloo, Waterloo, ON N2L 3G1, Canada. Contact e-mail: ramona.fayazfar@ontariotechu.ca.

Fig. 5 Surface characterization on the rectangular bar samples; (a) SEM (magnification X100) images of the surface of the as-built and electropolished samples (all SEM scales are the same for all images); (b) surface profiles with various EP time; and (c) peak-valley height range for different EP time

Fig. 7 (a) SEM micrographs of as-built (left column) and electropolished (right column) samples with various geometries, (b) optical images of as-built (left column) and electropolished (right column) samples; the surfaces here were polished for 350 s except U-shape part which was polished for 800 s

Acknowledgments

The authors wish to acknowledge Dr. Hamed Asgari for assistance with SEM imaging.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.