Screening for main components associated with the idiosyncratic hepatotoxicity of a tonic herb, *Polygonum multiflorum*

Chunyu Li^{1,2,*}, Ming Niu^{1,*}, Zhaofang Bai^{1,*}, Congen Zhang¹, Yanling Zhao¹, Ruiyu Li¹, Can Tu¹, Huifang Li⁷, Jing Jing³, Yakun Meng¹, Zhijie Ma^{1,4}, Wuwen Feng¹, Jinfa Tang¹, Yun Zhu³, Jinjie Li⁶, Xiaoya Shang⁶, Zhengsheng Zou⁵, Xiaohu Xiao (✉)³, Jiabo Wang (✉)¹

¹China Military Institute of Chinese Medicine, 302 Military Hospital, Beijing 100039, China; ²Institute of Medicinal Plant Development, Chinese Academy of Medical Sciences & Peking Union Medical College, Beijing 100193, China; ³Integrative Medical Center, 302 Military Hospital, Beijing 100039, China; ⁴Beijing Friendship Hospital, Capital Medical University, Beijing 100050, China; ⁵Diagnosis and Treatment Center for Non-infectious Diseases, 302 Military Hospital, Beijing 100039, China; ⁶Beijing Union University, Beijing 100101, China; ⁷Shanxi University of Traditional Chinese Medicine, Taiyuan 030619, China

© Higher Education Press 2020

Erratum to *Frontiers of Medicine* 2017 11(2): 253–265
<https://doi.org/10.1007/s11684-017-0508-9>

The original version of this article unfortunately contained some mistakes.

The panel of “LPS[−]/drug[−]” in Fig. 3B (Page 259), the panels of “LPS[−]/EtoAc⁺” and “LPS[−]/Residue⁺” in Supplementary Fig. 3 (Page 7 in the online supplementary materials) should be corrected. The authors apologize for this error and state that this does not change the scientific conclusions of the article in any way. The corrected figures are as following:

The online version of the original article can be found at <https://doi.org/10.1007/s11684-017-0508-9>

Correspondence: Xiaohu Xiao, pharmacy302xxh@126.com;
Jiabo Wang, pharm_sci@126.com

*These authors contributed equally to this work.

The corrected Fig. 3

The corrected supplementary Fig. 3