Correction to: Long-Term Effects of Laparoscopic Sleeve Gastrectomy: What Are the Results beyond 10 Years?

Marko Kraljević^{1,2} • Vanessa Cordasco³ • Romano Schneider¹ • Thomas Peters⁴ • Marc Slawik⁴ • Bettina Wölnerhanssen³ • Ralph Peterli¹

Published online: 10 May 2021

© Springer Science+Business Media, LLC, part of Springer Nature 2021

Correction to: Obesity Surgery

<https://doi.org/10.1007/s11695-021-05437-3>

In the original article Figs. 1 and 2 are incomplete. The data tables including EBML, TWL and n should have accompanied both Fig. 1 and Fig. 2. The corrected figures follow:

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s11695-021-05437-3>

✉ Marko Kraljević
marko.kraljevic@gmail.com

¹ Clarunis, Department of Visceral Surgery, University Center for Gastrointestinal and Liver Diseases, St. Clara Hospital and University Hospital Basel, 4002 Basel, Switzerland

² Naomi Berrie Diabetes Center, Division of Endocrinology, Department of Medicine, Columbia University Irving Medical Center, New York, NY, USA

³ Metabolic Research, St. Clara Research Ltd., Kleinriedenstrasse, 30 4058 Basel, Switzerland

⁴ Interdisciplinary Center of Nutritional and Metabolic Diseases, St. Claraspital, Kleinriedenstrasse, 30 4058 Basel, Switzerland

Fig. 1

POY	pLSG			rLSG			p value	
	%EBMIL	%TWL	n	%EBMIL	%TWL	n	%EBMIL	%TWL
1	69.7 ± 22.0	30.2 ± 8.2	254	62.3 ± 28.2	27.6 ± 11.4	43	0.052	0.072
2	69.6 ± 24.2	30.1 ± 9.5	243	61.3 ± 28.0	26.8 ± 11.1	40	0.051	0.048
3	66.1 ± 24.8	28.6 ± 10.1	214	61.3 ± 25.4	27.2 ± 10.4	38	0.274	0.434
4	64.0 ± 23.3	27.6 ± 9.8	199	58.7 ± 27.9	25.9 ± 12.1	39	0.210	0.3425
5	62.8 ± 23.1	27.3 ± 9.9	206	56.7 ± 23.5	24.7 ± 9.5	36	0.146	0.145
6	61.6 ± 25.2	26.5 ± 10.6	166	50.1 ± 22.2	21.6 ± 9.0	29	0.022	0.020
7	58.8 ± 25.2	25.0 ± 10.4	127	51.9 ± 24.5	22.8 ± 10.7	31	0.171	0.295
8	59.2 ± 24.7	25.4 ± 9.8	83	48.2 ± 26.8	20.8 ± 11.3	27	0.052	0.044
9	57.6 ± 24.5	24.9 ± 9.6	71	45.4 ± 29.5	18.8 ± 12.0	24	0.048	0.013
10	53.6 ± 24.6	23.3 ± 11.2	47	49.0 ± 30.8	21.6 ± 14.1	22	0.507	0.591
11	54.8 ± 25.4	23.0 ± 10.4	30	45.3 ± 24.3	20.4 ± 12.2	15	0.240	0.460
12	65.2 ± 25.1	27.5 ± 11.1	21	47.6 ± 25.9	20.9 ± 12.2	9	0.921	0.158
13	51.2 ± 20.3	22.5 ± 9.8	14	46.6 ± 30.2	21.0 ± 14.0	11	0.653	0.755

Fig. 2

POY	group 1			group 2			p value	
	%EBMIL	%TWL	n	%EBMIL	%TWL	n	%EBMIL	%TWL
1	69.9 ± 20.2	30.4 ± 7.5	136	69.4 ± 24.3	29.9 ± 9.0	118	0.857	0.500
2	69.1 ± 22.7	30.0 ± 8.9	131	70.1 ± 25.9	30.3 ± 10.2	112	0.749	0.807
3	66.6 ± 24.0	28.7 ± 9.7	116	65.5 ± 25.8	28.4 ± 10.5	98	0.747	0.828
4	61.8 ± 22.3	26.8 ± 9.2	111	66.8 ± 24.3	28.7 ± 10.5	88	0.133	0.176
5	61.1 ± 22.7	26.4 ± 9.5	122	65.4 ± 23.7	28.6 ± 10.4	84	0.191	0.118
6	59.5 ± 24.3	25.7 ± 10.2	114	66.3 ± 26.5	28.4 ± 11.3	52	0.106	0.128
7	59.5 ± 24.3	24.6 ± 10.5	98	62.2 ± 23.4	26.1 ± 10.3	29	0.411	0.499