

Erratum to: Gas around the bladder

Chun-Hsiang Yu · Ming-Shian Lin ·
Che-Hao Hsu · Chi-Yen Liang · Wei Chen

Published online: 25 March 2011
© SIMI 2011

Erratum to: Intern Emerg Med DOI 10.1007/s11739-011-0547-1

In the original version of this article, unfortunately reference citation was missed out in text; the corrected text is given below:

The clinical presentation of emphysematous cystitis is nonspecific, and can range from a minimally symptomatic

urinary tract infection (UTI) to septic shock. The most common symptom is abdominal pain, and the classic symptoms of UTI have been reported in only approximately 50% of cases [2]. As symptoms are of no help in reaching a diagnosis, appropriate diagnostic imaging is imperative to establish the diagnosis of EC [2].

The online version of the original article can be found under doi:[10.1007/s11739-011-0547-1](https://doi.org/10.1007/s11739-011-0547-1).

C.-H. Yu
Department of Internal Medicine,
National Cheng Kung University, Tainan, Taiwan

C.-H. Hsu
Division of Nephrology, Chia-Yi Christian Hospital,
Chiayi, Taiwan

M.-S. Lin · C.-Y. Liang · W. Chen (✉)
Division of Pulmonary and Critical Care Medicine, Chia-Yi
Christian Hospital, 539 Jhongsiao Rd, Chiayi, Taiwan
e-mail: peteralfa2004@yahoo.com.tw

W. Chen
Department of Respiratory Therapy, China Medical University,
Taichung, Taiwan

W. Chen
Department of Life Science, National Chung Hsing University,
Taichung, Taiwan