Correction to: Histological study of the thin membranous dense connective tissue around the middle and lower thoracic esophagus, caudal to the bifurcation of the trachea

Yutaka Tokairin^{1,2} · Kagami Nagai² · Yudai Kawamura^{1,2} · Yasuaki Nakajima² · Kenro Kawada² · Akihiro Hoshino² · Takuya Okada² · Satoru Muro³ · Keiichi Akita³ · Yusuke Kinugasa²

Published online: 3 April 2021
© The Japanese Association for Thoracic Surgery 2021

Correction to: General Thoracic and Cardiovascular Surgery
<https://doi.org/10.1007/s11748-021-01615-3>

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original version of this article unfortunately contained some mistakes. The errors were corrected in this correction as given below.

1. The first line of figure 2 legend should read as “**A** The histological findings near the bifurcation of the trachea of specimen 1 from cadaver 1 (EVG staining).” instead of “**a** The histological findings near the bifurcation of the trachea of specimen 1 from cadaver 1 (EVG staining).”
2. In page 5, the paragraphs “At the dorsal side of the esophagus, ...” and “On the ventral side of the esophagus, ...” should be in indent.
3. The first line of figure 5 legend should read as “An intra-operative photograph of the transhiatal approach ...” instead of “**a** An intra-operative photograph of the transhiatal approach ...”.

The original article can be found online at <https://doi.org/10.1007/s11748-021-01615-3>.

✉ Yutaka Tokairin
tokairin.srg1@tmd.ac.jp

- ¹ Department of Surgery, Toshima Hospital Tokyo Metropolitan Health and Hospitals Corporation, Tokyo 173-0015, Japan
- ² Department of Gastrointestinal Surgery, Tokyo Medical and Dental University, 1-5-45 Yushima, Bunkyo-ku, Tokyo 113-8510, Japan
- ³ Department of Clinical Anatomy, Tokyo Medical and Dental University, 1-5-45 Yushima, Bunkyo-ku, Tokyo 113-8510, Japan