



Correction: Role, Cost, and Availability of Urinary pH Monitoring for Kidney Stone Disease—A Systematic Review of the Literature

Isabel Sanz-Gómez¹ · Oriol Angerri¹ · Michael Baboudjian^{1,2} · Andrés Kanashiro¹ · Sílvia Gracia¹ · Félix Millán¹ · Francisco Sánchez-Martín¹ · Bhaskar Somani³ · Juan Antonio Galan-Llopis⁴ · Yazeed Barghouthy⁵ · Esteban Emiliani¹

Published online: 1 July 2023

© The Author(s), under exclusive licence to Springer Science+Business Media, LLC, part of Springer Nature 2023

Correction to: Current Urology Reports

<https://doi.org/10.1007/s11934-023-01166-5>

In this article the author name "Michael Baboudjian" was incorrectly written as "Michael Baboudjain".

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article has been corrected.

The original article can be found online at <https://doi.org/10.1007/s11934-023-01166-5>.

✉ Isabel Sanz-Gómez
isa.sanzgomez@gmail.com

¹ Department of Urology, Fundació Puigvert, Autonomous University of Barcelona, Barcelona, Spain

² Department of Urology, North Hospital, APHM, Marseille, France

³ Department of Urology, University Hospital Southampton, Southampton, UK

⁴ Department of Urology, Dr. Balmis General University Hospital, Alicante Institute for Health and Biomedical Research (ISABIAL), Alicante, Spain

⁵ Department of Urology, CH Valenciennes, Valenciennes, France