

Erratum to: THA With Delta Ceramic on Ceramic Results of a Multicenter Investigational Device Exemption Trial

William G. Hamilton MD, James P. McAuley MD,
Douglas A. Dennis MD, Jeffrey A. Murphy MS,
Thomas J. Blumenfeld MD, Joel Politi MD

Published online: 7 January 2010
© The Association of Bone and Joint Surgeons® 2010

Erratum to: Clin Orthop Relat Res DOI 10.1007/s11999-009-1091-4

The captions for Figs. 2 and 4 for this article parenthetically refer to arrows that are not present in the figures.

The incorrect caption for Fig. 2 is:

Fig. 2 Anteroposterior radiograph demonstrates fragmentation of the ceramic liner (arrow).

The correct caption is:

Fig. 2 Anteroposterior radiograph demonstrates fragmentation of the ceramic liner.

The incorrect caption for Fig. 4 is:

Fig. 4 Anteroposterior radiograph of a patient with a chipped ceramic liner. A small ceramic fragment (arrow) can be visualized.

The correct caption is:

Fig. 4 Anteroposterior radiograph of a patient with a chipped ceramic liner. A small ceramic fragment can be visualized.

The online version of the original article can be found under doi:[10.1007/s11999-009-1091-4](https://doi.org/10.1007/s11999-009-1091-4).

W. G. Hamilton (✉)
Anderson Orthopaedic Research Institute, 2501 Parkers Lane,
Alexandria, VA 22306, USA
e-mail: billhamilton@cox.net

J. P. McAuley
Department of Orthopaedic Surgery, University of Western Ontario, London Health Sciences Center, London, ON, Canada

D. A. Dennis
Department of Biomedical Engineering, University of Tennessee, Knoxville, USA

D. A. Dennis
University of Colorado Health Sciences Centers, Denver, CO, USA

Fig. 3 incorrectly shows a picture of a 36-mm diameter head and chipped liner from a patient in a different study. A picture of the correct 28-mm diameter head and chipped liner is provided.

The authors regret these errors.



Fig. 3 The retrieved liner and head show the fractured rim of the liner and ceramic fragments retrieved from the wound.

D. A. Dennis
Rocky Mountain Musculoskeletal Research Laboratory, Denver, CO, USA

J. A. Murphy
DePuy Orthopaedics, Warsaw, IN, USA

T. J. Blumenfeld
University of California Davis, Sutter General Hospital, Sacramento, CA, USA

J. Politi
Cardinal Orthopaedic Institute, Columbus, OH, USA