



Correction to: Different Combinations of Monoclonal Antibodies and Polyclonal Antibodies in the Design of Neonatal Hypothyroidism Diagnostic Kit

Neda Shakerian¹ · Maysam Mard-Soltani² · Sima Nasri¹ ·
Mohammad Javad Rasaei³ · Saeed Khalili⁴

Published online: 14 July 2022

© Springer Science+Business Media, LLC, part of Springer Nature 2022

Correction to: Applied Biochemistry and Biotechnology
<https://doi.org/10.1007/s12010-022-03888-7>

Figure 2 has been upgraded in terms of quality. The names of the first author and the corresponding author were incorrect in terms of writing. The name of one of the authors is mentioned in his affiliation. The authors apologise for this error. Corrected Fig. 2 is shown below.

The correct name of the first author: Neda Shakerian

The correct name of the corresponding author: Maysam Mard-Soltani

The correct Sima Nasri Affiliation: Department of Biology, Payame Noor University, Tehran, Iran

The original article has been corrected

The original article can be found online at <https://doi.org/10.1007/s12010-022-03888-7>.


✉ Maysam Mard-Soltani
maysam.mardsoltani@gmail.com

¹ Department of Biology, Payame Noor University, Tehran, Iran

² Department of Clinical Biochemistry, Faculty of Medical Sciences, Dezful University of Medical Sciences, Dezful, Iran


³ Department of Medical Biotechnology, Faculty of Medical Sciences, Tarbiat Modares University, Tehran, Iran

⁴ Department of Biology Sciences, Shahid Rajaei Teacher Training University, Tehran, Iran



Run	Eff. Diam. (nm)	Hell Width (nm)	Polydispersity	Baseline Index
1	54.0	19.0	0.123	7.7 / 100.00%
2	52.0	18.8	0.130	4.6 / 100.00%
3	48.3	24.9	0.266	5.2 / 88.60%

Mean	51.4	20.9	0.173	5.9 / 96.20%
Std. Error	1.7	2.0	0.046	1.0 / 3.80
Combined	52.9	20.5	0.150	5.3 / 96.20%



Publisher’s Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.