Retraction Note to: Improved Endovascular Coiling of Wide-Neck Intracranial Aneurysms in Elderly Patients by Double-Microcatheter Technique

Xiang Xu¹ · Yu Zheng¹ · Dayong Wang¹ · Jianzhong Cui¹ · Xiaoming Shang²

Accepted: 7 January 2022 / Published online: 22 January 2022
© Springer Science+Business Media, LLC, part of Springer Nature 2022

Retraction Note to: *Cell Biochem Biophys* (2015) 71:1281–1286, <https://doi.org/10.1007/s12013-014-0344-3>, published online 05 Dec 2014

The Editor in Chief has retracted this article because it contains material that substantially overlaps with the following article [1]. The editor and publisher were not able to obtain current email addresses for Xiang Xu, Yu Zheng, Dayong Wang, Jianzhong Cui and Xiaoming Shang.

Reference

1. Lee, J. Y. et al. (2011). Endovascular treatment of wide-neck intracranial aneurysms using a microcatheter protective technique: results and outcomes in 75 aneurysms. *AJNR American Journal of Neuroradiology*, 32, 917–22.

The original article can be found online at <https://doi.org/10.1007/s12013-014-0344-3>.

✉ Xiang Xu
drxuxiang@163.com

¹ Department of Neurosurgery, Tangshan Gongren Hospital, Tangshan 063000 Hebei, China

² Department of Cardiology, Tangshan Gongren Hospital, Tangshan 063000 Hebei, China