

Erratum to: Quantitative PCR Pitfalls: The Case of the Human Placenta

Dave Lanoix · Andrée-Anne Lacasse · Joey St-Pierre ·
Sean C. Taylor · Maude Ethier-Chiasson ·
Julie Lafond · Cathy Vaillancourt

Published online: 12 June 2012
© Springer Science+Business Media, LLC 2012

Erratum to: Mol Biotechnol
DOI 10.1007/s12033-012-9539-2

In the original publication, Table 2 contains one gene sequence that is not correct. The corrected version appears below, with the errors highlighted in bold.

The online version of the original article can be found under doi:[10.1007/s12033-012-9539-2](https://doi.org/10.1007/s12033-012-9539-2).

D. Lanoix · A.-A. Lacasse · J. St-Pierre · C. Vaillancourt (✉)
INRS-Institut Armand-Frappier, Université du Québec, 531,
boul. des Prairies, Building 18, Laval, QC H7V 1B7, Canada
e-mail: cathy.vaillancourt@iaf.inrs.ca

D. Lanoix · A.-A. Lacasse · J. St-Pierre · M. Ethier-Chiasson ·
J. Lafond · C. Vaillancourt
BioMed Research Center, Montreal, QC H3C 3P8, Canada

S. C. Taylor
Bio-Rad Laboratories (Canada) Ltd, 1329 Meyerside Drive,
Mississauga, ON L4C 1N9, Canada

M. Ethier-Chiasson · J. Lafond
Laboratoire de Physiologie materno-fœtale, Department
of Biological Sciences, BioMed Research Center, Montreal,
QC H3C 3P8, Canada

Table 2 Genes and primer sequences used for RT-qPCR

Gene	Accession number	Primer sequence	
		Sense	Antisense
18S	X03205	CGCCGCTAGAGGTGAAATTC	TTGGCAAATGCTTTTCGCTC
ACTB	NM_001101	AAACTACCTTCAACTCCATC	ATGATCTTGATCTTCATTGT
GAPDH	NM_002046	GAAGGTGAAGGTCCGAGTCAA	GGAAGATGGTGATGGGATTTC
HPRT1	NM_000194	GACCAGTCAACAGGGGACATAA	AAGCTTGCGACCTTGACC
hOGG1	NM_002542	TGGAAGAACAGGGCGGGCTA	ATGGACATCCACGGGCACAG
PPIA	NM_021130	GTTTGCAGACAAGGTCCCA	ACCCGTATGCTTTAGGATG
SDHA	NM_004168	TACAAGGTGCGGATTGATG	CGATCACGGGTCTATATTCAA
TBP	NM_003194	CACGAACCACGGCACTGAT	GTTGGTGGGTGAGCACAAGG
TOP1	NM_003286	GGCGAGTGAATCTAAGG	CTTAAAGGGTACAGCGAATG
YWHAZ	NM_003406	GGCAACCTAAGAACAAATG	CATGTTAGGCAAGTATCAAAA