Preface to the special issue on “Recent Advances in Optical Metasurfaces”

Cheng ZHANG (✉)¹, Din-Ping TSAI (✉)²

¹ School of Optical and Electronic Information & Wuhan National Laboratory for Optoelectronics, Huazhong University of Science and Technology, Wuhan 430074, China

² Department of Electronic and Information Engineering, The Hong Kong Polytechnic University, Hong Kong 999077, China

© Higher Education Press 2021

Optical metasurfaces, composed of planar arrays of sub-wavelength dielectric or metallic structures that collectively mimic the operation of conventional bulk optical elements, have revolutionized the field of optics by their potential in constructing high-efficiency and multi-functional optoelectronic systems with a compact form factor. By engineering the geometry, placement, and alignment of its constituent elements, an optical metasurface arbitrarily controls the magnitude, polarization, phase, angular momentum, or dispersion of incident light. The study of metasurface now spans various multidisciplinary fields in both fundamental research on light-matter interaction [1–3], and emerging applications from solid-state LiDAR [4,5] to compact imaging, spectroscopy, and quantum optical devices [6–11]. High-performance metasurface devices have been experimentally demonstrated over the entire optical spectrum from the deep ultraviolet to the terahertz (THz) [12–16], and have been employed to manipulate optical waves in both spatial and temporal domains [17–21].

This special issue on “Recent Advances in Optical Metasurfaces” includes five review articles and five research articles, covering various topics ranging from metasurface design to practical applications. Qiu et al. [22] provide a comprehensive review of the fundamentals and applications of spin-decoupled Pancharatnam–Berry (PB) metasurfaces. Different from traditional PB-phase-based metasurfaces which impinge phase modulations with opposite signs onto the left-handed and right-handed circularly polarized light, the spin-decoupled PB metasurfaces release the above spin-locked limitation and allow independent and arbitrary control over orthogonal circular polarizations. The recent development of bianisotropic metasurfaces has allowed versatile control over the state of polarization and propagation direction of light. Xiong et al. [23] discuss the electromagnetic properties of photonic bianisotropic structures using the finite element method. The authors show that the vector wave equation with the presence of bianisotropy is self-adjoint under the scalar inner product and propose a balanced formulation of weak form in the practical implementation that outperforms the standard formulation in finite element modeling. Realizing active devices with adjustable functionalities is of great interest to the metasurface research community. Bi et al. [24] review the physical mechanisms and device applications of magnetically controllable metasurfaces. Magnetic field manipulation has advantages of ultra-fast response, non-contact and continuous adjustment, thus paving the way toward realizing multi-functional and dynamic metasurface-based devices and systems.

Several typical as well as emerging applications of the metasurface technology, are covered by this special issue. Fu et al. [25] give a comprehensive review of metalenses, tiny planar imaging devices enabled by metasurface technology. The article covers the basic phase modulation techniques, design principles, characterization methods, and functional applications of metalenses. Although a metalens might not fully compete with a conventional lens in terms of imaging quality at the current stage, it possesses unique advantages in terms of multi-dimensional and multi-degree-of-freedom control over an incident light, thus facilitating novel functionalities that are extremely difficult or even impossible to implement using conventional technology. The electromagnetic absorber is another typical application of metasurface technology. Gandhi et al. [26] propose a polarization-insensitive metasurface absorber

Received June 21, 2021

E-mails: cheng.zhang@hust.edu.cn (C. Zhang), dptsai@ieee.org (D. P. Tsai)

operating in the THz regime. The device consists of metal-dielectric-metal resonators and exhibits absorption greater than 90% over the 2.54 to 5.54 THz range. In recent years, edge detection using metasurfaces has raised a significant interest and could find promising applications in all-optical computing and artificial intelligence. Wan et al. [27] review the development of dielectric metasurfaces for spatial differentiation and edge detection. The article focuses on the underlying principles of dielectric metasurfaces as first- or second-order spatial differentiators and their applications in biological imaging and machine vision.

Non-diffractive beams are highly desired for a number of applications, including biomedical imaging, particle manipulation, and material processing. Liu et al. [28] investigate dual non-diffractive THz beam generation using dielectric metasurfaces. The authors design and experimentally implement Bessel beams and abruptly autofocusing beams, two representative kinds of non-diffractive beams with dramatically opposite focusing properties. With its compact footprint and multiple functionalities, metasurface offers new possibilities in constructing high-performance optical sensors. Ye et al. [29] introduce an ultra-sensitive optical sensing platform based on the parity-time-reciprocal scaling (PTX)-symmetric non-Hermitian metasurfaces. Such devices leverage exotic singularities, such as the exceptional point and the coherent perfect absorber-laser point, to significantly enhance the sensitivity and detectability of photonic sensors. Ren et al. [30] propose a U-shaped THz metamaterial with polarization-sensitive and actively-controllable electromagnetically induced transparency, which could find useful applications in tunable integrated devices such as biosensors, filters, and THz modulators. Realizing large-scale and low-cost fabrication of metasurface could greatly facilitate the technology's practical applications. Oh et al. [31] review the development of nanoimprint lithography for high-throughput fabrication of optical metasurfaces. The authors elaborate various imprint methods for scalable fabrication of metasurfaces and share their perspectives on the technology's future development.

We hope that this special issue on "Recent Advances in Optical Metasurfaces" could provide useful information for metasurface researchers and inspire new ideas for their future exploration. We thank all authors for their contribution to this special issue, and reviewers for their valuable comments. In the end, we would like to express sincere gratitude to the editors of *Frontiers of Optoelectronics* for providing us such an excellent opportunity to put together this special issue and their invaluable assistance along the way.

References

1. Yu N, Capasso F. Flat optics with designer metasurfaces. *Nature Materials*, 2014, 13(2): 139–150
2. Li G X, Zhang S, Zentgraf T. Nonlinear photonic metasurfaces. *Nature Reviews Materials*, 2017, 2(5): 17010
3. Devlin R C, Ambrosio A, Rubin N A, Mueller J P B, Capasso F. Arbitrary spin-to-orbital angular momentum conversion of light. *Science*, 2017, 358(6365): 896–901
4. Park J, Jeong B G, Kim S I, Lee D, Kim J, Shin C, Lee C B, Otsuka T, Kyoung J, Kim S, Yang K Y, Park Y Y, Lee J, Hwang I, Jang J, Song S H, Brongersma M L, Ha K, Hwang S W, Choo H, Choi B L. All-solid-state spatial light modulator with independent phase and amplitude control for three-dimensional LiDAR applications. *Nature Nanotechnology*, 2021, 16(1): 69–76
5. Li S Q, Xu X, Maruthiyodan Veetil R, Valuckas V, Paniagua-Domínguez R, Kuznetsov A I. Phase-only transmissive spatial light modulator based on tunable dielectric metasurface. *Science*, 2019, 364(6445): 1087–1090
6. Lin R J, Su V C, Wang S, Chen M K, Chung T L, Chen Y H, Kuo H Y, Chen J W, Chen J, Huang Y T, Wang J H, Chu C H, Wu P C, Li T, Wang Z, Zhu S, Tsai D P. Achromatic metalens array for full-colour light-field imaging. *Nature Nanotechnology*, 2019, 14(3): 227–231
7. Das Gupta T, Martin-Monier L, Yan W, Le Bris A, Nguyen-Dang T, Page A G, Ho K T, Yesilköy F, Altug H, Qu Y, Sorin F. Self-assembly of nanostructured glass metasurfaces via templated fluid instabilities. *Nature Nanotechnology*, 2019, 14(4): 320–327
8. Wu Y K R, Hollowell A E, Zhang C, Guo L J. Angle-insensitive structural colours based on metallic nanocavities and coloured pixels beyond the diffraction limit. *Scientific Reports*, 2013, 3(1): 1194
9. Kita D M, Miranda B, Favela D, Bono D, Michon J, Lin H, Gu T, Hu J. High-performance and scalable on-chip digital Fourier transform spectroscopy. *Nature Communications*, 2018, 9(1): 4405
10. Pahlevaninezhad H, Khorasaninejad M, Huang Y W, Shi Z, Hariri L P, Adams D C, Ding V, Zhu A, Qiu C W, Capasso F, Suter M J. Nano-optic endoscope for high-resolution optical coherence tomography *in vivo*. *Nature Photonics*, 2018, 12(9): 540–547
11. Li L, Liu Z, Ren X, Wang S, Su V C, Chen M K, Chu C H, Kuo H Y, Liu B, Zang W, Guo G, Zhang L, Wang Z, Zhu S, Tsai D P. Metalens-array-based high-dimensional and multiphoton quantum source. *Science*, 2020, 368(6498): 1487–1490
12. Zhang C, Divitt S, Fan Q B, Zhu W Q, Agrawal A, Lu Y Q, Xu T, Lecz H J. Low-loss metasurface optics down to the deep ultraviolet region. *Light: Science & Applications*, 2020, 9(1): 55
13. Zhang C, Pfeiffer C, Jang T, Ray V, Junda M, Uprety P, Podraza N, Grbic A, Guo L J. Breaking Malus' law: highly efficient, broadband, and angular robust asymmetric light transmitting metasurface. *Laser & Photonics Reviews*, 2016, 10(5): 791–798

14. Zhang L, Ding J, Zheng H, An S, Lin H, Zheng B, Du Q, Yin G, Michon J, Zhang Y, Fang Z, Shalaginov M Y, Deng L, Gu T, Zhang H, Hu J. Ultra-thin high-efficiency mid-infrared transmissive Huygens meta-optics. *Nature Communications*, 2018, 9(1): 1481
15. Khorasaninejad M, Chen W T, Devlin R C, Oh J, Zhu A Y, Capasso F. Metalenses at visible wavelengths: Diffraction-limited focusing and subwavelength resolution imaging. *Science*, 2016, 352(6290): 1190–1194
16. Zang X, Yao B, Chen L, Xie J, Guo X, Balakin A, Shkurinov A, Zhuang S. Metasurfaces for manipulating terahertz waves. *Light: Advanced Manufacturing*, 2021, doi:10.37188/lam.2021.010
17. Divitt S, Zhu W, Zhang C, Lezec H J, Agrawal A. Ultrafast optical pulse shaping using dielectric metasurfaces. *Science*, 2019, 364(6443): 890–894
18. Chen W T, Zhu A Y, Capasso F. Flat optics with dispersion-engineered metasurfaces. *Nature Reviews Materials*, 2020, 5(8): 604–620
19. Liu M, Zhu W, Huo P, Feng L, Song M, Zhang C, Chen L, Lezec H J, Lu Y, Agrawal A, Xu T. Multifunctional metasurfaces enabled by simultaneous and independent control of phase and amplitude for orthogonal polarization states. *Light: Science & Applications*, 2021, 10(1): 107
20. Fan Q, Liu M, Zhang C, Zhu W, Wang Y, Lin P, Yan F, Chen L, Lezec H J, Lu Y, Agrawal A, Xu T. Independent amplitude control of arbitrary orthogonal states of polarization via dielectric metasurfaces. *Physical Review Letters*, 2020, 125(26): 267402
21. Shaltout A M, Shalae V M, Brongersma M L. Spatiotemporal light control with active metasurfaces. *Science*, 2019, 364(6441): eaat3100
22. Qiu Y C, Tang S W, Cai T, Xu H X, Ding F. Fundamentals and applications of spin-decoupled Pancharatnam–Berry metasurfaces. *Frontiers of Optoelectronics*, 2021, 14(2): 134–147
23. Xiong Z F, Chen W J, Wang Z R, Xu J, Chen Y T. Finite element modeling of electromagnetic properties in photonic bianisotropic structures. *Frontiers of Optoelectronics*, 2021, 14(2): 148–153
24. Bi Y, Huang L L, Li X W, Wang Y T. Magnetically controllable metasurface and its application. *Frontiers of Optoelectronics*, 2021, 14(2): 154–169
25. Fu X, Liang H W, Li J T. Metalenses: from design principles to functional applications. *Frontiers of Optoelectronics*, 2021, 14(2): 170–186
26. Gandhi C, Ramesh Babu P, Senthilnathan K. Ultra-thin polarization independent broadband terahertz metamaterial absorber. *Frontiers of Optoelectronics*, 2021, doi:10.1007/s12200-021-1223-3
27. Wan L, Pan D P, Feng T H, Liu W P, Potapov A A. A review of dielectric optical metasurfaces for spatial differentiation and edge detection. *Frontiers of Optoelectronics*, 2021, 14(2): 187–200
28. Liu C Y, Li Y F, Feng X, Zhang X X, Han J G, Zhang W L. Dual non-diffractive terahertz beam generators based on all-dielectric metasurface. *Frontiers of Optoelectronics*, 2021, 14(2): 201–210
29. Ye Z L, Yang M Y, Zhu L, Chen P Y. *PTX*-symmetric metasurfaces for sensing applications. *Frontiers of Optoelectronics*, 2021, 14(2): 211–220
30. Ren K, Zhang Y, Ren X B, He Y M, Han Q. Polarization-sensitive and active controllable electromagnetically induced transparency in U-shaped terahertz metamaterials. *Frontiers of Optoelectronics*, 2021, 14(2): 221–228
31. Oh D K, Lee T, Ko B, Badloe T, Ok J G, Rho J. Nanoimprint lithography for high-throughput fabrication of metasurfaces. *Frontiers of Optoelectronics*, 2021, 14(2): 229–251

Cheng Zhang is a Professor in School of Optical and Electronic Information & Wuhan National Laboratory for Optoelectronics at Huazhong University of Science and Technology (HUST), China. He received his bachelor degree in Electrical Science and Technology from Shandong University, China in 2010, and Ph.D. degree in Electrical Engineering from University of Michigan-Ann Arbor, USA in 2016. From 2016 to 2019, he worked as a post-doctoral researcher in National Institute of Standards and Technology (NIST), USA. He joined HUST in 2020, where he currently leads a research team working on cutting-edge projects aimed at the exploitation of nanophotonic materials, devices and fabrication techniques for novel information, sensing and energy harvesting applications. He has published over 40 peer-reviewed articles in journals such as *Science*, *Nature Photonics*, *Light: Science & Applications* and *Advanced Materials*, and has delivered over 20 invited talks at international conferences.

Din-Ping Tsai is Chair Professor and Head of the Department of Electronic and Information Engineering, The Hong Kong Polytechnic University, China. He is an elected Member of the International Academy of Engineering (IAE), and Academician of the Asia-Pacific Academy of Materials (APAM). He is an elected Fellow of American Association for the Advancement of Science (AAAS), American Physical Society (APS), Institute of Electrical and Electronics Engineers (IEEE), National Academy of Inventors (NAI), USA, The Optical Society (OSA), International Society of Optical Engineering (SPIE), Electro Magnetics Academy (EMA), Japan Society of Applied Physics (JSAP) and Physical Society (Taiwan, China). He had 68 patents in Canada (3), China (1), Germany (2), Japan (3), USA (19), etc. Twenty of them have been licensed to five different companies. He was recognized by Web of Science (Clarivate Analytics) as the Top 1% Highly Cited Researcher in the field of Cross-field in 2020 and 2019.

He received many prestigious recognitions and awards, including “China’s Top 10 Optical Breakthroughs” in 2020 and 2018, and “Mozi Award” from the International Society of Optical Engineering (SPIE) (2018), etc.