

Erratum to: The fern genus *Polybotrya* (Dryopteridaceae) in the Atlantic Forest of Brazil, with the description of a new species

BIANCA KALINOWSKI CANESTRARO AND PAULO HENRIQUE LABIAK

Programa de Pós Graduação em Botânica, Depto. de Botânica, Universidade Federal do Paraná, C. P. 19031, 81531-980, Curitiba, PR, Brazil e-mail: bianca.kc90@gmail.com; plabiak@ufpr.br
The online version of the original article can be found at <http://dx.doi.org/10.1007/s12228-015-9369-1>.

Erratum to: Brittonia **DOI 10.1007/s12228-015-9369-1**

Due to a production error, the following figures were incorrectly placed in the article and associated with the wrong captions:

Fig. 5 should be the illustration that is shown in Fig. 8.

Fig. 6 should be the illustration that is shown in Fig. 5.

Fig. 7 should be the illustration that is shown in Fig. 6.

Fig. 8 should be the illustration that is shown in Fig. 7.

The correct figures and captions are reprinted below.




FIG. 5. A–D. *Polybotrya sorbifolia*. A. Detail of abaxial surface of sterile pinnae. B. Rhizome. C. Detail of fertile leaf. D. Gland on abaxial surface of sterile leaf. E–G. *P. goyazensis*. E. Detail of abaxial surface of sterile pinnae. F. Detail of fertile pinnae. G. Rhizome scale. H–J. *P. osmundacea*. H. Detail of adaxial surface of sterile pinnae. I. Detail of fertile pinnules (I from *Pietrobon da Silva* 4546, SP). J. Rhizome scales. (A–D from *Canestraro & Matos* 530, UPCB; E from *Hatschbach*, 25118, MBM; F, G from *Canestraro & Matos* 536, UPCB ; H–J from *Pietrobon da Silva* 5432, SP).

D. Carneiro / 2013




FIG. 6. *Polybotrya matosii*. A. Sterile leaf. B. Detail of the abaxial surface of a pinnule. C. Detail of the adaxial surface of a pinnule. D. Detail of the sori of a fertile leaf. E. Paraphyses. F. Rhizome scale. (From holotype.)





FIG. 7. *Polybotrya pilosa*. A. Sterile leaf. B. Detail of the adaxial surface of a pinnule. C. Detail of the abaxial surface of a pinnule. D. Detail of the sori on a fertile pinnae. E. Detail of the sori, showing sporangia and paraphyses. F. Paraphyses. G. Rhizome scale. H. Hair on the abaxial surface of a sterile leaf. (From Canestraro & Mynssen 472, UPCB.)



D. Carneiro / 2013

FIG. 8. *Polybotrya semipinnata*. A. Sterile leaf. B. Position of the rhizome scales. C. Detail of the adaxial surface of a pinnule. D. Detail of the abaxial surface of a pinnule. E. Detail of the sori on the fertile pinnae. F. Paraphyses. G. Rhizome scale. (A–D, G from Marquete 2185, RB; E–F, from Brade 12095, R.)