



Erratum to: Nutritional and Structural Response of Potato Plants to Reduced Nitrogen Supply in Nutrient Solution

Dong Chil Chang¹ · Yong Ik Jin¹ · Su Jeong Kim¹ · Sung Tae Park² ·
Young Ryul Cho³ · Yong Beom Lee⁴

Published online: 29 April 2016
© The Potato Association of America 2016

Erratum to: Am. J. Potato Res.
DOI 10.1007/s12230-016-9510-z

The second author's name has to be changed as follows:
Young Ik Jin → **Yong Ik Jin**.

In Fig. 2, the symbol of **N 16 days** has to be changed from **■** to **◆**. The correct Fig. 2 is printed here.

The online version of the original article can be found at <http://dx.doi.org/10.1007/s12230-016-9510-z>.

✉ Dong Chil Chang
dcchang@korea.kr

¹ Highland Agriculture Research Institute, National Institute of Crop Science, Pyeongchang 25342, South Korea

² National Institute of Horticultural and Herbal Science, Wanju 55365, South Korea

³ Faculty of Bioscience and Industry, Jeju National University, Jeju 63243, South Korea

⁴ Department of Environmental Horticulture, University of Seoul, Seoul 02504, South Korea




Fig. 2 Variations of each nutrient (NO_3^- , PO_4^{3-} , SO_4^{2-} , K^+ , Ca^{2+} , and Mg^{2+}) with periods of reduced nitrogen supply. Plants were grown under reduced nitrogen supply for 4, 8, and 16 days and compared with

control plants which were grown under a constant supply of nitrogen. Arrows indicate the date when the reduced nitrogen solution is replaced with the control solution