

ERRATUM

Reconstruction of a Rabbit Corneal Epithelium on a Lyophilized Amniotic Membrane Using Tilting Air-liquid Interface Culture Followed by Tilting Submerged Culture

Jae-Il Ahn¹, In-Keun Jang^{1,2}, Young-Kwon Seo¹, Hee-Hoon Yoon¹, Yeon-Ho Shin¹,
Jae-Chan Kim², Kye-Yong Song³, Eun-Kyung Yang⁴, and Jung-Keug Park^{1*}

¹Department of Chemical and Biochemical Engineering, Dongguk University, Seoul 100-715, Korea

²Department of Ophthalmology, Chung-Ang University Hospital, Seoul 140-757, Korea

³Department of Pathology, College of Medicine, Chung-Ang University, Seoul 156-755, Korea

⁴R&D Center, Bioland Ltd., Cheonan 330-863, Korea

In the 2008 issue of Biotechnology and Bioprocess Engineering (BBE), errors occurred in the research article:

Jae-Il Ahn, In-Keun Jang, Young-Kwon Seo, Hee-Hoon Yoon, Yeon-Ho Shin, Jae-Chan Kim, Kye-Yong Song, Eun-Kyung Yang, and Jung-Keug Park (2008) Reconstruction of a Rabbit Corneal Epithelium on a Lyophilized Amniotic Membrane Using Tilting Air-liquid Interface Culture Followed by Tilting Submerged Culture. *Biotechnol. Bioprocess Eng.* 13: 279-287.

- On page 280, left column 36 line

Original wording:

For tendon fibroblast immobilization in scars [24].

This should be replaced by:

Barrier substrate for tendon repair [24].