

ERRATUM

Erratum to: Evaluation of a New Formulation of Epoprostenol Sodium in Japanese Patients with a Pulmonary Arterial Hypertension (EPITOME4)

Yuichi Tamura · Tomohiko Ono · Keiichi Fukuda ·
Toru Satoh · Shigetake Sasayama

To view enhanced content go to www.advancesintherapy.com
Received: May 9, 2013 / Published online: May 25, 2013
© Springer Healthcare 2013

ERRATUM TO: Adv Ther
DOI 10.1007/s12325-013-0029-0

The authors of the above mentioned paper would like to make the following adjustment to their article. In Table 4, the column heading titled “After 60 min ($n = 8$)” should read “12 weeks of administration ($n = 8$)”. The corrected table is published here:

The online version of the original article can be found under doi:[10.1007/s12325-013-0029-0](https://doi.org/10.1007/s12325-013-0029-0).

Y. Tamura (✉) · T. Ono · K. Fukuda
Department of Cardiology, Keio University School of Medicine, 35 Shinanomachi Shinjuku-ku, Tokyo, Japan
e-mail: u1@ta-mu.net

T. Satoh
Department of Cardiology, Kyorin University School of Medicine, Tokyo, Japan

S. Sasayama
Kyoto University, Kyoto, Japan



Enhanced content for Advances in Therapy articles is available on the journal web site: www.advancesintherapy.com

Table 4 Changes in hemodynamic parameters from baseline to 12 weeks after switching epoprostenol formulations

Hemodynamic parameter	Baseline (n = 8)			12 weeks of administration (n = 8)			P value ^a	
	Actual value		Mean ± SD	Mean ± SD	Median	[Min, Max]		
	Mean ± SD	Median						
Systolic pulmonary artery pressure, mmHg	50.6 ± 12.4	46.0	[34, 69]	49.8 ± 14.1	44.5	[29, 70]	-0.9 ± 3.5	
Diastolic pulmonary artery pressure, mmHg	17.1 ± 2.2	17.0	[14, 22]	18.8 ± 4.6	19.0	[11, 24]	1.6 ± 3.7	
Mean pulmonary artery pressure, mmHg	31.1 ± 5.1	31.5	[22, 40]	31.4 ± 7.2	32.0	[18, 41]	0.3 ± 2.8	
Pulmonary capillary wedge pressure, mmHg	8.4 ± 1.8	8.0	[5, 11]	7.3 ± 1.2	7.5	[6, 9]	-1.1 ± 2.3	
Cardiac output, L/min	4.829 ± 1.057	4.440	[2.72, 5.99]	4.499 ± 1.005	4.095	[3.25, 5.98]	0.210 ± 0.790	
Mean right arterial pressure, mmHg	4.8 ± 1.8	4.5	[3, 8]	4.8 ± 1.8	4.5	[3, 7]	0.0 ± 1.7	
Mixed venous oxygen saturation, %	73.43 ± 5.50	73.20	[63.4, 83.2]	72.10 ± 3.28	72.75	[67.1, 76.3]	-1.33 ± 4.64	
Cardiac input, L/min/m ²	2.98 ± 0.86	2.80	[2.0, 4.3]	3.11 ± 0.72	3.00	[2.4, 4.3]	0.14 ± 0.52	
Pulmonary vascular resistance, dyn·s/cm ⁵	448.3 ± 158.1	429.5	[201, 676]	453.6 ± 175.3	424.5	[154, 686]	-0.50 [-8.4, 4.7]	
Pulmonary vascular resistance index, dyn·s/cm ⁵ /m ²	646.5 ± 223.1	598.0	[338, 1000]	648.5 ± 239.6	640.5	[251, 992]	2.4 ± 98.4 -15.5 [-87, 212]	

^a SD standard deviation^a P value based upon Wilcoxon signed rank sum test