CORRECTION



Correction to: Mesalazine formulation intolerance due to suspected excipient allergy in the treatment of ulcerative colitis: a case report

Yoshinori Arai¹ · Maiko Ogawa¹ · Fumitsugu Yamane¹ · Natsuki Sumiyoshi¹ · Rikako Arimoto¹ · Yoshitaka Ando¹ · Daisuke Endo¹ · Tatsuya Nakada¹ · Ichiro Sugawara¹ · Hiroshi Yokoyama¹ · Keiko Shimoyama² · Hiroko Inomata² · Yosuke Kawahara² · Masayuki Kato² · Seiji Arihiro¹ · Atsushi Hokari¹ · Masayuki Saruta³

Published online: 25 September 2020 © Japanese Society of Gastroenterology 2020

Correction to: Clinical Journal of Gastroenterology https://doi.org/10.1007/s12328-020-01216-2

The article "Mesalazine formulation intolerance due to suspected excipient allergy in the treatment of ulcerative colitis: a case report", written by Yoshinori Arai, Maiko Ogawa, Fumitsugu Yamane, Natsuki Sumiyoshi, Rikako Arimoto, Yoshitaka Ando, Daisuke Endo, Tatsuya Nakada, Ichiro Sugawara, Hiroshi Yokoyama, Keiko Shimoyama, Hiroko Inomata, Yosuke Kawahara, Masayuki Kato, Seiji Arihiro, Atsushi Hokari & Masayuki Saruta, was originally published electronically on the publisher's internet portal (currently SpringerLink) on 03 September 2020 with open access. With the author(s)' decision to step back from Open Choice, the copyright of the article changed on 21 September 2020 to © Japanese Society of Gastroenterology 2020 and the article is forthwith distributed under the terms of copyright.

The original article has been updated.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at https://doi.org/10.1007/ $s12328\hbox{-}020\hbox{-}01216\hbox{-}2.$

- Division of Gastroenterology and Hepatology, Department of Internal Medicine, The Jikei University Katsushika Medical Center, -41-2 Aoto, Katsushika-ku, Tokyo 105-8461, Japan
- Department of Endoscopy, The Jikei University Katsushika Medical Center, Tokyo, Japan
- Division of Gastroenterology and Hepatology, Department of Internal Medicine, The Jikei University School of Medicine, Tokyo, Japan

