Correction to: Left ventricular dyssynchrony and abnormalities in wall motion, assessed by gated-SPECT as ischemic auxiliary markers

Correction to: Journal of Nuclear Cardiology (2018)

<https://doi.org/10.1007/s12350-018-01544-4>

1. In Figure 3, sensitivity and specificity were interchanged. The corrected Figure 3 is shown below.
2. The author names listed in reference 14 have been modified; the correct reference reads: Nakanishi R, Gransar H, Slomka P, Arsanjani R, Shalev A, Otaki

- Y, et al. Predictors of high-risk coronary artery disease in subjects with normal SPECT myocardial perfusion imaging. *J Nucl Cardiol* 2016;23:530-41.
3. The units of standard deviation (SD) and bandwidth (BW) in the abstract, results and in Table 3 are expressed in degrees from 0 to 360°.

Figure 3. Analysis of sensitivity and specificity for detection of myocardial ischemia, left ventricular dyssynchrony, and alterations in regional wall motion.

Reprint requests: Erick Alexanderson-Rosas, Department of Nuclear Cardiology, Instituto Nacional de Cardiología Ignacio Chávez, Juan Badiano No 1, Colonia Sección XVI, Del. Tlalpan, 14080, Mexico City, Mexico; alexandersonerick@gmail.com

J Nucl Cardiol 2020;27:1380.

1071-3581/\$34.00

Copyright © 2019 American Society of Nuclear Cardiology.

doi:10.1007/s12350-019-01636-9