



Correction to: Toxic Metals and Omega-3 Fatty Acids of Bluefin Tuna from Aquaculture: Health Risk and Benefits

Özkan Özden¹ · Nuray Erkan¹ · Muammer Kaplan² · F. Saadet Karakulak¹

Published online: 1 June 2018
© Springer Science+Business Media B.V., part of Springer Nature 2018

Correction to: Expos Health
<https://doi.org/10.1007/s12403-018-0279-9>

The original version of this article unfortunately contained mistakes. Under section, ‘Estimated Weekly Intake (EWI),’ the value 150 g should be corrected as 100 g in the sentences ‘The weekly consumption value for fish...’ and ‘where WFC is the weekly fish consumption ...’. Likewise under section ‘Target Hazard Quotient (THQ),’ the data (21.43 g/person/day) should be (14.26 g/person/day).

The original article can be found online at <https://doi.org/10.1007/s12403-018-0279-9>.

✉ Özkan Özden
ozden@istanbul.edu.tr

¹ Department of Fisheries and Seafood Processing Technologies, Faculty of Aquatic Sciences, Istanbul University, Ordu Caddesi No: 8 Laleli, Fatih, Istanbul 34134, Turkey

² Food Institute, TÜBİTAK Marmara Research Center, Barış Mah. Dr. Zeki Acar Cad. No: 1 P.K. 21, Gebze, Kocaeli 41470, Turkey