



Correction to: Age determination and growth pattern of temperate seabass *Lateolabrax japonicus* in Tango Bay and Sendai Bay, Japan

Wei Jiang¹ · Edouard Lavergne^{2,3}  · Yutaka Kurita⁴ · Kana Todate⁵ · Akihide Kasai⁵ · Taiki Fuji⁶ · Yoh Yamashita^{1,2,3}

Published online: 2 January 2019
© Japanese Society of Fisheries Science 2019

Correction to: Fisheries Science
<https://doi.org/10.1007/s12562-018-1271-9>

In the original publication, Fig. 1 and legend have been incorrectly published. The correct version of Fig. 1 and legend are provided in this Correction.

The description of the sampling water depth in Sendai Bay in the first sentence in the subsection, Sample collection and measurements, should be read as "using a bottom trawl net from 30 to 80 m depth" instead of "40 m".

The original article can be found online at <https://doi.org/10.1007/s12562-018-1271-9>.

✉ Yoh Yamashita
yoh@kais.kyoto-u.ac.jp

Wei Jiang
chiangv1022@gmail.com

Edouard Lavergne
edouard.lavergne@gmail.com

Yutaka Kurita
kurita@affrc.go.jp

Kana Todate
kn2d.03h@gmail.com

Akihide Kasai
akihide@fish.hokudai.ac.jp

Taiki Fuji
fujimatsu178@gmail.com

- 2 Connectivity of Hills, Humans and Oceans Unit (CoHHO), Kyoto University, Oiwake-cho, Kitashirakawa, Sakyo-ku, Kyoto 606-8502, Japan
- 3 Field Science Education and Research Center (FSERC), Kyoto University, Oiwake-cho, Kitashirakawa, Sakyo-ku, Kyoto 606-8502, Japan
- 4 Tohoku National Fisheries Research Institute, Fisheries Research and Education Agency Japan, Shinhama 3-27-5, Shiogama, Miyagi 985-0001, Japan
- 5 Faculty of Fisheries Sciences, Hokkaido University, 3-1-1 Minato-cho, Hakodate, Hokkaido 041-8611, Japan
- 6 Tohoku National Fisheries Research Institute, Fisheries Research and Education Agency Japan, 25-259 Shimomekurakubo, Same, Hachinohe, Aomori 031-0841, Japan

¹ Graduate School of Agriculture, Kyoto University, Oiwake-cho, Kitashirakawa, Sakyo-ku, Kyoto 606-8502, Japan




Fig. 1 Sampling locations in A) Sendai Bay and B) Tango Bay. Closed circles and polygons represent trawling stations in Sendai Bay and set net positions in Tango Bay, respectively