Erratum to: The Journal of Nutrition, Health & Aging DOI 10.1007/s12603-020-1582-2

Erratum to: Success of simpler modified Fried frailty scale to predict mortality among nursing home residents

G. Bahat¹, B. Ilhan¹, A.Tufan¹, H. Dogan², M.A. Karan¹

1. Department of Internal Medicine, Division of Geriatrics, Istanbul Medical School, Istanbul University, Capa, 34390, Istanbul, Turkey; 2. Istanbul Kayisdagi Nursing Home, Kayisdagi 34755, Istanbul, Turkey. Corresponding author: Gulistan Bahat, Istanbul University, Istanbul Medical School, Department of Internal Medicine, Capa, 34390, Istanbul, Turkey, Telephone: + 90 212 414 20 00-33204, Fax: + 90 212 532 42 08, E-mail address: gbahatozturk@yahoo.com

In the original version of the above paper there was an error in Results and Table 2, which shows the prevalence of low muscle mass.

In Results, prevalence of low muscle mass was given as 50% (half of the patients). It should be as follows: Low muscle mass was present in 13.4% of the patients.

In Table 2, number of patients with low muscle mass and prevalence of low muscle mass were given as “Low muscle mass (height²) 112 (50%)”.

It should be as follows: Low muscle mass (height²) 30 (13.4%)

The authors wish to apologise for this error.

How to cite this article: G. Bahat, B. Ilhan, A.Tufan, et al. Erratum to: Success of simpler modified Fried frailty scale to predict mortality among nursing home residents. J Nutr Health Aging.2022;26(8):816; <https://doi.org/10.1007/s12603-021-1613-7>