ERRATUM

Erratum to: Potential strategies for preventing chronic postoperative pain: a practical approach: Continuing Professional Development

Philippe Richebé, MD, PhD · Marco Julien, MD · Véronique Brulotte, MD

Published online: 18 April 2016
© Canadian Anesthesiologists' Society 2016

**Erratum to: Can J Anesth/J Can Anesth (2015)
62:1329–1341
DOI 10.1007/s12630-015-0499-4**

In the article entitled: “Potential strategies for preventing chronic postoperative pain: a practical approach: Continuing Professional Development” published in the December 2015

issue of the *Journal*, Can J Anesth 2015; 62: 1329–41, on page 1332, second column, line 4 and in the French version on page 1338, first column, line 3, the dose of ketamine should read “ $2 \mu\text{g}\cdot\text{kg}^{-1}\cdot\text{min}^{-1}$ ” instead of “ $0.2 \mu\text{g}\cdot\text{kg}^{-1}\cdot\text{min}^{-1}$ ” which was printed in error. The publisher apologizes most sincerely for this error.

The online version of the original article can be found under doi:[10.1007/s12630-015-0499-4](https://doi.org/10.1007/s12630-015-0499-4).

P. Richebé, MD, PhD (✉) · M. Julien, MD · V. Brulotte, MD
Department of Anesthesiology, Hospital Maisonneuve-Rosemont, University of Montreal, 5415 Boulevard de l'Assomption, Montreal, QC H1T 2M4, Canada
e-mail: philipperichebe@live.com