

## Erratum to: Identifying prey items from New Zealand fur seal (*Arctocephalus forsteri*) faeces using massive parallel sequencing

Arsalan Emami-Khoyi<sup>1</sup> · David A. Hartley<sup>2</sup> · Adrian M. Paterson<sup>1</sup> ·  
Laura J. Boren<sup>3</sup> · Robert H. Cruickshank<sup>1</sup> · James G. Ross<sup>1,4</sup> ·  
Elaine C. Murphy<sup>1,4</sup> · Terry-Ann Else<sup>5</sup>

Published online: 27 July 2016  
© Springer Science+Business Media Dordrecht 2016

**Erratum to: Conservation Genet Resour**  
**DOI 10.1007/s12686-016-0560-9**

Unfortunately, in the original publication of the article Table 1 was published erroneously. The corrected Table 1 is given in this erratum.

---

The online version of the original article can be found under doi:[10.1007/s12686-016-0560-9](https://doi.org/10.1007/s12686-016-0560-9).

---

✉ Adrian M. Paterson  
Adrian.Paterson@lincoln.ac.nz

<sup>1</sup> Department of Ecology, Lincoln University, Lincoln 7647, New Zealand

<sup>2</sup> Micro-Seq Enterprises, Las Vegas, NV 89130, USA

<sup>3</sup> New Zealand Department of Conservation, Wellington-Tearo 6011, New Zealand

<sup>4</sup> Centre for Wildlife Management and Conservation, Lincoln University, Lincoln 7647, New Zealand

<sup>5</sup> Touro University Nevada, Henderson, NV 89014, USA

**Table 1** Prey items identified from massive parallel sequencing of New Zealand fur seal faecal samples

Fish/cephalopods	Stewart Island	Fiordland	Cape Palliser	Bay of Plenty	Kaikoura-Winter	Kaikoura-Summer
Paralepididae (Barracudinas)						
<i>Lestidiops</i> sp. 1		X				
<i>Lestidium</i> sp. 2		X				
Rondeletiidae Redmouth (whalefishes)						
<i>Rondeletia loricata</i> (Abe & Hotta, 1963) Redmouth whalefish		X				
Ophidiidae (Cusk-eels)						
<i>Genypterus blacodes</i> (Forster, 1801) Ling		X		X		
Echinorhinidae (Bramble sharks)						
<i>Echinorhinus cooki</i> (Pietschmann, 1928) Prickly shark	X	X	X	X	X	
Macrurionidae (Southern hakes)						
<i>Macruronus novaezelandiae</i> (Hector, 1871) Hoki	X		X	X	X	X
Emmelichthyidae (Bonnetmouths)						
<i>Emmelichthys nitidus</i> (Richardson, 1845) Red baitfish			X	X	X	X
<i>Plagiogeneion rubiginosum</i> (Hutton, 1875) Rubyfish				X		
Myctophidae (Lanternfishes)						
<i>Lobianchia doffeini</i> (Zugmayer, 1911)					X	
<i>Scopelopsis multipunctatus</i> (Brauer, 1906)					X	
<i>Notoscopelus caudispinosus</i> (Johnson, 1863)				X		X
<i>Electrona carlsbergi</i> (Tåning, 1932)		X				
<i>Lampanyctodes hectoris</i> (Günther, 1876)		X	X	X	X	X
<i>Lampichthys procerus</i> (Brauer, 1904)		X				X
<i>Hygophum hanseni</i> (Tåning, 1932)		X				
<i>Diaphus splendidus</i> (Brauer, 1904)		X				
<i>Lampanyctus</i> sp.	X					
Gonostomatidae (Bristlemouths)						
<i>Margrethia obtusirostra</i> (Jespersen & Tåning, 1919)		X				X
Centrolophidae (Raftfishes, warehou)						
<i>Centrolophus niger</i> (Gmelin, 1789) Rudderfish		X				
<i>Schedophilus</i> sp. Ocean bigeye	X	X		X		
<i>Hyperoglyphe antarctica</i> (Carmichael, 1819) Bluenose		X		X		
<i>Seriola brama</i> (Günther, 1860) Blue warehou		X		X		
Cheilodactylidae (Morwongs, tarakihi)						
<i>Nemadactylus macropterus</i> (Forster, 1801) Tarakihi		X				X
<i>Nemadactylus douglasii</i> (Hector, 1875) Porae		X				
Bathylagidae (Deepsea smelts)						
<i>Lipolagus ochotensis</i> (Schmidt, 1938)						X
Alepisauridae (Lancetfishes)						
<i>Alepisaurus ferox</i> (Lowe, 1833) Longsnout lancetfish		X				X
<i>Taractichthys longipinnis</i> (Lowe, 1843) Pomfret		X				X
Salmonidae (Trouts, salmons, chars)						
<i>Oncorhynchus mykiss</i> (Walbaum, 1792) Rainbow trout *	X		X	X	X	
Carangidae (Trevallies, jacks)						
<i>Trachurus declivis</i> (Jenyns, 1841) Jack mackerel		X		X	X	
<i>Trachurus symmetricus</i> (Ayres, 1855) Slender mackerel				X		
Dalatiidae (Dogfishes)						
<i>Dalatias licha</i> (Bonnaterre, 1788)/ <i>Pristiophorus lanceolatus</i> (Davis, 1888)	X			X	X	

**Table 1** continued

Fish/cephalopods	Stewart Island	Fiordland	Cape Palliser	Bay of Plenty	Kaikoura-Winter	Kaikoura-Summer
<i>Centroscymnus coelolepis</i> (Bocage & Capello, 1864) Portuguese dogfish					X	
<i>Centroscyllium</i> sp. Whitefin dogfish			X		X	X
<i>Centroscymnus owstoni</i> (Garman, 1906) Owston's dogfish						X
Arripidae (Kahawai)						
<i>Arripis trutta</i> (Forster, 1801) Kahawai					X	
Alepocephalidae (Slickheads)						
<i>Bajacalifornia megalops</i> (Lütken, 1898) Brown slickhead		X				
Odacidae Butterfishes						
<i>Odax pullus</i> (Forster & Schneider, 1801) Greenboned Butterfish		X				
Epigonidae (Deepwater cardinalfishes)						
<i>Epigonus telescopus</i> (Risso, 1810) Black cardinalfish		X				X
Moridae (Morid cods)						
<i>Pseudophycis barbata</i> (Günther, 1863) Southern bastard red cod	X	X				
Scorpaenidae (Scorpionfishes)						
<i>Scorpaena</i> sp.	X			X	X	
Macroramphosidae Snipefishes						
<i>Macroramphosus scolopax</i> (Linnaeus, 1758)	X					
Macrouridae (Rattails, grenadiers)						
<i>Coryphaenoides armatus</i> (Hector, 1875) Cosmopolitan grenadier			X		X	
Trichiuridae (Cutlassfishes, scabbardfishes)						
<i>Lepidopus caudatus</i> (Euphrasen, 1788) Frostfish tuna			X	X		
Bramidae (Pomfrets, breams)						
<i>Brama australis</i> (Valenciennes, 1837) Southern bream			X		X	
<i>Brama brama</i> (Bonnaterre, 1788) Ray's bream				X		X
Ophidiidae (Cusk eel)						
<i>Bassozetus</i> sp.				X		
Latrididae (Moki)						
<i>Latris lineata</i> (Forster, 1801) Trumpeter		X				X
Mitsukurinidae (Goblin sharks)						
<i>Mitsukurina owstoni</i> (Jordan, 1898) Goblin shark	X		X		X	
Gempylidae (Snake mackerels, gemfishes)						
<i>Ruvettus pretiosus</i> (Cocco, 1833) Oilfish		X		X		X
<i>Thyrstites atun</i> (Euphrasen, 1791) Barracouta	X		X	X	X	
Monacanthidae (Leatherjackets)						
<i>Nelusetta ayraudi</i> (Quoy & Gaimard, 1824) Ocean leatherjacket	X		X			
Scyliorhinidae (Catsharks)						
<i>Apristurus</i> sp.	X	X	X	X	X	
Anoplogastridae (Fangtooth)						
<i>Anoplogaster cornuta</i> (Valenciennes, 1833) Fangtooth					X	
Serranidae (Sea perches, goppers)						
<i>Caesioperca lepidoptera</i> (Forster, 1801) Butterfly perch		X				

**Table 1** continued

Fish/cephalopods	Stewart Island	Fiordland	Cape Palliser	Bay of Plenty	Kaikoura-Winter	Kaikoura-Summer
Hexanchidae (Cow sharks)						
<i>Hexanchus griseus</i> (Bonnaterre, 1788) Sixgill shark	X	X			X	X
<i>Notorynchus cepedianus</i> (Péron, 1807) Broadsnouted Sevengill	X	X			X	X
Callorhynchidae (Plownose chimaeras)						
<i>Callorhynchus milii</i> (Bory de St Vincent, 1823) Elephant fish	X	X	X	X	X	X
Tetragonuridae (Squaretails)						
<i>Tetragonurus cuvieri</i> (Risso, 1810) Squaretail		X				
Aplodactylidae (Marblefishes)						
<i>Aplodactylus arctidens</i> (Richardson, 1839) Marblefish		X				
<i>Epinephelus rivulatus</i> (Valenciennes, 1830) Halfmoon groper		X				
Clupeidae (Sardines)						
<i>Sardinops sagax</i> (Jenyns, 1842) Pacific pilchard				X		
Geotriidae (Lampreys)						
<i>Geotria australis</i> (Gray, 1851) Lamprey Dia	X	X	X	X	X	
Scomberesocidae (Sauries)						
<i>Scomberesox saurus</i> (Walbaum, 1792) Saury		X		X		X
Scombridae (Tunas)						
<i>Thunnus</i> sp.				X		
<i>Allothunnus fallai</i> (Serventy, 1948) Slender tuna		X				
Microstomatidae (White smelts)						
<i>Nansenia</i> sp.		X				
Zeidae (Dories)						
<i>Zeus faber</i> (Linnaeus, 1758) John dory		X	X			
Carcharhinidae (Requiem sharks)						
<i>Galeocerdo cuvier</i> (Péron & Lesueur, 1822) Tiger shark	X	X	X	X		X
Percidae (Freshwater perches)						
<i>Perca fluviatilis</i> (Linnaeus, 1758) European perch*	X	X		X	X	X
Cyprinidae (Carps)						
<i>Tinca tinca</i> *		X		X		
<i>Cyprinus carpio</i> (Linnaeus, 1758) Koi carp*	X	X	X		X	
Architeuthididae						
<i>Architeuthis dux</i> (Steenstrup, 1857) Giant squid	X	X	X	X	X	X
Octopoteuthididae						
<i>Octopoteuthis</i> sp. (Clarke, 1980)	X	X	X		X	X
<i>Taningia danae</i> (Joubin, 1931)		X	X			X
Ommastrephidae						
<i>Nototodarus gouldi</i> (McCoy, 1888) Arrow squid	X	X	X	X	X	X
<i>Sthenoteuthis oualaniensis</i> (Lesson, 1830) Purple back squid	X					
<i>Nototodarus sloanii</i> (Gray, 1849) Arrow squid	X	X	X	X	X	X
<i>Todarodes filippovae</i> (Adam, 1975) Filippova's squid		X				X
<i>Martialia hyadesi</i> (Rochebrune & Mabille, 1889)		X	X	X	X	X

**Table 1** continued

Fish/cephalopods	Stewart Island	Fiordland	Cape Palliser	Bay of Plenty	Kaikoura-Winter	Kaikoura-Summer
<i>Todarodes angolensis</i> (Adam, 1962)	X	X				X
Octopodidae						
<i>Benthoctopus</i> sp. Octopus	X	X	X	X	X	X
<i>Octopus</i> sp.	X				X	
Enoploteuthididae						
<i>Abralia</i> sp. B (Riddell, 1985)		X	X	X	X	X
Vampyroteuthididae						
<i>Vampyroteuthis infernalis</i> (Chun, 1903) Vampire squid	X	X	X			
Onychoteuthididae						
<i>Ancistroteuthis lichtensteini</i> (Férussac & d'Orbigny, 1839) Angel squid		X				
Sepiidae						
<i>Sepia</i> sp.	X	X	X	X	X	X
Onyhoteuthididae						
<i>Moroteuthis</i> sp. Greater Hooker Squid	X	X	X	X	X	X
Spirulidae						
<i>Spirula spirula</i> (Linnaeus, 1758)	X	X	X	X	X	X
Pyroteuthididae						
<i>Pterygioteuthis gemmata</i> (Chun, 1908)		X				
Loliginidae						
<i>Sepioteuthis lessoniana</i> (Lesson, 1830)	X				X	X
Ctenopterygidae						
<i>Ctenopteryx</i> sp. (Vérany, 1851)		X				X