RECOLLECTION

Looking at nerves, seeing the mind: Yu-Chuan Tsang as a modern Chinese physiological psychologist

Shiying Li¹, Wei Chen^{1✉}, Shengjun Wen²

¹ Center for Brain, Mind, and Education, Shaoxing University, Shaoxing 312000, China

² Department of Cognitive Neurology, Hertie Institute for Clinical Brain Research, University of Tübingen, 72076 Tübingen, Germany

✉ Correspondence: anti-monist@163.com (W. Chen)

Accepted September 28, 2020

Yu-Chuan Tsang (臧玉淦, 1901–1964), styled Botan (伯潭), was an outstanding Chinese physiological psychologist, a comparative neuroscientist, and a neuroanatomist (Fig. 1). He was a member of the First Council of the Chinese Society for Anatomical Sciences, an executive member of the second, third, fourth and fifth councils, and the Chairman of the Third Council. He was one of the founders of neuroanatomy in modern China and the Beijing Medical College (now the Department of Medicine at Peking University). Neuroanatomy is a discipline that consists of making observations and making recordings. Moreover, there are different interdisciplinary subjects based on neuroscience, including cognitive science, neurobehavioral science, neuroengineering, and psychology. Tsang's academic career followed an opposite direction, starting from psychology and turning to neuroanatomy, where he made remarkable achievements.

Tsang was born in Dongyang Ge village, in Wan County of Hebei Province on May 10th, 1901. He became a student of the Chinese Department at Beijing University in 1918, where he later changed to the Philosophy Department. After graduating from Beijing University in 1924, he worked as a compiler at the Shanghai Commercial Press. In 1926, he joined the Psychology Department of Tsinghua University as a teaching assistant. In 1929, Tsang was offered an opportunity to study in the United States, paid for by Hebei Province. In the United States, he studied in the Department of Neuroanatomy at the University of Chicago under Professor Charles Judson Herrick, the founder of comparative neurology (O'Leary and Bishop, 1960) and comparative neurophysiology (Bullock, 1983). In 1934, he completed a study entitled "Functions of visual areas in the rat cerebellar cortex in maze learning and retention", and obtained a PhD. During his stay in the United States, Tsang devoted himself to basic

theoretical research in comparative psychology and neuroanatomy and published several papers in top international journals. In 1936, Tsang returned to China after visiting and studying in England, France, Germany, and Italy, to serve as Professor in the Department of Psychology of Tsinghua University. In 1937, after the "Lugou Bridge Incident", he joined the Department of Anatomy at the Beijing Union Medical College, where he worked as a lecturer in human anatomy and neuroanatomy. Then, Tsang gradually turned the focus of his research to neuroanatomy. He translated many classic monographs, including "the Neurological basis of animal behavior and the smell, taste, and allied sense in vertebrates". At the end of the Anti-Japanese War in 1945, Tsang declined an invitation by Chen Hsueh Ping (陈雪屏) to devote himself to writing books. Instead, he served as Professor at Beijing Medical College until 1949. He also was a part-time researcher at the National Research Institute of Psychology of Academia Sinica from 1947 to 1949 (Fig. 2). In 1950, a preparatory office was set up by the Institute of Psychology of the Chinese Academy of Sciences. Tsang, together with other notable psychologists in China, such as Shuh Pan (潘菽), Yueh Tang (唐钺), Kuo-Hua Sun (孙国华), and Siegen Keng Chou (周先庚), were selected as members of the preparatory office. On April 27th, 1964, Tsang died of a sudden coronary artery embolism at the age of 64.

Tsang became interested in the new trend of behaviorism in early American psychology when he was still a student of the Philosophy Department at Beijing University. In 1924, his article, "The behavioral psychology of philosophy", introduced the core aspects of behavioral psychology to China. Tsang endorsed behaviorism and believed that scholars who wavered between behavior and consciousness were making the error of "dualism". He pointed out that behavior is an

Figure 1. Tsang Yu-Chuan in 1954.

attentional process; “complex behaviors are naturally organized from simple reactions that are often not immediately connected to a higher-level combination. They combine slowly, which is the process of consciousness” (Tsang, 1924, p. 11).

十三 心理學研究所

(一) 概況

沿革 本所成立於民國十八年（一九二九）五月，但十七年十一月本院組織法公佈後已着手籌備，由唐鐵先生為所長，成立時在北平，暫租東城新開路民房為所址。開始延聘研究人員，購置圖書儀器，訂購心理學及有關科學之雜誌，飼養實驗用動物。十九年八月購得東城芳嘉園一號房屋一座，修葺後於十月移入，前半作為圖書室事務室，後半作為實驗室，東院空地添建動物室一所規模粗具。廿二年三月奉院命南遷上海，暫租巨羅達路民房為臨時所址，七月杪本院由利南路理工實業館一即今音樂館一完工，得與本院物，化，工三所同遷入該館。本所在右翼四樓，計房十一間，雖稍嫌仄狹，唯佈置兩三月後已可恢復工作。是年夏，唐鐵先生辭職，專任研究工作。另聘汪敬熙先生為所長。廿三年四月本院社會科學研究所為集中工作起見，將南京部份移往北平，其所遺南京致天下所址，由院撥歸本所應用，乃於六月自上海移至南京。廿四年添建獸房一座，附實驗室一間，外科手術室一間，另加動物房一間，狗房一間。廿六年抗戰軍興，八月間與京中各所遷往長沙，十月遷至衡山之南岳，同年十二月又由南岳遷往桂林遷往陽朔。是時同在陽朔者有本院之社會科學研究所，動植物研究所及歷史語言研究所之一部。廿七年廣州漢口相繼淪陷，十二月本所與地質所，物理所又經柳州遷往三江縣之丹洲鄉。廿九年與廣西桂林科學實驗館合作建樓一幢，於桂林南二十里之雁山村。四月全所由丹洲鄉遷來。廿九年冬，新建圖書室一間，外科手術室一間。三十年春將本所借予西南聯大之書籍雜誌自昆明運回，插入新建之圖書室。抗戰後三年來除在陽朔稍欠外，均在遷播途中，影響工作甚大，移至雁山後稍為安定，始能恢復研究工作。卅三年夏秋遷湘桂，本所倉促再遷，先由雁山遷至八步之西灣，旋復回桂林，俟湘桂，黔桂兩鐵路修復後遷往貴陽。本所大部份書籍雜誌及零星儀器，均於此次遷移時與物理所之機件儀器等同遭損失。是年冬貴陽吃緊本所又遷重慶之北碚。卅四年夏借得教育部前實驗隊隊址樓房一所為所址。勝利後於卅五年九月與本院各所復員，遷入上海崑陽路現在所址。

設備 (1) 圖書 開辦時僅有英德法文書籍五百餘部，舊雜誌卅五種，三千餘冊。常年訂購心理學及有關科學雜誌六十餘種。以後逐年增加，至抗戰時書籍已達一千餘部，其中多新出貴重書籍，絕版書本及珍貴名著亦佔一小部份。舊雜誌完整之全套者三十餘種，常年訂購之新雜誌約近百種。廿三年曾購得步達生教授之遺著若干，北平圖書館復得關於心理學之舊雜誌數種寄存本所以便

In 1925, Tsang translated and published “Psychology from the standpoint of a behaviorist”, written by John Watson, an American psychologist who founded behavioral psychology. The book included Watson’s “Behaviorism: A new annotation of psychology” and McDougall’s “Principles of Psychology-Behavioral criticism”. Zing-Yang Kuo (郭任远) wrote the foreword and McDougall wrote the postscript (華生, 1925). The introduction and reflection on behavioral psychology led Tsang to investigate the biological basis of psychological phenomena, which established his academic relevance for 30 years. His academic relationship with Professor Walter Bradford Cannon, an internationally renowned physiological psychologist, is an important story for the history of neuroscience. Cannon’s famous work, “Bodily changes in pain, hunger, fear, and rage”, published in 1915, established his place in the history of physiological psychology (Fig. 3). The main idea of this book is that “fear, anger, pain, and hunger are all primitive experiences shared by human beings and lower animals, and these experiences dominate human and animal movements. Therefore, it is of general and fundamental importance to understand the physiological conditions accompanying these experiences for explaining behaviors. Physiological adaptation and interpretations are interesting, not only for physiologists and psychologists but also for others. Therefore, it is worth

羅玉淦 (Yu Ch'uan TSANG). 國立北京大學文學士 (1924)，美國芝加哥 (Chicago) 大學博士 (1936)，本院心理學研究所兼任研究員 1947—現在。

著作目錄：

- 專書：
1. Outline of myology 67 ff (1943).
肌學綱要 北平沙漢印刷所
 2. Outline of peripheral nervous system 51 ff (1943).
周邊神經系 北平沙漢印刷所
 3. Manual of neuroanatomy 115 ff (text only) (1944).
中樞神經系 北平沙漢印刷所
 4. A laboratory outline of neuroanatomy 34 ff (1944).
神經解剖實習 北平沙漢印刷所
 5. A laboratory manual of human anatomy 167 ff (1946).
人體解剖實習 (上下二冊) 北平和記書局

論文：

1. The functions of the visual areas of the cerebral cortex of the rat in the learning and retention of the maze. *Comp. Psychol. Monog.* 10 (1934), 56.
2. The blood supply of the lateral geniculate body in the rat. *J. Comp. Neurol.*, 61 (1935), 553-562.
3. The functions of the visual areas etc. *Comp. Psychol. Monog.*, 12 (1936), 41.
4. Vascular changes following experimental lesions in the cerebral cortex. *Arch. Neur. Psychiat.*, 35 (1936), 1280-1288.
5. Vascular changes in the lateral geniculate body following extirpation of the striate cortex. *Arch. Neur. Psychiat.*, 36 (1936), 569-577.
6. Maze learning in rats hemidecorticated in infancy. *J. Comp. Psychol.*, 24 (1937), 221-248.
7. Visual sensitivity in rats deprived of visual cortex in infancy. *J. Comp. Psychol.*, 24 (1937), 255-262.
8. Visual centers in blinded rats. *J. Comp. Neurol.*, 66 (1937), 211-261.
9. Hunger motivation in gastrectomized rats. *J. Comp. Neurol.*, 26 (1938), 1-17.
10. Ventral horn cells and polydactyly in mice. *J. Comp. Neurol.*, 70 (1939), 1-8.

Figure 2. A brief introduction to Tsang as a part-time researcher at the National Research Institute of Psychology, Academia Sinica (Liu and Sun, 2008).

心理學叢書

痛 饑 懼 怒 的
身 體 變 化

卡 儂 著
臧 玉 詮 譯

商務印書館發行

Figure 3. The cover of *Bodily Changes in Pain, Hunger, Fear, and Rage*.

collecting the reports of experiments that were originally published in the *American Journal of Physiology and Medicine* (Cannon, 1928, p. 234). In 1925, Tsang began translating Cannon's book into Chinese, which was published by the Shanghai Commercial Press in 1928 (Cannon, 1915; 1928). As the translator, Tsang sent two copies of the Chinese version of the book to Cannon, accompanied by a letter that described his experience of farming for generations, bereavement of his father as a teenager, and finishing his studies in Beijing University with a strong desire for knowledge and frugality. He has already translated several important English monographs on psychology, and at the time, he was translating a psychological work in French. He yearned to go to the United States because of their advanced instruments that allow precise experiments, which were not available in China. He also included a photo with his letter. Cannon not only wrote back to encourage Tsang to

conduct his academic research, but also sent a revised version of "Bodily changes". Correspondence between Tsang and Cannon continued until the outbreak of the Anti-Japanese War. Whenever Tsang changed his place of study or started a new job, he always wrote to Cannon, who was also informed about his research. There are over 20 originals and copies of their correspondence in Cannon's archives. Tsang minimized the use of professional terms or additional explanations when translating to accommodate readers who were less familiar with medicine.

During his studies in the United States under the careful guidance of Herrick, Tsang conducted a series of comparative psychological studies on animal vision, hunger motivation, as well as neuropsychological studies and achieved remarkable results. This led him to gain an international influence. At that time, the concepts of Karl Lashley, a famous American physiological psychologist, occupied the leading position in the study of neurophysiology of behavior. Lashley proposed that the brain works as a whole and that there are no discrete brain regions specific to certain functions: a function is not located in the brain but is a characteristic of the whole brain. Mental functions require a certain amount of brain but it does not matter which part of the brain is intact (Lashley, 1929). Lashley summarized his findings with two principles: (1) overall activity, which suggests that the cerebral cortex works as a unified whole because the loss of capacity after partial destruction of the cortex is more closely related to the amount of damage than to the location of the damage; (2) equipotentiality, which suggests that any part of a functional brain area can perform the functions related to that functional area. For example, any cell in the visual area of the cortex can produce vision. Therefore, in order to destroy a certain brain function, it would be necessary to destroy the whole brain area related to that function. Moreover, if any part of a functional brain area remains undamaged, then the function will be maintained (Weidman, 1999).

While studying for his doctorate in anatomy at the University of Chicago, Tsang investigated the role of the visual area of the cerebral cortex in the learning and memory of rats. As expected, Tsang learned through experiments in 1934 that maze learning ability could be acquired following the ablation of the visual area of the cerebral cortex in rats. Tsang then began to study the morphological changes of blood vessels in the lateral geniculate body after removing the visual cortex. To further examine possible causes of behavioral disorders after cortical injury, he examined direct damage to neural elements, the dysfunction of cells in other regions caused by divisions, and the metabolic changes caused by vascular changes. He made specific discoveries during this research. In 1934, he published an article, "the blood supply of the lateral geniculate body in the rat", which examined the arterial origin of the lateral geniculate body of the primary visual center and showed that the main functional areas had dense blood vessels. The study also demonstrated that the vascular density and the permeability

of the lateral geniculate body increase with the enlargement and number of afferent vessels and the thickening of the capillary network. However, there were no significant vascular changes in the ipsilateral or contralateral geniculate body after eyeball enucleation of one eye (Tsang, 1934a). Today, Tsang's research on the posterolateral geniculate body after removal of the visual cortex played an important role in forming the cornerstone for promoting the development of visual physiology research in China. Tsang's research achievements in this field were also included in his article, "Physiology of vision in China: past and present", by Hsiang-Tung from the Chinese Academy of Sciences (Chang, 1988).

Later, despite some turbulence and shift in his research interests, Tsang engaged in the study of the visual cortex and published an experimental report, "Visual centers in blinded rats", in the *Journal of Comparative Neurology*. He reported that "the visual centers of rats show equal degradation at all levels when rats lose one or two eyes at different ages". Of these, the degeneration of the superior colliculus is the most serious, followed by the lateral geniculate body, and the visual cortex. The degree of degeneration depends on the intimacy with omentum, the duration of loss of vision, and the loss of one or two eyes" (Tsang, 1936b, p. 246). In 1950, Tsang further compared the visual centers of rats and moles and found that moles living underground have extremely small eyeballs, where the visual centers have degenerated at all levels and the degree of degeneration depended on the relationship between the center and the retina. This was an example of lifestyle affecting organ shape (Tsang, 1950). Unfortunately, Tsang only found limited changes in the visual system at the level of anatomical structures, cells, and the environment and did not systematically research and summarize the visual system at the theoretical level. Over 30 years later, David H. Hubel and Torsten Nils Wiesel conducted similar research and conducted a series of critical experiments in the field of visual development. In their visual deprivation experiments, they sewed shut the eyes of newborn cats and discovered that the dominant functional column in the cortex has a crucial influence in processing sensory information. Eventually, based on a series of studies, they concluded that visual processing in the cerebral cortex of animals is hierarchical. These important discoveries in physiology led to them being awarded the 1981 Nobel Prize for medicine and physiology.

In 1937, Tsang reported his experimental finding that brain function related to maze learning in rats is non-localized, in a paper entitled, "Maze learning in rats that were hemi-decorticated in infancy". In this experiment, Tsang conducted four types of hemidecortications on the cerebral cortex of infant rats and discovered that regardless of type, hemi-decortication always resulted in the deterioration of field of vision. This shows that each part of the cerebral cortex has certain generalized non-local functions, in addition to its unique local functions. When part of the cerebral cortex is damaged, the generalized facilitative forces of the

remaining parts quickly reorganize into a dynamic model to meet the demands of the environment. Tsang also noted in his experiments that the efficiency of brain tissue depends on the integrity of various parts of the cerebral cortex. The efficiency of two widely isolated parts is less than that of the single parts of the brain with the same quality; isolated parts lack mutual promotion (Tsang, 1937a). These conclusions of the experiments conducted by Tsang are consistent with the principle of overall activity, proposed by Lashley. In addition, Tsang's experiments reported in this paper support the conjecture that damage to the cerebral cortex in childhood is far less serious than in adulthood. Tsang selected 79 newborn rats, according to strict experimental requirements, and trained them to walk a maze by using hunger as the driving force for learning. Six different combinations of hemidecortications were conducted, removing half of the cortex of the newborn rats in the experimental group, and their learning ability was tested after growth of age. The results indicated that even extensive cortical damage in infant rats had relatively little impact on maze learning, which confirmed his previous hypothesis. The results of this experiment were consistent with the notion that a rat's maze performance is a common function that is not affected by specific parts of the brain, as suggested by Lashley in "Brain mechanisms and intelligence: a quantitative study of injuries to the brain." (Lashley, 1929). His article was published in the *Journal of Comparative Psychology*. Tsang's conjectures and conclusions in this empirical study have contributed to contemporary clinical medicine. Tsang's studies suggested that infant's brains have compensatory plasticity and thus brain areas that are the focus of epilepsy can be removed from the brains of children. Today, children before the age of 10 years can have hemispherectomies as a treatment for epilepsy and live normally into adulthood.

Tsang's experiments indicated that very few rats had partial pattern vision after dissecting the striatum area of the rat brain, which is very important region for pattern vision. Tsang suggested that this might be caused by the gradual differentiation of pattern and brightness vision. Pattern vision is lost when the rats' visual cortex is damaged in infancy, and brightness vision might develop excessively due to compensation to regulate basic types of patterns (Tsang, 1937b). This experimental phenomenon might also partially demonstrate the principle of equipotentiality described by Lashley. Tsang's work on animal vision has aroused the interest of many neuroscientists. Lubar, Schostal, and Perachio conducted experiments on cats, which suggested that the striatal cortex of cats is involved in the analysis of spatial orientation (Lubar, 1967). They found that a small injury limited to the striatal cortex did not interfere with visual pattern perception but led to a serious deficiency in the ability to develop an avoidance response toward a buzzer that was used as a conditioned stimulus in a shuttle box.

Tsang also conducted research on the visual cortex of rats. At the time, most reports on functional preservation or recovery after early damage to the cerebral cortex were

based on damage to the neocortex. Lashley (1929, 1943) and Tsang (1934b, 1936a) found that damage to the neocortex (centered on the 17 areas, human visual cortex includes striate cortex and extrastriate cortex, and 17 areas represents striate cortex) of rats caused more deficits than damage to the optic radiation or peripheral blinding by enucleation in acquiring and maintaining behavioral ability in the complex Lashley III maze. Moreover, Lashley showed that combining enucleation and lesioning of the posterior neocortex resulted in even greater deficits (Lashley 1943). Tsang (1936a) reported that cortical lesions could also produce deficits in previously enucleated rats. These results showed that the visual area of the posterior cortex participates in the learning of complex mazes in rats with intact vision; furthermore, the visual area of the posterior cortex also affects the spatial orientation of rats with visual unavailability. The conclusion of this experiment is consistent with the principle of equipotentiality, described by Lashley (Hein and Jeannerod, 1983). Later et al. (1960) also conducted experimental studies on the cerebral cortex: their experimental results showed that the delayed effect of injury to the same area in different parts of the cerebral cortex was identical for different types of learning. They interpreted the results as suggesting that all regions of the cerebral cortex have a general promoting effect on other areas, in addition to their specific functions. This conclusion was tantamount to Lashley's principle of equipotentiality.

In 1938, Tsang continued to conduct experiments on rats and further published a paper entitled, "Hunger motivation in gastrectomized rats", in the *Journal of Comparative Psychology*. In this study of rats with gastrectomy, he developed two independent variables consisting of injections of environmental and nutrient solutions. He used body weight and task performance of newborn rats as the dependent variables and used a control group to strictly control for the experimental variables. The results showed that gastrectomized rats performed similarly to normal rats in the initial task following a day of starvation and that the mice were just as active even without a contractile stomach. The gastrectomized rats became significantly less active than normal rats only during the later stage of the task. Gastrectomy may have an inhibitory effect on general activity because the rats could not actively complete the experimental task, though hunger may have been present because it is unrelated to the presence of a digestive system. Moreover, gastrectomized rats were three times more active one hour before feeding than after feeding, which was indicative of the driving force of hunger and the calming effect of food on the intestines (Tsang, 1938). This experiment also demonstrated to some extent that certain types of hunger might exist in people who have had stomach ulcers or cancers removed (Myers, 2010). Tsang also studied hunger in gastrectomized rats by using different experimental research methods. Ultimately, Tsang concluded that the motivation of gastrectomized rats measured in maze running and activity cages was not different from that of rats with a normal stomach. Therefore, it cannot

be concluded that hunger motivation is entirely caused by stomach contractions (Pronko and Bowles, 1952). Zhentong Mei (梅镇彤), a Chinese physiologist, commented: "The experiments of Yu-Chuan Tsang are the first to use experiments to study animal behavior in China, and at the same time, it has also created a precedent in our country to study behavioral changes as an index in the study of cerebral cortex functions." (梅镇彤, 2013). We regard these works as early representations of Chinese achievements in the field of comparative psychology, which—together with the research of Lashley and Cannon—promoted the wave of physiological psychology in the early 20th century.

Tsang was also one of the early modern Chinese psychology scholars who focused on the classical conditioning reflex theory of the Soviet physiologist I. Pavlov and introduced it to the academic circle in China. As early as 1929, he discussed Pavlov's conditioned response alongside his research work and summarized the significance of Pavlov's work. First of all, we need to get rid of psychological conjectures before study the physiological reflexes of the brain. Pavlov turned the study of psychology into the exclusive product of psychologists. Secondly, Pavlov used the saliva secretion reflex as a research medium, a skillful technique, which became the model for animal research methods. Finally, Pavlov used dogs to study psychosis, suggesting that the disorder of brain function is the cause of the disease. Of course, as an independent scientist, Tsang put forward a critique of Pavlov's research. Firstly, Tsang (1929) considered that "The materials of Pavlov's book were all products of Pavlov's laboratory, although researchers other than Pavlov and his disciples have also investigated the same reflex." Secondly, studying the functions of the brain through the glandular salivary secretion reflex was unconvincing. Thirdly, the research of Pavlov and his disciples has no priority, and the results from decades of different situations were mixed together, which made distinguishing specific information difficult (Tsang, 1929).

In addition to his remarkable academic achievements, Tsang's professionalism is particularly commendable. In April 1942, Tsang suffered from typhus fever. When his body had recovered a little, he immediately devoted himself to his work. He compiled and published several teaching handouts, which were later reprinted many times, including the "Central Nervous System", "Neuroanatomy Practice", and "Human Anatomy Practice", among others (Fig. 4). In 1950, he offered several advanced classes for senior teachers, trained many neuroanatomy professionals, and accompanied the motherland's neuroanatomy cause through difficult years. In 1951, Tsang fell more ill than before, though he continued to write while struggling with his health. In 1955, he enrolled the first cohort of graduate students who majored in neuroanatomy, following the founding of the People's Republic of China. Tsang was familiar with English, French, German, Spanish, Russian, and Esperanto. He stated that experience is persistence. Although he only learned the German alphabet and Pinyin before studying abroad, his habit of reading for a few

Figure 4. The cover of *Human Anatomy Practice*.

minutes every day allowed him to master the language. He also mastered Russian after turning 50 years old. Because of his profound professional background and excellent foreign

language skills, Tsang was able to lead a group of young teachers in translating specific chapters of "Human Neuroanatomy", "Human Anatomy Atlas", and "Neurological

Foundations of Animal Behavior”, written by his mentor Herrick (which was entitled “Evolution of Nervous System” and some of his other famous neuroscience studies).

The motto, “The day is short, but the work is much”, facilitated Tsang’s outstanding academic achievements. In 1947, the Chinese national government decided to formally establish the academicians system and the Central Research Institute elected its first academicians. On July 17 of the same year, Hu Shih (胡适) sent a signed letter to 119 academicians to elect the Preparatory Committee and submitted a “List of academicians proposed by Beijing University to the Central Research Institute”. Among them were three psychologists in the biological group, Tsang, Chih-Wei Luh (陆志韦), and Ging-Hsi Wang (汪敬熙). From 1949 to 1950, a comprehensive report of the national scientific expert’s investigation, initiated by the Chinese Academy of Sciences, showed that Tsang was nominated as the 15th person in the psychology group. In September 1956, Tsang was selected as one of the first grade professors by the Ministry of Higher Education, which confirmed that his peers unanimously recognized that his work played a central role in the century-long development of Chinese physiological psychology.

ACKNOWLEDGMENTS

This work was supported by The Major Support Project for the Emerging Cross-Discipline of Philosophy Social Science Foundation of Zhejiang Province “Neurophilosophical Basis and Experimental Research of Direct Perceive Other Minds” (21XXJC05ZD) and The National Social Science Foundation (16CZX015).

OPEN ACCESS

This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

REFERENCES

华生 JB (1925) 行为主义的心理学 (臧玉淦译). 上海: 商务印书馆.
卡农 WB (1928) 痛饥惧怒时的身体变化 (臧玉淦译). 上海: 商务印书馆.

- 刘桂云, 孙承蕊. (主编) (2008) 国家图书馆藏国立中央研究院史料丛编 (第1册).北京:国家图书馆出版社.
- 梅镇彤 (2013) 忆我国实验性动物行为研究的先驱——臧玉淦先生. 生理学报 65(1): 109–111.
- 臧玉淦 (1924) 哲学的行为心理学. 国立北京大学社会科学季刊 2(02): 229–243.
- 臧玉淦 (1929) 介绍巴夫劳甫的“制约反射”. 认识周报 1(5): 16–18.
- Beach FA, Hebb DO, Morgan CT, Nissen HW (eds) (1960) The neuropsychology of Lashley: selected papers of K. S. Lashley. McGraw-Hill Press, New York
- Bullock TH (1983) Implications for neuroethology from comparative neurophysiology. In: Ewert JP, Capranica RR, Ingle DJ (eds) Advances in vertebrate neuroethology, vol 56. Springer, Boston, MA, pp 53–75
- Chang HT (1988) Physiology of vision in China: past and present. In: Yew DT, So KF, Tsang DSC (eds) Vision: structure and function. World Scientific, Singapore, pp 3–43
- Hein A, Jeannerod M (1983) Spatially oriented behavior. Springer, New York
- Lashley KS (1929) Brain mechanisms and intelligence: a quantitative study of injuries to the brain. University of Chicago Press, Chicago, IL
- Lashley KS (1943) Studies of cerebral function in learning XII. Loss of the maze habit after occipital lesions in blind rats. J Compar Neurol 79:431–462
- Lubar JF, Schostal CJ, Perachio AA (1967) Nonvisual functions of visual cortex in the cat. Physiol Behav 2:179–184
- Myers DG (2010) Psychology, 9th edn. Worth Press, New York
- O’Leary JL, Bishop GH (1960) C. J. Herrick and the founding of comparative neurology. Arch Neurol 3(6):725–731
- Pronko NH, Bowles JW (1952) Empirical foundations of psychology. Routledge Press, London
- Tsang YC (1934a) The blood supply of the lateral geniculate body in the rat. J Compar Neurol 61(3):553–562
- Tsang YC (1934b) The functions of the visual areas of the cerebral cortex of the rat in the learning and retention of the maze. I. Compar Psychol Monogr 10(4):56
- Tsang YC (1936a) The functions of the visual areas of the cerebral cortex of the rat in the learning and retention of the maze. II. Compar Psychol Monogr 12(2):41
- Tsang YC (1936b) Visual centers in blinded rats. J Compar Neurol 66(1):211–261
- Tsang YC (1937a) Maze learning in rats hemidecorticated in infancy. J Compar Psychol 24(2):221–254
- Tsang YC (1937b) Visual sensitivity in rats deprived of visual cortex in infancy. J Compar Psychol 24(2):255–262
- Tsang YC (1938) Hunger motivation in gastrectomized rats. J Compar Psychol 26(1):1–17
- Tsang YC (1950) Visual centers in the rat and mole-rat. Peking Nat Hist Bull 18(4):255–273
- Weidman NM (1999) Constructing scientific psychology: Karl Lashley’s mind-brain debates. Cambridge University Press, Cambridge