Correction

Correction to: Influence of Tissue Technology on Pannus Formation on Bioprosthetic Heart Valves

TARA J. TOD,¹ RACHEL A. GOHRES,¹ MOHAMMED TORKY,² GREGORY A. WRIGHT,¹ MARIE LAMBERIGTS ,³
WILLEM FLAMENG,³ and BART MEURIS³

¹Tissue Research, Edwards Lifesciences, Irvine, CA, USA; ²Cardiothoracic Surgery, Faculty of Medicine, Tanta University, Tanta, Egypt; and ³Cardiac Surgery, Department of Cardiovascular Sciences, University Hospitals Leuven, Leuven, Belgium

(Published online 25 October 2021)

**Correction to: Cardiovascular Engineering
and Technology (© 2021)**

<https://doi.org/10.1007/s13239-021-00530-1>

This correction has been published to update the graphical abstract, Figs. 1, 4, and Table 1.

The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s13239-021-00530-1>.

Address correspondence to Marie Lamberigts, Cardiac Surgery, Department of Cardiovascular Sciences, University Hospitals Leuven, Leuven, Belgium. Electronic mail: marie.lamberigts@kuleuven.be