Correction

Correction to: Predictive Model for Thrombus Formation After Transcatheter Valve Replacement

HODA HATOUM,^{1,2} SHELLY SINGH-GRYZBON,^{1,3} FATEME ESMAILIE,¹ PHILIPP RUILE,⁴
FRANZ-JOSEF NEUMANN,⁴ PHILIPP BLANKE,⁵ VINOD H. THOURANI,⁶
AJIT P. YOGANATHAN,¹ and LAKSHMI PRASAD DAS¹

¹Department of Biomedical Engineering, Georgia Institute of Technology, 387 Technology Circle, Atlanta, GA 30313, USA;
²Department of Biomedical Engineering, Michigan Technological University, Houghton, MI, USA; ³Department of Chemical & Process Engineering, The University of the West Indies, St Augustine, Trinidad and Tobago; ⁴Department of Cardiology and Angiology II, University Heart Center Freiburg-Bad Krozingen, Bad Krozingen, Germany; ⁵University of British Columbia and St. Paul's Hospital in Vancouver, Vancouver, Canada; and ⁶Department of Cardiovascular Surgery, Marcus Heart Valve Center, Piedmont Heart Institute, Atlanta, GA, USA

(Published online 7 January 2022)

Correction to:

Cardiovascular engineering and technology (2021)

<https://doi.org/10.1007/s13239-021-00596-x>

The wrong symbol appeared in the article and has been corrected to show the gamma Symbol.

The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Address correspondence to Lakshmi Prasad Dasi, Department of Biomedical Engineering, Georgia Institute of Technology, 387 Technology Circle, Atlanta, GA 30313, USA. Electronic mail: lakshmi.dasi@gatech.edu

The original article can be found online at <https://doi.org/10.1007/s13239-021-00596-x>.