



CORRECTION

Correction to: Cost Analysis of FreeStyle Libre® 2 System in Type 2 Diabetes Mellitus Population

Itziar Oyagüez · Fernando Gómez-Peralta · Sara Artola ·
Francisco J. Carrasco · Juana Carretero-Gómez · Javier García-Soidan ·
Ricardo Gómez-Huelgas · Juan F. Merino-Torres · Antonio Pérez

Published online: July 9, 2021
© The Author(s) 2021

Correction to: Diabetes Ther
<https://doi.org/10.1007/s13300-021-01064-4>

In original article, there are few facts published incorrectly. The correct Table 4 is given below.

There are few corrections in the second paragraph under the Table 4.

"In the additional scenario considering severe and non-severe hypoglycaemic episodes, the total annual cost reached €2,951,884 and

€2,309,089 for the cohort with SMBG and the FreeStyle Libre 2 system, respectively."

"Cost savings with the use of the FreeStyle Libre 2 system as compared to SMBG would be up to €642,795 per year (– 21.8%) (Table 4)."

The original article has been updated.

The original article can be found online at <https://doi.org/10.1007/s13300-021-01064-4>.

I. Oyagüez
Pharmacoeconomics and Outcomes Research Iberia (PORIB), Paseo Joaquín Rodrigo 4 - letra I, Pozuelo de Alarcón, 28224 Madrid, Spain
e-mail: ioyaguez@porib.com

F. Gómez-Peralta
Unidad de Endocrinología y Nutrición, Hospital General de Segovia, Segovia, Spain

S. Artola
Centro de Salud José Marvá, Madrid, Spain

F. J. Carrasco
UGC Medicina Interna, Hospital Universitario Juan Ramón Jiménez, Huelva, Spain

J. Carretero-Gómez
Servicio de Medicina Interna, Hospital de Zafra, Badajoz, Spain

J. García-Soidan
Porriño Primary Care Centre, Pontevedra, Spain

R. Gómez-Huelgas
Servicio de Medicina Interna, Hospital Regional Universitario de Málaga, Instituto de Investigación Biomédica de Málaga (IBIMA), Universidad de Málaga; and Ciber Fisiopatología de la Obesidad y la Nutrición (CIBEROBN), Instituto de Salud Carlos III, Madrid, Spain

J. F. Merino-Torres
Endocrinología y Nutrición, Departamento Medicina, Hospital Universitario y Politécnico La Fe, Universitat de València, Valencia, Spain

A. Pérez
Servicio de Endocrinología y Nutrición. Hospital de la Santa Creu i Sant Pau, IIB-Sant Pau, CIBERDEM, Universitat Autònoma de Barcelona, Barcelona, Spain

Table 4 Results of the sensitivity analyses

	Total annual cost per 1000 T2DM patients		
	SMBG	FreeStyle Libre 2 system	Absolute difference FreeStyle Libre 2 system vs SMBG (percentage variation)
Base case for T2DM with basal-bolus insulin	€2,700,499	€2,119,546	€ – 580,953 (– 21.5%)
SA1 (1.3 severe hypoglycaemic episodes/patient-year) [37]	€1,793,470	€1,655,147	€ – 138,323 (– 7.7%)
SA2 (3 strips & lancets a day for SMBG)	€2,295,071	€2,119,546	€ – 175,525 (– 7.6%)
SA3 (0.66 strips & lancets a day for FreeStyle Libre 2 users) [38]	€2,700,499	€2,181,712	€ – 518,787 (– 19.2%)
SA4 (3 strips & lancets a day for SMBG, and 0.66 for FreeStyle Libre 2 users)	€2,295,071	€2,181,712	€ – 113,360 (-4.9%)
SA5 (13 strips & lancets a day for SMBG, equivalent to daily scans in real-world studies) [38]	€3,646,496	€2,119,546	€ – 1,526,950 (– 41.9%)
SA6 (including severe and non-severe hypoglycaemic episodes)	€2,951,884	€2,309,089	€ – 642,795 (– 21.8%)

SA sensitivity analysis, SMBG self-monitoring of capillary blood glucose, T2DM type 2 diabetes mellitus

Open Access. This article is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License, which permits any non-commercial use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are

included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by-nc/4.0/>.