




Correction to: Heterogenous chemosensitivity of a panel of organoid lines derived from small cell neuroendocrine carcinoma of the uterine cervix

Mie Tanaka^{1,5} · Jumpei Kondo^{1,2} · Kensuke Kaneko⁴ · Hiroko Endo^{2,6} · Kunishige Onuma¹ · Roberto Coppo¹ · Masamune Masuda^{1,5} · Shoji Kamiura³ · Kiyoshi Yoshino^{5,7} · Yutaka Ueda⁵ · Hideaki Kakeya⁴ · Tadashi Kimura⁵ · Masahiro Inoue^{1,2} 

Published online: 8 April 2021
© Japan Human Cell Society 2021

Correction to: Human Cell
<https://doi.org/10.1007/s13577-021-00511-5>


In the original publication of the article, the legend of the Y-axis in figure 5d and figure S2 should be “Absorbance at 405 nm” instead of “CES activity (U/mg protein)”. In the Fig. 5 legend, “d” is mislabelled as “b”.


The correct Fig. 5 and Fig. s2 are given in this erratum.

The original article can be found online at <https://doi.org/10.1007/s13577-021-00511-5>.

✉ Masahiro Inoue
masa_inoue@kuhp.kyoto-u.ac.jp

- ¹ Department of Clinical Bio-Resource Research and Development, Graduate School of Medicine Kyoto University, 46-29 Shimoadachi-cho, Sakyou-ku, Kyoto 606-8304, Japan
- ² Department of Biochemistry, Osaka International Cancer Institute, Osaka, Japan
- ³ Department of Gynecology, Osaka International Cancer Institute, Osaka, Japan
- ⁴ Department of System Chemotherapy and Molecular Sciences, Division of Bioinformatics and Chemical Genomics, Graduate School of Pharmaceutical Sciences, Kyoto University, Kyoto, Japan
- ⁵ Department of Obstetrics and Gynecology, Osaka University Graduate School of Medicine, Suita, Japan
- ⁶ Present Address: Carna Biosciences Inc, Hyogo, Japan
- ⁷ Present Address: Department of Obstetrics and Gynecology, University of Occupational and Environmental Health, Fukuoka, Japan





Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.