Correction to: Safety Communication Tools and Healthcare Professionals' Awareness of Specific Drug Safety Issues in Europe: A Survey Study

Sieta T. de Vries¹ · Maartje J. M. van der Sar^{1,2} · Anna Marie Coleman³ · Yvette Escudero⁴ · Alfonso Rodríguez Pascual⁴ · Miguel-Ángel Maciá Martínez⁴ · Amelia Cupelli⁵ · Ilaria Baldelli⁵ · Ivana Šipić⁶ · Adriana Andrić⁶ · Line Michan⁷ · Petra Denig¹ · Peter G. M. Mol^{1,2} · on behalf of SCOPE work package 6

Published online: 30 June 2020
© Springer Nature Switzerland AG 2020

Correction to: Drug Saf (2018) 41:713–724
<https://doi.org/10.1007/s40264-018-0643-5>

In the original publication of the article, the headings of columns 3 and 4 in the data table of Fig. 2 were switched. In this correction, the original Fig. 2 (Fig. 1) and the correct Fig. 2 (Fig. 2) are published.

The original article can be found online at <https://doi.org/10.1007/s40264-018-0643-5>.

✉ Peter G. M. Mol
p.g.m.mol@umcg.nl

- ¹ Department of Clinical Pharmacy and Pharmacology, University of Groningen, University Medical Center Groningen, Groningen, The Netherlands
- ² Dutch Medicines Evaluation Board, Utrecht, The Netherlands
- ³ Health Products Regulatory Authority (HPRA), Dublin, Ireland
- ⁴ Spanish Agency for Medicines and Medical Devices (AEMPS), Madrid, Spain
- ⁵ Italian Medicines Agency (AIFA), Rome, Italy
- ⁶ Agency for Medicinal Products and Medical Devices of Croatia (HALMED), Zagreb, Croatia
- ⁷ Danish Medicines Agency (DKMA), Copenhagen, Denmark

Fig. 1 Original version of Fig. 2 as published on 02 March 2018

Fig. 2 Corrected version of
Fig. 2

	General practitioners	Cardiologists	Pharmacists
Croatia	85	4	104
Denmark	25	7	35
Ireland	144	5	281
Italy	183	63	104
Netherlands	72	17	64
Norway	105	40	381
Spain	847	56	13
Sweden	108	15	N/A
UK	197	15	318