CORRECTION



Correction to: Sterility testing using a closed system transfer device in oncology medication compounding: a novel method for testing partially used vials

Allan Mills 1,2,3 · Mary Yousef1

Published online: 3 May 2021 © The Author(s) 2021

Correction to: Drugs & Therapy Perspectives https://doi.org/10.1007/s40267-021-00823-4

The article Sterility testing using a closed system transfer device in oncology medication compounding: a novel method for testing partially used vials, written by Allan Millsa and Mary Yousef, was originally published electronically on the publisher's internet portal on 19 March 2021 without open access. With the author(s)' decision to opt for Open Choice the copyright of the article changed on 22 April 2021 to © The Author(s) and the article is forthwith distributed under a Creative Commons Attribution Non-Commercial 4.0 International License, which permits any non-commercial use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by-nc/4.0/.

The original article has been corrected.

Open Access This article is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License, which permits any non-commercial use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by-nc/4.0/.

The original article can be found online at https://doi.org/10.1007/s40267-021-00823-4.

- Allan Mills allan.mills@thp.ca
- Pharmacy Department, Trillium Health Partners, Mississauga, ON, Canada
- Institute for Better Health, Trillium Health Partners, Mississauga, ON, Canada
- ³ Leslie Dan Faculty of Pharmacy, University of Toronto, Toronto, ON, Canada