Correction to: Discrepancies in Genetic Testing Procedures of *BRCA1/2* Mutations: A National Survey Across China

Huanwen Wu¹ · Binghe Xu² · Qinglei Gao³ · Xiaoyan Zhou^{4,5} · Jianyong Shao^{6,7} · Zhiyong Liang¹ · Ding Ma³

Accepted: 7 January 2021 / Published online: 21 January 2021
© Springer Nature Switzerland AG 2021

Correction to:
Molecular Diagnosis & Therapy (2020) 24:715–721
<https://doi.org/10.1007/s40291-020-00489-0>

In the original publication of the article, text in Table 1 has a few errors as mentioned below.

Page 717, Table 1, 'Assessment criteria for quality scores of gBRCA/tBRCA tests of participating laboratories': The cell entry in column 2, which previously read: "Wrongly reported iItems" it should read as "Wrongly reported items"

Page 717, Table 1, 'Assessment criteria for quality scores of gBRCA/tBRCA tests of participating laboratories': The cell entry in column 1, which previously read: "pProtein" should read: "Protein"

Page 717, Table 1, 'Assessment criteria for quality scores of gBRCA/tBRCA tests of participating laboratories': The first cell entry in column 2, which previously read: "Class 3/class 2 misclassification" should read: "Class 3/class 1 misclassification"

The corrected Table 1 is as given below:

The original article can be found online at <https://doi.org/10.1007/s40291-020-00489-0>.

✉ Zhiyong Liang
zhiyong829@gmail.com

✉ Ding Ma
dma@tjh.tjmu.edu.cn

¹ Department of Pathology, Molecular Pathology Research Center, Peking Union Medical College Hospital, Chinese Academy of Medical Science and Peking Union Medical College, Beijing, China

² National Cancer Center/Cancer Hospital, Chinese Academy of Medical Sciences and Peking Union Medical College, Beijing, China

³ Tongji Hospital, Tongji Medical College, Huazhong University of Science and Technology, Wuhan, China

⁴ Department of Pathology, Fudan University Shanghai Cancer Center, Shanghai, China

⁵ Department of Oncology, Shanghai Medical College; Institute of Pathology, Fudan University, Shanghai, China

⁶ Department of Molecular Diagnostics, Sun Yat-Sen University Cancer Center, Guangzhou, China

⁷ Sun Yat-Sen University Cancer Center, State Key Laboratory of Oncology in South China, Collaborative Innovation Center for Cancer Medicine, Guangzhou, China

Table 1 Assessment criteria for quality scores of *gBRCA/tBRCA* test of participating laboratories

Assessment category	Wrongly reported items	Deduct marks
Genotyping	Wrong gene	2
Nucleotide change	Wrong nucleotide change	2
	Wrong writing form	0.5
Protein change	Wrong protein change	2
	Wrong writing form	0.5
Homozygous or heterozygous (for germline testing)	Wrong results	1
	Not shown	1
Variant interpretation	Misclassification (false positive or false negative)	2
	Class 3/class 1 misclassification	0.25
	Class 3/class 2 misclassification	0.5
Others	VUS not detected or misreported	0.5