



Correction to: Effects of growth hormone on pregnancy rates of patients with thin endometrium

N. Cui¹ · A.-M. Li¹ · Z.-Y. Luo¹ · Z.-M. Zhao¹ · Y.-M. Xu¹ · J. Zhang¹ · A.-M. Yang¹ · L.-L. Wang¹ · G.-M. Hao¹ · B.-L. Gao²

Published online: 20 August 2018
© Italian Society of Endocrinology (SIE) 2018

Correction to: Journal of Endocrinological Investigation
<https://doi.org/10.1007/s40618-018-0877-1>

Unfortunately, there are errors that occurred in the name and manufacture of the growth hormone (GH) received by the patients in the GH group on page two, Table 1 and Fig. 1 on page three.

The corrections of errors in these sites should be as follows:

1. The trade name and manufacturer of growth hormone (GH) used in the GH group should be “Jintropin AQ, GenSci, Changchun, China”, rather than “Saizen, Kinsey, Changchun, China”.
2. “EMT on day 3 (mm)” should be corrected to “EMT on day of embryo transfer (mm)” in Table 1.
3. “E2 level on 18th day (mmol/L)” should be corrected to “E2 level on 18th day (pg/ml)” in Table 1.
4. “8 clinical pregnancy” should be “10 clinical pregnancy” in Fig 1.

The original article can be found online at <https://doi.org/10.1007/s40618-018-0877-1>.

✉ G.-M. Hao
haoguimin@163.com

✉ B.-L. Gao
browngao@163.com

¹ Department of Reproductive Medicine, The Second Hospital, Hebei Medical University, 215 West Heping Road, Shijiazhuang 050000, Hebei Province, People’s Republic of China

² Department of Interventional Therapy, Henan Provincial People’s Hospital, 7 Weiwu Road, Zhengzhou 450003, Hebei Province, People’s Republic of China