



Correction to: Microbial Corrosion in Titanium-Based Dental Implants: How Tiny Bacteria Can Create a Big Problem?

Raphael C. Costa¹ · Victoria L. Abdo² · Patrícia H. C. Mendes³ · Isabella Mota-Veloso³ · Martinna Bertolini⁴ · Mathew T. Mathew⁵ · Valentim A. R. Barão¹ · João Gabriel S. Souza^{1,2,3}

Published online: 30 September 2021
© Springer Nature Switzerland AG 2021

Correction to: Journal of Bio- and Tribo-Corrosion
<https://doi.org/10.1007/s40735-021-00575-8>

Valentim A. R. Barão's and João Gabriel S. Souza's names are correct as reflected here. The original article has been corrected.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The original article can be found online at <https://doi.org/10.1007/s40735-021-00575-8>.

✉ Valentim A. R. Barão
vbarao@unicamp.br

✉ João Gabriel S. Souza
jgabriel.souza@yahoo.com.br

¹ Department of Prosthodontics and Periodontology, Piracicaba Dental School, University of Campinas (UNICAMP), Av. Limeira, 901, Piracicaba, São Paulo 13414-903, Brazil

² Dental Research Division, Guarulhos University, Guarulhos, São Paulo 07023-070, Brazil

³ Dental Science School (Faculdade de Ciências Odontológicas- FCO), Montes Claros, Minas Gerais 39401-303, Brazil

⁴ Department of Oral Health and Diagnostic Sciences, University of Connecticut Health Center, 263 Farmington Ave, Farmington, CT 06030, USA

⁵ Department of Biomedical Sciences, University of Illinois at Rockford, 1601 Parkview Ave, Rockford, IL 61107, USA