Editorial

Antonio Coronato² · Juan Carlos Augusto¹

© Springer International Publishing AG, part of Springer Nature 2018

The first issue of volume four is a thematic one focused on “Reliability of Internet of Things: Smart Objects and Services”.

It consists of four papers, two of which regard performance evaluation of middleware infrastructures. One faces the accountability issue in an IoT infrastructure. The last paper, finally, regards handoff mechanisms in dense IEEE 802.11 Wireless Mesh Networks.

In particular, *Middleware for Internet of Things: an evaluation in a small-scale IoT environment*, by Andrei Palade, Christian Cabrera, Fan Li, Gary White, M. A. Razzaque, and Siobhan Clarke, presents a quantitative evaluation of four prominent middlewares (i.e., OpenIoT, CHOREOS, LinkSmart, and UBIWARE) for the rapid prototyping of IoT applications. The evaluation was based on a small-scale scenario that captures the innovative capabilities (e.g., autonomy, context awareness, and interoperability) that the IoT brings to software service development. The selected middlewares were evaluated at two different levels: (1) a component (service registration, discovery, and composition) level against design, architectural, autonomous behaviour, heterogeneity (resource level), usability, and response time metrics; and (2) a general level against deployment time and interoperability metrics.

Benchmarking Pub/Sub IoT middleware platforms for smart services, by Carlos Pereira, Joao Cardoso, Ana Aguiar, and Ricardo Morla, present a comparison of the benefits, disadvantages, and performance of IoT middleware platforms. Authors propose a set of qualitative and quantitative dimensions for benchmarking. They use the publication subscription of a large data set as use case inspired by a smart city

scenario to compare two middleware platforms: FIWARE and oneM2M.

Building accountability into the Internet of Things: the IoT Databox model, by Andy Crabtree et al., defines the IoT Databox model as a means of making the Internet of Things accountable to individuals. Accountability is a key to building consumer trust and is mandated by several regulations (e.g., GDPR, the European Unions General Data Protection Regulation). Authors focus on those external data subject to accountability requirements specified by GDPR. The IoT Databox model is proposed as an in principle means of enabling accountability and providing individuals with the mechanisms needed to build trust into the IoT.

Enabling fast handoff in dense 802.11 WMNs via temporal-spatial knowledge and opportunistic probing, by Gang Yao, Jian-nong Cao, Xuefeng Liu, and Joanna Siebert, proposes two fast handoff schemes, namely T-NRS (Temporal-Network Radio Signature) and OppoScan. T-NRS scheme leverages historical knowledge of associated APs in time series together with radio signature technique based on spatial knowledge to assist in fast handoff, while OppoScan scheme opportunistically leverages nearby MCs and APs to produce the required information of neighboring AP for handoff and thus significantly decrease the number of switching channel of APs. Authors implemented and evaluated the mechanisms devices for dense networks in a test bed of about 200 APs in shopping malls.

We are very grateful to Carlo Vallati, from the University of Pisa, and Xiaohua Jia, from the City University of Hong Kong, who organized and handled this special issue, partly by selecting papers form IoT-SoS 2017 (Internet of Things: Smart Objects and Services).

✉ Antonio Coronato
antonio.coronato@icar.cnr.it

Juan Carlos Augusto
j.augusto@mdx.ac.uk

¹ Research Group on Development of Intelligent Environments,
Department of Computer Science, Middlesex University,
London, UK

² Institute for High Performance Computing and Networking,
National Research Council, Napoli, Italy