Correction to: Performance study of trial M-THGEM

Shao-Qing Deng¹ · Wen-Qi Yan² · Dao-Jin Hong³ · Bo-Xiang Yu^{2,4,5} · Gao-Long Zhang^{1,6} · Yu-Guang Xie^{2,4}

Published online: 16 January 2020

© Institute of High Energy Physics, Chinese Academy of Sciences; Nuclear Electronics and Nuclear Detection Society 2020

Correction to:
Radiation Detection Technology and Methods
<https://doi.org/10.1007/s41605-019-0150-y>

Upon request from the authors, the sequence of grant numbers are corrected as:

Nos. 11575221, 11975040, U1832130, 11475013.

The original article can be found online at <https://doi.org/10.1007/s41605-019-0150-y>.

✉ Gao-Long Zhang
zgl@buaa.edu.cn

Bo-Xiang Yu
yubx@ihep.ac.cn

¹ School of Physics and Nuclear Energy Engineering, Beihang University, Beijing 100191, China

² Institute of High Energy Physics, Chinese Academy of Sciences, Beijing 100049, China

³ University of Science and Technology of China, Hefei 230026, China

⁴ State Key Laboratory of Particle Detection and Electronics, Beijing 100049, China

⁵ University of Chinese Academy of Sciences, Beijing 100049, China

⁶ Beijing Advanced Innovation Center for Big Data-Based Precision Medicine, Beihang University, Beijing 100083, China