



Correction to: Reduced Foxo3a, FoxL2, and p27 mRNA expression in human ovarian tissue in premature ovarian insufficiency

Nikolaos Thanatsis¹ · Apostolos Kaponis¹ · Vasiliki Koika² · Neoklis A. Georgopoulos² · George O. Decavalas¹

Published online: 7 January 2020
© Hellenic Endocrine Society 2019

Correction to: Hormones

<https://doi.org/10.1007/s42000-019-00134-4>

The original version of this article, published 21 October 2019, unfortunately contained a mistake. The presentation of Fig. 1 was incorrect. The corrected figure is given below. The original article has been corrected.

The online version of the original article can be found at <https://doi.org/10.1007/s42000-019-00134-4>

✉ Nikolaos Thanatsis
nikolaos.thanatsis@nhs.net

¹ Department of Obstetrics & Gynecology, Patras University School of Medicine, 26504 Patras, Greece

² Division of Reproductive Endocrinology, Department of Obstetrics & Gynecology, Patras University School of Medicine, 26504 Patras, Greece




Fig. 1 Relative mRNA expression of Foxo3a (**a**), FoxL2 (**b**), p27 (**c**), AMH (**d**), PTEN (**e**), and AMHR2 (**f**) after normalization to the housekeeping gene β -actin in cortical ovarian tissue in POI and control women. Data are expressed as median and range (minimum–maximum). The Mann–Whitney U test was used to assess differences between the two groups. P values < 0.05 are statistically significant. *Statistically significant difference was observed in the relative mRNA expression of Foxo3a, FoxL2, and p27 between POI women and control women. A. Foxo3a – POI group, 1.5909 (1.5122–1.6094); control group, 1.6647 (1.6035–1.6871), $P = 0.017$. B. FoxL2 – POI group, 1.2898 (1.2643–

1.4351); control group, 1.4440 (1.4064–1.4680), $P = 0.017$. C. p27 – POI group, 1.3014 (1.1891–1.3200); control group, 1.3299 (1.2968–1.4520), $P = 0.030$. Statistically insignificant difference was observed in the relative mRNA expression of AMH, PTEN, and AMHR2 between POI women and control women. D. AMH – POI group, 1.6260 (1.4209–1.7315); control group, 1.7545 (1.7165–1.8258), $P = 0.143$. E. PTEN – POI group, 1.3558 (1.2020–1.4121); control group, 1.3848 (1.3159–1.4454), $P = 0.247$. F. AMHR2 – POI group, 1.2378 (1.1106–1.3353); control group, 1.2399 (1.1521–1.3643), $P = 0.662$