Evaluation of multi-asset investment strategies with digital assets

Alla Petukhina¹ · Erin Sprünken²

Received: 24 January 2020 / Accepted: 18 March 2021 / Published online: 4 April 2021
© The Author(s) 2021

Abstract

The drastic growth of the cryptocurrencies market capitalization boosts investigation of their diversification benefits in portfolio construction. In this paper with a set of classical and modern measurement tools, we assess the out-of-sample performance of eight portfolio allocation strategies relative to the naive $1/N$ rule applied to traditional and crypto-assets investment universe. Evaluated strategies include a range from classical Markowitz rule to the recently introduced LIBRO approach (Trimborn et al. in *Journal of Financial Econometrics* 1–27, 2019). Furthermore, we also compare three extensions for strategies with respect to input estimators applied. The results show that in the presence of alternative assets, such as cryptocurrencies, mean–variance strategies underperform the benchmark portfolio. In contrast, CVaR optimization tends to outperform the benchmark as well as geometric optimization, although we find a strong dependence of the former’s success on trading costs. Furthermore, we find evidence that liquidity-bounded strategies tend to perform very well. Thus, our findings underscore the non-normal distribution of returns and the necessity to control for liquidity constraints at alternative asset markets.

Keywords Portfolio management · Asset allocation · Investments · Alternative assets · Bitcoin · Cryptocurrencies · LIBRO

JEL Classification C01 · C58 · G11

✉ Erin Sprünken
spruenke@hu-berlin.de

Alla Petukhina
alla.petukhina@hu-berlin.de

¹ IRTG 1792 High Dimensional Nonstationary Time Series, Humboldt-Universität zu Berlin, Dorotheenstraße 1, 10178 Berlin, Germany

² Chair of Statistics, Humboldt-Universität zu Berlin, Spandauer Strasse 1, 10178 Berlin, Germany

1 Introduction

For a very long time, the optimal allocation of wealth has been an essential topic for mankind and is still developing. DeMiguel et al. (2009) cite a rabbi from the fourth century who already proposed a rule on how to split wealth across assets. Since then, many researchers have tried to find the best portfolio strategy. A remarkable step was the introduction of the Modern Portfolio Theory (“MPT”) in 1952 with Markowitz’ mean–variance analysis, see Markowitz (1952). Fifty years later, Fabozzi et al. (2002) conclude that the MPTs importance will not vanish and it will have a permanent presence in financial research and practice. However, they also note the MPT is a normative theory, explaining optimal investing under perfect information. As DeMiguel et al. (2009) note, the strategy suffers from low out-of-sample performance. Such results are due to the MPT tendency to estimate extreme weights and are very sensitive to changes in its inputs. Furthermore, the estimation of these inputs may be another fallacy, leading to the continuous development of portfolio optimization, for example in Jorion (1986), Clarke et al. (2013), Bessler et al. (2017), DeMiguel et al. (2009), Estrada (2010), Trimborn et al. (2019) and Petukhina et al. (2020).

This paper compares and evaluates different optimization techniques applied to investment universe diversified on the following dimensions: multiple asset classes, geographic markets and input estimators, and a specific comparative view on the naive (equally weighted) portfolio.

The important focus of this paper is the application of different asset classes in the empirical section. The general motivation of diversifying portfolios is to exploit correlation structures among assets, markets or asset classes, which can help increase the return or decrease the portfolio risk, see Elton et al. (2003). Due to the rise of alternative investments such as cryptocurrencies, this paper will include cryptocurrencies (CCs) as a new asset class. As Glaser et al. (2014) note, there is still a discussion on whether CCs should be treated as alternative assets or currencies. Trimborn et al. (2019) and Petukhina et al. (2020) already deal with them as assets. Both include them in portfolios together with traditional investments such as stocks, bonds and commodities. Klein et al. (2018) studied the properties of Bitcoin as an asset and specifically compared it to gold. They found that, though there is a similarity to major precious metals in its response to market shocks, Bitcoin as an asset differs from other conventional investments. Thus, Bitcoin and presumably other cryptocurrencies can be characterized as alternative assets.

The investment universe in this research includes commodities, where some of them can be treated as traditional assets whereas others as alternative assets. For instance, gold is one of the most traditional alternatives to stocks and bonds in portfolios. It is generally known as a “safe haven”, meaning that investors tend to buy gold if they fear bear markets or crashes, see Baur and McDermott (2010). Furthermore, we include palladium, silver, corn, wheat, oil, coriander, pork bellies, platinum and diamonds as commodities. Whereas palladium and silver are generally categorized as precious metals and also as options for portfolio

diversification, this is not the case for diamonds. They are considered as an alternative investment. One possible reason for this might be that, whereas silver and palladium also are widely used in industry, the main demand for diamonds comes from the wedding industry, see Scott and Yelowitz (2010). Bessler and Wolff (2015) analyzed the benefits of adding commodities to a stock-bond portfolio and Bosch (2017) trading and speculation of commodity markets. The lack of studies discussing corn and wheat in a portfolio context motivates the inclusion of them into our investment set. Therefore, our analysis is applied to stocks, CCs as new assets and commodities as traditional assets and alternative assets as well.

Our contribution to current research is that a wider investment universe is considered in the context of portfolio analysis. Multiple asset classes are included, namely stocks, precious metals, commodities, diamonds and cryptocurrencies. Furthermore, a broader spectrum of strategies is investigated in a comparative matter using several different success measurements. Additionally, various estimators for input parameters are employed.

The paper is structured in the following way: Sect. 2 covers the empirical analysis data. Section 3 explains the methodology of the investing strategies, Sect. 4 presents the empirical results and Sect. 5 gives a brief conclusion.

2 Data

The investment universe used for the empirical analysis of the strategies includes German stocks, commodities and cryptocurrencies. The data set of CCs contains the ten largest by market capitalization as on 11.05.2020, obtained from coingecko.com. The daily observations start at 29.04.2013 up to 31.12.2018. In contrast to the German stocks, CCs also have observations on weekend days. The prices/exchange rates are measured per unit of cryptocurrency (i.e. a 6 USD price means that with 6 USD one could buy 1 BTC). The trading volume is also measured in USD.

Due to the data's availability (e.g., several cryptocurrencies were issued later than others) the set contains a lot of missing values (NA). To have at least some CCs but also a large enough set for calculations, the minimum number of CCs with complete observations was set to six in this research. The list of the included cryptocurrencies can be found in the appendix.

Thus, after removing weekend days and keeping only the complete series, the new set of cryptocurrencies contains six different cryptocurrencies and daily observations from 11.02.2016 to 31.12.2018 (753 daily observations).

The stocks were obtained from the German SDAX index in its composition as on 08.02.2019 (70 stocks) for the same timespan as CCs: from 11.02.2016 to 31.12.2018. Incomplete time series for the analyzed period were filtered out; thus, 62 German stocks were included in the investment universe for empirical analysis. The SDAX is a German stock market index for small-cap stocks. However, the index contains the largest 70 companies which are not large enough to be listed within the DAX (large-cap index) or the MDAX (mid-cap index). Though, these companies have to fulfill the criteria of the Prime-Standard regulation of the Frankfurt stock

exchange. The stock prices and the trading volume are measured in USD, and the frequency of the observations is daily. The source of the data is Bloomberg.

The following commodities: WTI crude oil, Brent crude oil, coriander, pork bellies, three types of diamonds, corn, wheat, gold, palladium, silver and platinum are also constituents for the portfolio analysis. The source is Thomson Reuters Eikon. The unit for the respective prices is USD. Data on their trading volume are not available.

The final data contain 753 daily observations for 62 German stocks, six CCs and 13 commodities. For portfolio optimization, one is not directly interested in the prices but rather indirectly through the returns. Furthermore, returns have the convenient property of being “standardized” because they share the same unit (percentage). Thus, daily returns will be calculated and used in our analysis, which reduces the data set to 752 daily observations. The trading volume data have been adjusted so that the first observations of the time-adjusted set have been removed. Hence, the volume data contain 752 observations of 62 German stocks and six CCs.

Outliers in the data were not removed; these are extreme events, and a strategy should be robust against such tail events instead of neglecting the data points in empirical research. Especially the CCs contain these extreme values. The data were double-checked, and independent sources reported the outlying values.

Furthermore, we construct different samples of 70 stocks. We randomly sample stratified from SDAX, DAX30, FTSE 100, Nasdaq 100, Nikkei 225, TOPIX small, CSI 500 and S&P 600. We use subsampling to avoid dimensionality problems. The data from DAX30, FTSE, Nasdaq 100, Nikkei 225 and TOPIX small were obtained at 11.05.2020 and the data from CSI 500 and S&P 600 at 03.06.2020, all from Thomson Reuters Eikon. We use these to check our results’ robustness in the presence of different, geographically more diversified assets. The performance metrics for them are reported in the appendix. Also, we want to note that our selection of alternatives might seem ad hoc to the reader; however, we seek to conduct a comparative methodological study with exemplary data instead of a specific trading report.

The formula to obtain daily returns from prices is the following:

$$r_{i,t} = \frac{P_{i,t} - P_{i,t-1}}{P_{i,t-1}} = \frac{P_{i,t}}{P_{i,t-1}} - 1. \quad (1)$$

The index i denotes asset i of a given set of assets, t is the time index which corresponds to a day and P is the respective price.

3 Methodology

In this section, the theoretical background and methodology are explained. It starts with a brief overview of the notation used, followed by the estimators for the necessary parameters. Afterwards, a description of the strategies takes place. For each allocation rule, the intuition, as well as the mathematical definition, is given. Lastly, the performance measurements used to evaluate the allocation techniques are explained.

T represents the number of available observations, which is equivalent to the total number of days in the data.

N is the number of risky assets.

μ is a $N \times 1$ vector of expected returns of these assets and r the true, realized returns.

Σ is the $N \times N$ variance–covariance matrix of the same risky assets.

r_f is a scalar representing the risk-free rate.

$\mathbf{1}_N$ represents a vector of ones of length N : $(1_1, 1_2, \dots, 1_i, \dots, 1_N)^T$.

x is a $N \times 1$ vector of the weights: $(x_1, x_2, \dots, x_i, \dots, x_N)^T$.

M is a scalar representing the window size for moving-window estimations.

3.1 Parameter estimation

The parameters for the respective strategies are not known a priori. To implement them, estimators are necessary, which are described in this section. The window size is essential, as all parameters are estimated on a rolling-window basis. That means new information is continuously included in the parameters and data points older than M are dropped out of the estimation. The abbreviation in the brackets will be used in the empirical section to denote which estimator was used. The estimators are dependent on time, that is for every point of time t , a parameter is estimated based on the respective window.

3.1.1 Arithmetic mean (AM)

The first parameter refers to the unknown μ which represents a vector of expected returns $(\mu_1, \dots, \mu_i, \dots, \mu_N)^T$ and has to be estimated for every time t . Here, this will be the arithmetic mean, described by the following formula:

$$\hat{\mu}_{i,t} = \frac{1}{M} \sum_{j=t-M}^{t-1} r_{i,j}. \quad (2)$$

There, i corresponds to asset i of the set, t to a time, r is the realized return.

3.1.2 Geometric mean (GM)

However, the arithmetic mean might not be suitable as an estimator for mean growth rates. By definition of Eq. (1) returns are growth rates of prices. Thus, we include the geometric mean as another estimator, especially as prices follow a geometric series. Furthermore, the geometric mean likely is a more conservative estimator and therefore might lead to better results. The GM is conservative because, for positive real numbers, the GM is never greater than the same sample's arithmetic mean. Furthermore, Jacquier et al. (2003) showed that compounding the arithmetic average is an upwardly biased estimator. The following formula represents the computation of the geometric mean:

$$\hat{\mu}_{i,t} = \sqrt[M]{\prod_{j=t-M}^{t-1} (1 + r_{i,j})} - 1. \quad (3)$$

Again, i corresponds to asset i of the set, t to a time, r is the realized return and M the window size.

3.1.3 Variance–covariance matrix (AM/GM)

Besides the parameter μ , the variance–covariance matrix Σ is used. The usual estimator takes the following form:

$$\hat{e}_{ij,t} = \frac{1}{M-1} \sum_{h=t-M}^{t-1} \sum_{k=t-M}^{t-1} (r_{i,h} - \hat{\mu}_{i,t})(r_{j,k} - \hat{\mu}_{j,t}) \quad (4)$$

$$\hat{\Sigma}_t^u = [\hat{e}_{ij,t}]. \quad (5)$$

The respective window size M will always be the same as for the μ estimator here.

The “ u ” as an exponent is used to assign a name (“ u ” stands for usual).

3.1.4 Bayes–Stein shrinkage estimator (BS)

Jorion (1986) states that usually the portfolio analysis, especially in the MPT framework, is separated into two steps. In the first, the moments and other necessary parameters are estimated and in the second step, these are plugged into the optimization as these were the true values. He argues that such a separation impedes the portfolio analysis through estimation error, especially with the first moment, as the variance seems to be more robust when the sample gets larger. Thus, the Bayesian approach aims to minimize utility loss coming from the use of sample estimates. It shrinks the sample mean towards a common value which is, in his case, the mean of the global minimum variance portfolio. Jorion (1986) showed in a simulation analysis that his shrinkage procedure reduces estimation error significantly.

Following Stein (1955), James and Stein (1961), Jorion (1986) and DeMiguel et al. (2009), the equations take the following form:

$$\hat{\mu}_t = (1 - \hat{\phi}_t)\bar{\mu}_t + \hat{\phi}_t\hat{\mu}_t^{\min}, \quad (6)$$

$$\hat{\phi}_t = \frac{N+2}{(N+2) + M(\hat{\mu}_t - \mu_t^{\min})^\top \hat{\Sigma}_t^{-1}(\hat{\mu}_t - \mu_t^{\min})}, \quad (7)$$

$$0 < \hat{\phi}_t < 1, \quad (8)$$

$$\hat{\Sigma}_t = \frac{M-1}{M-N-2} \hat{\Sigma}_t^u. \quad (9)$$

Again, M represents the window size. $\hat{\mu}_t^{\min}$ is the estimated return of the global minimum variance portfolio and $\bar{\mu}_t$ the sample mean (arithmetic).

Furthermore, Jorion (1986) provides an estimator for the variance–covariance matrix:

$$\hat{\Sigma}_t^{bs} = \hat{\Sigma}_t \left(1 + \frac{1}{M + \lambda} \right) + \frac{\lambda}{M(M + 1 + \lambda)} \frac{\mathbf{1}_N \mathbf{1}_N^T}{\mathbf{1}_N^T \hat{\Sigma}_t^{-1} \mathbf{1}_N}. \quad (10)$$

In that formula, λ denotes the prior precision.

3.2 Portfolio optimization

In this subsection, the different allocation strategies are discussed. For better readability, the time index has been omitted. However, it should be noted that for each rebalancing the weights and necessary parameters are estimated. Thus, it is x_t , μ_t and Σ_t everywhere in this subsection. In the empirical section, the rebalancing has been conducted daily. If not stated otherwise explicitly, short selling and leverage are allowed.

3.2.1 Equally weighted (Naive)

The equally weighted portfolio (Naive portfolio) is one of the most straightforward strategies for an investor. The idea is to assign the same weight to each asset in a portfolio (e.g.: 20% for each of 5 stocks in a portfolio). The naive rule has a few convenient features: it is easy to implement and non-parametric; it is diversified and characterized by low trading costs. The following formula describes this approach:

$$x_i^{EW} = \frac{1}{N} \quad \forall i \in [1, N]. \quad (11)$$

In this equation, i is the index for the i th asset.

This approach will serve as a benchmark in the empirical section.

3.2.2 Mean–variance (modern portfolio theory—MPT)

The MPT was one of the milestones in the history of financial economics, founded by the Nobel Prize laureate Harry Markowitz's work, see Markowitz (1952). Today, different variations of strategies exist in this framework, but they share the property of optimization along the efficient frontier. It is the line of sets that are at the same time feasible and optimal. Portfolios below the frontier are possible but not optimal because combinations exist that have at least the same return with lower risk or the same level of risk but grant higher return. Portfolios above the efficient frontier are not feasible, see Markowitz (1952) and Elton et al. (2003).

Target return This approach is the central idea of the MPT, see Markowitz (1952).

$$\begin{aligned}
& \min_x \quad x^T \Sigma x \\
& \text{s.t.} \quad x^T \mu = \mu^{\text{target}} \\
& \text{s.t.} \quad x^T \mathbf{1}_N = 1.
\end{aligned} \tag{12}$$

Sharpe ratio maximization (tangency portfolio) Another version within the MPT family is the sharpe ratio, named after William Sharpe who introduced this measurement to compare funds' performance, see Sharpe (1966). Thus, one can also build a portfolio based on it, also known as the tangency portfolio, which is expressed in the following way:

$$\begin{aligned}
& \max_x \quad \frac{x^T (\mu - r_f)}{(x^T \Sigma x)^{\frac{1}{2}}} \\
& \text{s.t.} \quad x^T \mathbf{1}_N = 1,
\end{aligned} \tag{13}$$

which is the same as maximizing the certainty equivalent.

Certainty equivalent maximization Similar to the sharpe ratio, the certainty equivalent serves as a measurement for portfolio performance. This metric can be interpreted as the return an investor would require from a risk-free asset to be indifferent between the risk-free asset and the portfolio. The maximization problem is denoted as follows, see DeMiguel et al. (2009):

$$\begin{aligned}
& \max_x \quad x^T \mu - \frac{\gamma}{2} x^T \Sigma x \\
& \text{s.t.} \quad x^T \mathbf{1}_N = 1.
\end{aligned} \tag{14}$$

Here, γ is a parameter representing the risk aversion of the investor. The solution is identical to the one in Sect. 3.2.2. Thus, we skip the results for the certainty equivalent maximization in the empirical section.

Global minimum variance This strategy is also an option of the MPT and can be seen as a special case of mean–variance with only one input parameter—variance. Ignoring the mean in the optimization problem is the same as assuming that all means are equal (e.g.: $\mathbf{1}_N = \mu$), see DeMiguel et al. (2009):

$$\begin{aligned}
& \min_x \quad x^T \Sigma x \\
& \text{s.t.} \quad x^T \mathbf{1}_N = 1.
\end{aligned} \tag{15}$$

This approach is the most risk-averse of all MPT strategies as it is the lowest point on the efficient frontier, see Elton et al. (2003).

3.2.3 Geometric mean maximization

In contrast to the MPT family, the maximization of the geometric mean is a dynamic approach. Whereas, the Mean–Variance strategies are static in the sense that they only take one future period into account, the GMM considers a large number of periods. To achieve the maximum terminal wealth, the growth rate of wealth should be maximized, which is the portfolio return's geometric mean return in such a

multi-period model, see Estrada (2010). The mathematical formulation takes the following form:

$$\begin{aligned} \max_x \quad & \sqrt[L]{\prod_{t=1}^L (1 + x_t^\top \mu_t)} - 1 \\ \text{s.t.} \quad & x^\top \mathbf{1}_N = 1. \end{aligned} \quad (16)$$

In the equation above, L represents the last considered period. It is possible to have a finite L as well as $\lim_{L \rightarrow \infty}$. As Estrada (2010) shows, a Taylor Expansion of second order leads to the following approximation:

$$\begin{aligned} \max_x \quad & \exp \left\{ \ln(1 + x^\top \mu) - \frac{x^\top \Sigma x}{2(1 + x^\top \mu)^2} \right\} - 1 \\ \text{s.t.} \quad & x^\top \mathbf{1}_N = 1. \end{aligned} \quad (17)$$

As the problem 17 is not solvable analytically, numerical methods should be used. The Nelder–Mead algorithm is applied in the empirical study, see Nelder and Mead (1965). Furthermore, for the empirical part, a short-constrained version of the problem is analyzed. That means, that additional constraints are imposed where every weight x has to be non-negative. For this problem, the L-BFGS-B algorithm is used, see Byrd et al. (1995).

3.2.4 Conditional value-at-risk minimization (CVaR)

Usually, investors want to control the risks of their portfolio. However, the strategies of the MPT family include risk only in terms of expected portfolio variance. Krokmal et al. (2003) note that distributions such as normal- or log-normal distribution is often assumed. However, such assumptions about the distribution are contrary to stylized facts as returns usually exhibit heavy tails, see Petukhina et al. (2020). The conditional value-at-risk (CVaR) was introduced to overcome such problems, see Artzner (1999). The CVaR is not reliant on stylized estimators coming from a normal distribution, as it includes higher moments and takes the actual distribution into account. The following problem has to be solved to find a CVaR-optimal portfolio, see Rockafellar and Uryasev (2000):

$$\begin{aligned} \min_x \quad & \text{CVaR}_\alpha(x) \\ \text{s.t.} \quad & x^\top \mathbf{1}_N = 1 \\ \text{s.t.} \quad & x_i \geq 0, \end{aligned} \quad (18)$$

where

$$\text{CVaR}_\alpha(x) = -\frac{1}{1-\alpha} \int_{x^\top \mu \leq -\text{VaR}_\alpha(x)} x^\top \mu f(x^\top \mu | x) dx^\top \mu. \quad (19)$$

$\text{VaR}_\alpha(x)$ is the α -quantile of the return distribution. The term $f(x^T \mu | x)$ represents the probability density function of the portfolio return dependent on the weights x . It is possible to impose additional constraints, such as a target return that shall be reached at least by the portfolio. However, an analytical solution is not possible for the problem. Additionally, the a priori distribution is not known and thus is estimated using the empirical cumulative counterpart based on the window M .

A simulation method is applied to find the optimal weights to minimize CVaR. That is, η sets with N independently sampled weights from the continuous uniform distribution $U(0, 1)$ are created. The simulated set of weights is then used to calculate a large set of historical portfolio returns, from which the empirical cumulative distribution function is estimated. In the next step, the simulation finds the subset of weights with the smallest CVaR among all simulated portfolios.

3.2.5 LIBRO

All strategies mentioned before assume that an investor can buy or sell any quantity at any time. However, this might not reflect the reality, where trading depends on supply and demand on the markets. Thus, Trimborn et al. (2019) proposed a portfolio strategy that controls the liquidity aspect. The idea behind this is to create an upper boundary for each weight, dependent on the liquidity the respective asset has, which is imposed as an additional constraint. Formally, this approach is expressed as follows:

$$x_i \leq \frac{\text{TV}_i f_i}{W}. \quad (20)$$

There, i stands for the i th asset, TV represents the sample median trading volume as a proxy for liquidity, f the speed an investor intends to clear the current position and W the wealth of the investor.

The beauty of this strategy lies in its simplicity and universality, as it can be implemented easily into any other allocation method. In this research, we apply LIBRO to the mean–variance strategy of Eq. 12 and the CVaR strategy of Eq. 18. To solve the equations when the LIBRO constraint is added to the MPT approach, it appears to be a quadratic programming problem. To solve it the quadprog-package in R is used, see Goldfarb and Idnani (1983). To find the optimal CVaR-LIBRO strategy, a simulation is done similar to the original CVaR before.

3.3 Performance metrics

To assess and compare the performance of the different strategies, it is necessary to introduce comparable evaluation metrics. Let $\hat{\Psi}$ denote the estimator for success measurement.

$\hat{\mu}_k$ and $\hat{\sigma}_k^2$ denote the arithmetic mean return and variance of the respective k th strategy.

3.3.1 Certainty equivalent

The certainty equivalent was already mentioned in Sect. 3.2.2. This metric gives information about the rate a risk-free asset must return at least, such that an investor was indifferent between the respective k th portfolio and the risk-free asset.

The certainty equivalent takes the form:

$$\hat{\Psi}_{k,\gamma}^{\text{ceq}} = \hat{\mu}_k - \frac{\gamma}{2} \hat{\sigma}_k^2. \quad (21)$$

There, γ denotes the risk aversion of an investor.

3.3.2 (Adjusted) sharpe ratio

The sharpe ratio was already mentioned in Sect. 3.2.2. Economically, it can be interpreted as how much return an investor receives per unit of risk. Said colloquially, it is how much return μ an investor could “buy” paying an additional unit of risk σ . Formally, it is defined as:

$$\hat{\Psi}_k^{\text{sr}} = \frac{\hat{\mu}_k - r_f}{\sqrt{\hat{\sigma}_k^2}}. \quad (22)$$

However, investors might be interested in skewness and kurtosis as well, thus, to assess the performance properly, Pzier and White (2008) proposed the adjusted sharpe ratio:

$$\hat{\Psi}_k^{\text{asr}} = \hat{\Psi}_k^{\text{sr}} \left[1 + \left(\frac{\hat{S}}{6} \right) \hat{\Psi}_k^{\text{sr}} - \left(\frac{\hat{K}}{24} \right) (\hat{\Psi}_k^{\text{sr}})^2 \right]. \quad (23)$$

In this formula, $\hat{S}$ and $\hat{K}$ represent sample skewness and sample excess kurtosis. This measurement incorporates the preference for positive skewness and negative excess kurtosis, as it penalizes the respective opposite. This is important, as a distribution with negative skewness and positive excess kurtosis increases the tail risks of a portfolio. These are not desired by investors.

3.3.3 Turnover

Another important dimension to assess the performance of a portfolio is the amount of trading fees necessary to implement a strategy. We use a turnover to proxy transactional costs of strategies with the following computation:

$$\hat{\Psi}_k^{\text{to}} = \frac{1}{T - M} \sum_{t=M+1}^T \sum_{i=1}^N (|\hat{x}_{k,i,t+1} - \hat{x}_{k,i,t}|). \quad (24)$$

Here, $\hat{x}$ denotes the weight on asset i , in time $t + 1$ after rebalancing and right before rebalancing ($t+$). k denotes the k -th strategy. It can be seen that this formula

calculates the absolute sum of changes in the weights, so the interpretation is that the larger this metric is, the higher the implementation cost of the strategy.

3.3.4 Terminal return

The last metric used is the terminal return, sometimes also called terminal wealth. It is an essential factor because it denotes a strategy's outcome at the end of the investing period. It does not control for risk in any way. This metric's importance lies in the fact, that for example a fund manager's performance may be measured by the wealth she created for her investors. The following formula is used for the computation:

$$\hat{\Psi}_k^{\text{tr}} = \prod_{t=M+1}^T (1 + r_{t,k}). \quad (25)$$

Here, r denotes the realized portfolio return, k the k -strategy and t is the time index. M is the window size. This formula, thus, represents cumulative performance at the final time T and can also be used to calculate the daily compound return.

3.4 Significance

To compare the results, it is necessary to look at the metrics themselves and whether they are significant. For instance, the Certainty Equivalent relies on the first moment of the final portfolios; we compare and test for significant differences. As the naive portfolio serves as a benchmark in this paper, a classical one-sample t -test is conducted. However, the test requires that the random variable, in this case $\hat{\mu}_k$, shall be normally distributed. To assess whether the portfolios follow a normal distribution, the Shapiro–Wilk test is conducted for each of them, as it delivers the greatest power among normality tests, see Razali and Yap (2011). However, Stonehouse and Forrester (1998) demonstrated that the t test is robust against violations of the normality assumption, especially if the skewness is not too extreme. To interpret the sample skewness $\hat{S}$, a rule-of-thumb is used, see Bulmer (1979). By this rule-of-thumb, a distribution is approximately symmetric when $|\hat{S}| \leq 0.5$, it is moderately skewed when $0.5 \leq |\hat{S}| \leq 1$ and highly skewed when $1 \leq |\hat{S}|$.

One may argue that a two-sample test is more appropriate, such as the Welch test; however as the strategies are compared with a benchmark, this “benchmark-mean” is considered as an externality. Furthermore, Stonehouse and Forrester (1998) also showed that the Welch test is not robust against normality violations.

4 Empirical analysis

In this section, we analyze and discuss the empirical results. The non-parametric Naive Portfolio serves as a benchmark. The central question is whether an approach can outperform such a simple asset allocation but also whether it can do it efficiently.

That means the performance has to be significantly different such that it is worth the effort a potential investor has to make to implement the respective model. For all parametric strategies, three different estimators are employed. Further on, we use the following abbreviations in the brackets, where (AM) stands for the arithmetic mean, (GM) for the geometric mean and (BS) for the Bayes–Stein estimators. The (AM) and (GM) strategies both use the same variance–covariance matrix and only differ in the mean. The (BS) portfolios have their own first and second moments as inputs, see Sect. 3.1.4.

Besides discussing the strategies themselves, this section also deals with whether the usage of different estimators has some impact on the portfolios' performance.

First of all, values for the other parameters, explained in the methodological section, need to be assigned, see Table 1

The chosen target return might seem very low, but the observations and the calculated (expected) returns are daily. The denoted return corresponds to an approximate return of 10% per year. Furthermore, the assumption of $r_f = 0$ implies that returns and excess returns are equal.

For some of the assets, data of their trading volume were not available. To use the LIBRO strategy on these assets anyway, the missing values were resampled in the following way: As for every asset with non-missing values the sample median trading volume on the window size was calculated, this results in a vector of median sample TV s in every t . Let this vector be denoted with ζ , and we replace missing values with $\min(\zeta)$.

Table 2 demonstrates that the global minimum variance strategy and the constrained minimum variance strategy have a certainty equivalent of approximately zero for all three estimators except for the Bayes–Stein constrained minimum variance. Interestingly, the Naive Portfolio reports a CEQ of 0.05%, which is only exceeded by constrained geometric mean maximization with arithmetic mean estimator and the three CVaR strategies. Additionally, it is interesting that the three sharpe ratio strategies are the only ones to report a negative CEQ and indeed very extreme values. The interpretation of for example the -0.5123 of the sharpe ratio (AM) is that if the risk-free rate r_f is more than -51.23% , an investor would choose the risk-free asset over this portfolio. However, it is already known that MPT

Table 1 Parameters values used in the empirical analysis

Parameter	Description	Value
r_f	Risk-free rate	0
μ^{target}	Target Return (MPT)	2.6×10^{-4}
M	Window size	120
W_0	Starting portfolio value at t_0	10^6
f	Clear speed (LIBRO)	0.3
γ	Risk aversion	5
α	Risk-quantile	0.05
η	Number of simulations (CVaR)	2×10^4
λ	Prior precision (BS)	1

Table 2 Values of performance metrics for all strategies and all estimators (AM = arithmetic mean, GM = geometric mean, BS = Bayes–Stein) with respect to the out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, alternative assets, precious metals and cryptocurrencies

	CEQ	SR	ASR	TO	TR
Naive (AM)	0.0005	0.0740	0.0739	0.0033	1.4925
Constrained minimum variance (AM)	0.0000	0.0172	0.0171	0.5139	1.0642
Global minimum variance (AM)	0.0000	0.0208	0.0208	0.5183	1.0831
Sharpe ratio (AM)	−0.5123	0.0081	0.0080	100.0415	0.2832
F-geometric mean maximization (AM)	0.0005	0.0751	0.0750	0.0130	1.5053
C-geometric mean maximization (AM)	0.0007	0.0897	0.0901	0.2211	1.8385
LIBRO-MPT (AM)	0.0001	0.0328	0.0328	0.5709	1.1948
LIBRO-CVaR (AM)	0.0005	0.0729	0.0727	0.5534	1.5569
CVaR (AM)	0.0008	0.1024	0.1032	0.6360	2.0248
Constrained minimum variance (GM)	0.0000	0.0173	0.0173	0.5148	1.0652
Global minimum variance (GM)	0.0000	0.0208	0.0208	0.5183	1.0831
Sharpe ratio (GM)	−21.6391	0.0231	0.0245	151.3963	116.6032
F-geometric mean maximization (GM)	0.0005	0.0750	0.0749	0.0108	1.5029
C-geometric mean maximization (GM)	0.0005	0.0719	0.0717	0.2283	1.5657
LIBRO-MPT (GM)	0.0001	0.0328	0.0328	0.5724	1.1949
LIBRO-CVaR (GM)	0.0005	0.0759	0.0756	0.5517	1.5897
CVaR (GM)	0.0008	0.0964	0.0975	0.6320	1.9384
Constrained minimum variance (BS)	−0.0001	0.0076	0.0075	0.5823	1.0181
Global minimum variance (BS)	0.0000	0.0208	0.0208	0.5183	1.0831
Sharpe ratio (BS)	−0.1053	0.0144	0.0144	47.5975	−2.4656
F-geometric mean maximization (BS)	0.0005	0.0754	0.0753	0.0124	1.5082
C-geometric mean maximization (BS)	0.0004	0.0632	0.0632	0.2242	1.4223
LIBRO-MPT (BS)	0.0000	0.0281	0.0281	0.5933	1.1617
LIBRO-CVaR (BS)	0.0005	0.0732	0.0729	0.5554	1.5658
CVaR (BS)	0.0009	0.1052	0.1065	0.6351	2.0835

CEQ certainty equivalent, SR sharpe ratio, ASR adjusted sharpe ratio, TO turnover, TR terminal return

strategies tend to extreme weights and outlying results, see DeMiguel et al. (2009). Nonetheless, the sharpe ratio approach is the only one which demonstrates extreme results, supported by other metrics, for example, the turnover which is around several thousand times higher than for the rest of portfolios. Yet, the rest of the MPT strategies has moderate results compared to the sharpe ratio maximization.

In terms of (adjusted) sharpe ratio, not only the three CVaR strategies, the LIBRO-CVaR (GM) and the constrained geometric mean maximization using arithmetic mean estimator perform at least as good as the Naive portfolio, but also the three unconstrained geometric mean maximization approaches do so. For example, an investor would get approximately 0.175 percentage points more return per unit of risk when choosing the LIBRO-CVaR (GM) instead of the Naive Portfolio.

Besides the outlying sharpe ratio strategies, three clusters can be identified in terms of turnover. The first one covers a range from 0 to circa 0.013, the second

one from roughly 0.22 to 0.23 and the last one from 0.51 to 0.64. As expected, the naive portfolio falls into the first cluster, together with the unconstrained geometric mean maximization. The second cluster contains the constrained geometric mean maximization. Within the first cluster, the minimum variance strategies lie at the lower bound of the range, the LIBRO strategies cover the middle of it and the classic CVaR strategies are on the upper bound of this cluster.

The last metric reported in the table above is the terminal return. As mentioned in Sect. 3, it gives information about the total wealth accumulated at the end. The three CVaR strategies have the highest outcome, closely followed by the constrained geometric mean maximization using the arithmetic mean estimator. Still, the LIBRO-CVaR approaches do perform slightly better than the naive portfolio, together with the unconstrained geometric mean maximization and the constrained version using the geometric mean as an estimator. All other strategies perform worse than the equally weighted portfolio. Again, the sharpe ratio strategies report outlying values. Figure 1 shows the cumulative performance of a few chosen allocation methods. The cumulative performance starts at value one since an investor begins with 100% of her wealth. Thus, the metric in Table 2 has to be interpreted as “an investor ends up with $x\%$ of her initial wealth”.

In Appendix D, we report these performance metrics for the diversified stock universe (see Tables 7, 8). We find similar patterns, although the results are slightly different. For all metrics but the turnover, CVaR and LIBRO-CVaR perform best with a noteworthy difference. In terms of turnover, the results are quite similar, although the LIBRO-CVaR perform slightly better than in the case where only the SDAX stocks are used.

Also, in Appendix E, we report results for all datasets where we included explicit trading costs of 0.2% for cryptocurrencies and 0.05% for the other assets (see Tables 9, 10, 11), as well as trading costs of 0.22% for all assets (see Tables 12, 13, 14). The percentage refers to the market value of the position to be bought or sold. Although results slightly change, we see similar patterns and the results are in line with what we expected from the reported turnover-metric in Table 2. Thus, we see that generally the equally weighted portfolio, the geometric mean maximization and the LIBRO-CVaR still are on top of the other strategies. However, CVaR and LIBRO-MPT perform quite good, too. The classical strategies of the modern portfolio theory are among the worst. As mentioned and in line with the high turnover of the CVaR-based investment methods, their returns decrease drastically with increasing trading costs. However, due to their low turnover, the Naïve portfolio and the Geometric Mean Maximization are relatively unaffected by increasing trading costs. This underlines that the choice of the strategy for portfolio optimization is strongly dependent on actual trading costs as well as of the reallocation frequency.

Furthermore, it is of interest whether the strategies have a mean significantly different from the benchmark portfolio. As already described, a simple t test is used to test the mean difference. Table 3 denotes the absolute sample skewness, the p values of the Shapiro–Wilk test of normality and the p values of the t test. The sample skewness and Shapiro–Wilk p values are reported, since the t test requires normality, but is robust against violations if the skewness is not too extreme, see Stonehouse and Forrester (1998).

Table 3 Absolute sample skewness and p values for normality and t test for all strategies and all estimators (AM = arithmetic mean, GM = geometric mean, BS = Bayes–Stein) with respect to the out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, alternative assets, precious metals and cryptocurrencies

	$ \hat{S} $	p value (SW-test)	p value (t test)
Naive (AM)	0.1032	0.0000	NA
Constrained minimum variance (AM)	1.0312	0.0000	0.0579
Global minimum variance (AM)	0.9988	0.0000	0.0759
Sharpe ratio (AM)	1.9108	0.0000	0.8686
F-geometric mean maximization (AM)	0.0612	0.0000	0.9694
C-geometric mean maximization (AM)	0.3772	0.0000	0.4381
LIBRO-MPT (AM)	0.0692	0.0007	0.3964
LIBRO-CVaR (AM)	0.2104	0.0000	0.8483
CVaR (AM)	0.7037	0.0000	0.2699
Constrained minimum variance (GM)	0.9997	0.0000	0.0595
Global minimum variance (GM)	0.9988	0.0000	0.0759
Sharpe ratio (GM)	17.8123	0.0000	0.5658
F-geometric mean maximization (GM)	0.0641	0.0000	0.9755
C-geometric mean maximization (GM)	0.2988	0.0000	0.8301
LIBRO-MPT (GM)	0.0657	0.0007	0.3976
LIBRO-CVaR (GM)	0.2321	0.0000	0.7860
CVaR (GM)	0.9228	0.0000	0.3403
Constrained minimum variance (BS)	0.9352	0.0000	0.0372
Global minimum variance (BS)	0.9988	0.0000	0.0759
Sharpe ratio (BS)	1.2171	0.0000	0.7783
F-geometric mean maximization (BS)	0.0570	0.0000	0.9628
C-geometric mean maximization (BS)	0.0497	0.0000	0.8486
LIBRO-MPT (BS)	0.0757	0.0022	0.3485
LIBRO-CVaR (BS)	0.2551	0.0000	0.8307
CVaR (BS)	0.9591	0.0000	0.2337

Given the table, it can be seen that the hypothesis of normal distribution has to be rejected in all cases. However, excluding the sharpe ratio maximization, an absolute sample skewness below one is reported for all of the strategies. However, some of these strategies have a skewness quite close to 1. That means, following the rule of thumb of Bulmer (1979), the t test remains powerful for these, although they should be interpreted carefully. That the first row in the t test column of the table contains an NA comes from the fact that the Naive portfolio is the benchmark; thus, testing for a difference between the strategy and itself again is redundant as they are exactly equal by construction. At the 5%-level, only the constrained minimum variance approach is significant. At the 10%-level, the six classical MPT strategies are significant. However, the arithmetic mean is not perfectly suitable for portfolio returns; therefore, these results should not be the non plus ultra in the analysis.

Fig. 1 Cumulative out-of-sample performance from 28.07.2016 to 31.12.2018, using stocks from SDAX, alternative assets, commodities and cryptocurrencies for following strategies: equally weighted, Constrained Minimum Variance (AM), Unconstrained Geometric Mean Maximization (AM), LIBRO-CVaR (BS) and Global Minimum Variance (BS)

Performance starts at 1, since an investor starts with 100% of her wealth

One can see that the Naive Portfolio and the unconstrained geometric mean maximization are approximately equal to each other and so are the global minimum variance strategy and the constrained minimum variance portfolio. Up to some point, the LIBRO-CVaR Portfolio lies approximately on the Naive portfolio and then starts outperforming it for some time, ending up with a slightly higher terminal wealth. Given the metrics and the figure above, it should be checked whether the LIBRO-CVaR portfolio is cost-efficient, and if it is not an investor should choose either the Naive Portfolio or one of the geometric mean maximizations. Figure 2 is a μ - σ -diagram of the portfolios, using different symbols and colors for strategy and estimator used. The sharpe ratio portfolios have been excluded as they contain extreme outliers.

As already seen in the tables and figures before, the LIBRO-CVaR and CVaR are the best among those strategies depicted, closely followed by the unconstrained Geometric Mean Maximization. Furthermore, no clear relationship between performance and estimators can be seen.

Besides the individual quality, it is also of interest whether the usage of different estimators has an impact on portfolio performance. Figure 4 shows how the mean and standard deviation of the strategies are distributed with respect to their estimator. The Sharpe Ratio Maximizations have been removed from the computation due to their outlyingness.

Fig. 2 Mean–variance diagram of strategies for out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, alternative assets, commodities and cryptocurrencies Colors: (AM), (GM), (BS). Symbols: $\square$ constrained minimum variance, $\circ$ global minimum variance, $\triangle$ unconstrained geometric mean maximization, $+$ constrained geometric mean maximization, $\times$ LIBRO-MPT, ∇ LIBRO-CVaR, $*$ CVaR black bullet: $\bullet$ Naive portfolio

It can be seen that the median of the mean return of the Bayes–Stein strategies is slightly below those of the geometric mean and arithmetic mean. However, its standard deviation is also lower at the median. For both parameters, the range of their distribution is approximately equal for all three estimators. Anyway, the portfolios might contain outliers, thus in the boxplots of Fig. 5 robust location- and dispersion parameter, namely the median and the interquartile range, are depicted.

Using robust parameters, the location of returns among strategies has changed. The median of the median return is close to zero for the arithmetic mean estimations as well as for the Bayes–Stein estimation. However, the median return for the (GM) is even higher than the mean return (ca. 0.001 compared to ca. 0.0007). The median interquartile range seems to be approximately equal to the standard deviation and compared to each other, although outliers disturb the interpretation. As pointed out before, the geometric mean might be a better measurement to assess the performance of a portfolio. Furthermore, the final wealth is of interest for an investor, thus these two metrics are shown in the boxplots of Fig. 6.

The results for (GM) as a location parameter are similar to those of the arithmetic mean. Again, Bayes–Stein comes out with the lowest mean, whereas arithmetic mean strategies and geometric mean strategies have only slightly different median returns. Given these figures, it seems that the portfolios which use the geometric mean as an estimator have the most stable performance. When it comes to terminal return, the portfolios which used the arithmetic mean as an input parameter perform

Fig. 3 Cumulative performance of tangency portfolio from 28.07.2016 to 31.12.2018, using stocks from SDAX, alternative assets, commodities and cryptocurrencies, demonstrating the outlyingness of this strategy

nearly identical to the geometric mean strategies. The Bayes–Stein portfolios come out with a terminal return slightly lower than the other two groups.

Before, it was often mentioned that the sharpe ratio strategies were removed from the computations and diagrams. Figure 3 demonstrates the outlyingness for the arithmetic mean estimator, even though all three of them have a similar pattern. The exhibit shows the cumulative performance of the portfolio. DeMiguel et al. (2009) already pointed out that in empirical research it is known that the MPT strategies tend to estimate extreme weights and thus take extreme values. However, within this research, only the sharpe ratio approaches does so. The data set of this paper contains some outliers. Nonetheless, the other strategies worked well with the data and it does not seem reasonable why specific assets, for example, corn, are assigned with extreme weights in this strategy. Cumulative performances of 5, which is equal to 500%, as well as -30 , which is equal to -3000% , are uncommon and unrealistic. Weights in this set contain values such as 28048% and -16623% . Thus, the investor would have extreme leverage and extreme, levered short selling on specific assets.

5 Conclusion

The process of asset allocation and portfolio analysis can usually be divided into three parts. The first one is the parameter and input estimation, the second one the allocation of wealth and the third one risk management. The focus of our investigation is the allocation and optimization; however, the other two aspects are tackled as well.

We investigate standard asset-allocation models' performance based on historical prices and trading volumes of 6 CCs, 70 stocks diversified in geographical and size dimensions, and 13 commodities from more traditional to more exotic investments. We extend the analysis by applying different input parameters' estimators for every portfolio allocation rule. We assess out-of-sample performance with five metrics. Furthermore, we explicitly incorporate transactional costs to realistically challenge the considered investment strategies for additional robustness check of our findings.

The empirical results demonstrate that CVaR strategies outperform other considered rules. This finding stays fair for CVaR LIBRO combinations as well; even though, incorporation of liquidity constraints reduces investors' gains. The robustness check with diversified stock data confirms this result. Six CVaR variations outperform the naive benchmark rule, stressing out the importance of using the actual distribution and taking into account boundary for less liquid assets. The only performance metric of CVaR or LIBRO-CVaR not being among the winning strategies is the turnover, where the maximization of the geometric mean takes advantage besides the Naive Portfolio.

The additional analysis of performance with included trading costs demonstrates the CVaR- and LIBRO-CVaR strategies still perform well. However, increasing these trading costs up to 2% leads to vanishing investment gains, and active portfolio rebalancing makes CVaR methods perform worse than the Naive portfolio or the geometric mean maximization rule.

The MPT strategies do not perform well, which is already commonly known, see DeMiguel et al. (2009). On the contrary, the CVaR and the LIBRO-CVaR deal well with this lack of information and do not rely on such assumptions about distributions and moments.

Furthermore, we discover the performance of the portfolios with respect to parameters' estimators. We cannot claim that one of the three estimators analyzed has a significant advantage over the other two. The (GM) has the most stable performance among different measurements (mean, median, geometric mean). The (BS) portfolios seem to have the worst investment results. Nonetheless, a clear relationship between performance and estimator cannot be proved. This paper's contribution is that several asset allocation methods are evaluated in details in the context of new digital assets such as CCs and different parameter estimations. We believe that further development of this research can be done. Thus, for example, more detailed investigation on the impact of different asset classes can be conducted; that is, comparing how portfolios perform against each other when one asset class is dropped out of optimization. Furthermore, more detailed studies of parameter estimation should be conducted to improve portfolio performance. For instance, Jacquier et al. (2003) suggest a weighted average between the geometric and arithmetic mean. Also, robust parameters such as median and median-based dispersion parameters could be considered instead of the first two moments. Furthermore, we suggest that in-depth research about the properties of CVaR-portfolios should be conducted to assess their performance against their main competitors in this paper, namely the Naive portfolio and the unconstrained geometric mean maximization.

As the follow-up extension of current research, one could consider an even broader investment universe to study portfolio optimization. Bonds and several alternative assets such as real estate, art, wine, musical instruments or toys could be considered. The latter one is especially fascinating, as a recent study showed that Lego has, at least partially, very nice properties for a portfolio. These properties are good returns compared to stock markets and low correlation to it simultaneously, see Dobrynskaya and Kishilova (2018). Furthermore, financial instruments such as options, warrants and futures could be considered too.

Appendix A

See Table 4.

Table 4 Description of asset classes used

Asset class	Description	Assets
Stocks	Equity of corporations	SDAX (as of 08.02.2019), Additionally in Appendix: DAX30, FTSE100, NASDAQ100, Nikkei225, TOPIX small (as of 18.05.2020), CSI 500, S&P 600 (as of 03.06.2020)
Precious Metals	Rare, naturally occurring metallic chemical element of high economic value (see Wikipedia.org as of 03.08.2019)	Gold, silver, palladium, platinum
Alternative assets	Alternative assets are those which do not belong to traditional assets such as stocks, bonds and certificates. However, precious metals can be considered as alternatives or not, depending on individual judgment	Diamonds, wheat, corn, pigbellies, coriander, oil
Cryptocurrencies	Cryptocurrencies are young currencies which usually are not issued by a government or central banks and are usually based on blockchain technology and work decentralized	Bitcoin, ripple, ethereum, litecoin, tether, stellar

Appendix B

See Tables 5 and 6.

Table 5 Descriptive statistics for all strategies and all estimators (AM = arithmetic mean, GM = geometric mean, BS = Bayes–Stein) with respect to the out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, alternative assets, precious metals and cryptocurrencies

	Min	1st quartile	Median	Arithmetic mean	Geometric mean	3rd quartile	Max	Standard deviation	Skewness	Kurtosis
1	-0.0330	-0.0046	0.0012	0.0007	0.0042	0.0063	0.0487	0.0091	-0.1032	4.9485
2	-0.0683	-0.0032	-0.0001	0.0001	0.0027	0.0038	0.0326	0.0073	-1.0312	16.3764
3	-0.0683	-0.0033	0.0000	0.0002	0.0023	0.0036	0.0336	0.0074	-0.9988	15.8793
4	-6.1716	-0.0227	0.0001	0.0037	0.0161	0.0247	5.2690	0.4543	-1.9108	97.4700
5	-0.0332	-0.0046	0.0012	0.0007	0.0042	0.0063	0.0512	0.0092	-0.0612	5.1487
6	-0.0445	-0.0051	0.0009	0.0010	0.0058	0.0075	0.0741	0.0115	0.3772	6.6002
7	-0.0364	-0.0063	0.0002	0.0003	0.0051	0.0067	0.0359	0.0101	-0.0692	3.9538
8	-0.0404	-0.0049	0.0011	0.0008	0.0048	0.0070	0.0419	0.0103	-0.2104	4.2042
9	-0.0452	-0.0055	0.0014	0.0012	0.0053	0.0074	0.0966	0.0116	0.7037	10.7450
10	-0.0683	-0.0034	-0.0001	0.0001	0.0028	0.0038	0.0330	0.0073	-0.9997	16.2723
11	-0.0683	-0.0033	0.0000	0.0002	0.0023	0.0036	0.0336	0.0074	-0.9988	15.8793
12	-16.0788	-0.0482	0.0003	0.0680	0.0335	0.0454	66.0931	2.9467	17.8123	404.5613
13	-0.0330	-0.0046	0.0012	0.0007	0.0043	0.0063	0.0509	0.0092	-0.0641	5.1302
14	-0.0477	-0.0049	0.0010	0.0008	0.0000	0.0068	0.0366	0.0107	-0.2988	4.5817
15	-0.0364	-0.0063	0.0002	0.0003	0.0051	0.0066	0.0357	0.0102	-0.0657	3.9541

Table 5 (continued)

	Min	1st quartile	Median	Arithmetic mean	Geometric mean	3rd quartile	Max	Standard deviation	Skewness	Kurtosis
16	-0.0412	-0.0049	0.0015	0.0008	0.0048	0.0069	0.0413	0.0104	-0.2321	4.3809
17	-0.0421	-0.0050	0.0013	0.0011	0.0052	0.0075	0.1034	0.0116	0.9228	12.9415
18	-0.0683	-0.0035	-0.0002	0.0001	0.0029	0.0039	0.0314	0.0075	-0.9352	15.0234
19	-0.0683	-0.0033	0.0000	0.0002	0.0023	0.0036	0.0336	0.0074	-0.9988	15.8793
20	-2.5375	-0.0116	0.0001	0.0030	0.0089	0.0122	1.9785	0.2081	-1.2171	73.6248
21	-0.0333	-0.0046	0.0012	0.0007	0.0042	0.0063	0.0513	0.0092	-0.0570	5.1617
22	-0.0472	-0.0038	0.0006	0.0006	0.0000	0.0052	0.0418	0.0095	0.0497	6.1395
23	-0.0364	-0.0064	0.0002	0.0003	0.0054	0.0066	0.0360	0.0103	-0.0757	3.8631
24	-0.0439	-0.0053	0.0011	0.0008	0.0053	0.0071	0.0425	0.0104	-0.2551	4.2871
25	-0.0426	-0.0059	0.0015	0.0012	0.0051	0.0075	0.1036	0.0117	0.9591	12.5001

Table 6 Numbers and names of strategies for Table 5

Number	Strategy
1	Naive portfolio
2	Constrained minimum variance (AM)
3	Global minimum variance (AM)
4	Sharpe ratio (AM)
5	F-geometric mean maximization (AM)
6	C-geometric mean maximization (AM)
7	LIBRO-MPT (AM)
8	LIBRO-CVaR (AM)
9	CVaR (AM)
10	Constrained minimum variance (GM)
11	Global minimum variance (GM)
12	Sharpe ratio (GM)
13	F-geometric mean maximization (GM)
14	C-geometric mean maximization (GM)
15	LIBRO-MPT (GM)
16	LIBRO-CVaR (GM)
17	CVaR (GM)
18	Constrained minimum variance (BS)
19	Global minimum variance (BS)
20	Sharpe ratio (BS)
21	F-geometric mean maximization (BS)
22	C-geometric mean maximization (BS)
23	LIBRO-MPT (BS)
24	LIBRO-CVaR (BS)
25	CVaR (BS)

Appendix C

See Figs. 4, 5 and 6.

Fig. 4 Boxplot of mean and standard deviation of portfolio returns by estimators used

Fig. 5 Boxplot of median and interquartile range of portfolio returns by estimators used

Fig. 6 Boxplot of geometric mean and terminal return of portfolios by estimators used

Appendix D

See Tables 7 and 8.

Table 7 Performance metrics for all strategies and all estimators (AM = arithmetic mean, GM = geometric mean, BS = Bayes–Stein) with respect to the out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, DAX30, FTSE100, Nikkei225, TOPIX small in stratified subsampling, alternative assets, precious metals and cryptocurrencies

	CEQ	SR	ASR	TO	TR
Naive (AM)	0.0006	0.0999	0.1001	0.0030	1.5442
Constrained minimum variance (AM)	−0.0003	−0.0268	−0.0268	0.6376	0.8789
Global minimum variance (AM)	−0.0004	−0.0352	−0.0354	0.6485	0.8463
Sharpe ratio (AM)	−0.1325	0.0695	0.0762	41.5892	−19.3623
F-geometric mean maximization (AM)	0.0006	0.1007	0.1010	0.0108	1.5550
C-geometric mean maximization (AM)	0.0006	0.0867	0.0867	0.2065	1.6108
LIBRO-MPT (AM)	0.0003	0.0547	0.0545	0.1045	1.2353
LIBRO-CVaR (AM)	0.0010	0.1177	0.1183	0.4915	2.2793
CVaR (AM)	0.0008	0.1079	0.1092	0.6415	1.8561
Constrained minimum variance (GM)	−0.0003	−0.0297	−0.0298	0.6398	0.8680
Global minimum variance (GM)	−0.0004	−0.0352	−0.0354	0.6485	0.8463
Sharpe ratio (GM)	−0.4402	−0.0288	−0.0312	66.9502	−37.2478
F-geometric mean maximization (GM)	0.0006	0.1005	0.1008	0.0093	1.5511
C-geometric mean maximization (GM)	0.0004	0.0691	0.0690	0.2101	1.4158
LIBRO-MPT (GM)	0.0003	0.0553	0.0551	0.1050	1.2383
LIBRO-CVaR (GM)	0.0010	0.1155	0.1169	0.4866	2.2739
CVaR (GM)	0.0009	0.1216	0.1241	0.6388	2.0336
Constrained minimum variance (BS)	−0.0002	−0.0128	−0.0128	0.7405	0.9285
Global minimum variance (BS)	−0.0004	−0.0352	−0.0354	0.6485	0.8463
Sharpe ratio (BS)	−0.0203	0.0697	0.0762	17.9372	10.5264
F-geometric mean maximization (BS)	0.0006	0.1011	0.1014	0.0108	1.5577
C-geometric mean maximization (BS)	0.0003	0.0601	0.0603	0.2124	1.2897
LIBRO-MPT (BS)	0.0003	0.0661	0.0659	0.1222	1.3051
LIBRO-CVaR (BS)	0.0010	0.1155	0.1156	0.4921	2.2345
CVaR (BS)	0.0008	0.1072	0.1087	0.6415	1.8328

Table 8 Performance metrics for all strategies and all estimators (AM = arithmetic mean, GM = geometric mean, BS = Bayes–Stein) with respect to the out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, TOPIX small, CSI 500 and S&P 600 in stratified subsampling, alternative assets, precious metals and cryptocurrencies

	CEQ	SR	ASR	TO	TR
Naive (AM)	0.0006	0.0976	0.0975	0.0029	1.5406
Constrained minimum variance (AM)	−0.0004	−0.0461	−0.0465	0.5116	0.8170
Global minimum variance (AM)	−0.0004	−0.0486	−0.0490	0.5107	0.8068
Sharpe ratio (AM)	−549.0366	0.0388	0.0436	505.9587	−867.3913
F-geometric mean maximization (AM)	0.0006	0.0983	0.0983	0.0107	1.5507
C-geometric mean maximization (AM)	0.0005	0.0734	0.0739	0.2179	1.5123
LIBRO-MPT (AM)	0.0004	0.0639	0.0636	0.1182	1.3739
LIBRO-CVaR (AM)	0.0009	0.0973	0.0974	0.5012	2.2311
CVaR (AM)	0.0007	0.1005	0.1019	0.6397	1.7942
Constrained minimum variance (GM)	−0.0004	−0.0452	−0.0455	0.5122	0.8202
Global minimum variance (GM)	−0.0004	−0.0486	−0.0490	0.5107	0.8068
Sharpe ratio (GM)	−4.2497	0.0122	0.0125	161.2455	2800.3643
F-geometric mean maximization (GM)	0.0006	0.0978	0.0977	0.0093	1.5443
C-geometric mean maximization (GM)	0.0003	0.0548	0.0547	0.2168	1.3137
LIBRO-MPT (GM)	0.0004	0.0634	0.0632	0.1197	1.3727
LIBRO-CVaR (GM)	0.0010	0.1033	0.1033	0.5047	2.3263
CVaR (GM)	0.0010	0.1257	0.1275	0.6372	2.0712
Constrained minimum variance (BS)	−0.0004	−0.0365	−0.0367	0.5708	0.8449
Global minimum variance (BS)	−0.0004	−0.0486	−0.0490	0.5107	0.8068
Sharpe ratio (BS)	−94.9852	0.0391	0.0439	219.6914	0.0078
F-geometric mean maximization (BS)	0.0006	0.0981	0.0981	0.0106	1.5486
C-geometric mean maximization (BS)	0.0002	0.0464	0.0464	0.2029	1.2303
LIBRO-MPT (BS)	0.0004	0.0622	0.0619	0.1376	1.3699
LIBRO-CVaR (BS)	0.0008	0.0958	0.0961	0.5027	2.1497
CVaR (BS)	0.0008	0.1105	0.1115	0.6406	1.8704

Appendix E

See Tables 9, 10, 11, 12, 13, and 14.

Table 9 Performance metrics for all strategies and all estimators (AM = arithmetic mean, GM = geometric mean, BS = Bayes–Stein) including explicit trading costs (5 basis points for non-crypto assets and 20 basis points for crypto-assets) with respect to the out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, alternative assets, precious metals and cryptocurrencies

	CEQ	SR	ASR	TO	TR
Naive (AM)	0.0005	0.0737	0.0736	0.0033	1.4897
Constrained minimum variance (AM)	−0.0003	−0.0228	−0.0228	0.5138	0.8855
Global minimum variance (AM)	−0.0003	−0.0184	−0.0184	0.5185	0.9020
Sharpe ratio (AM)	−11.9743	0.0478	0.0508	124.0649	0.0004
F-geometric mean maximization (AM)	0.0005	0.0741	0.0740	0.0130	1.4962
C-geometric mean maximization (AM)	0.0005	0.0764	0.0767	0.2211	1.6677
LIBRO-MPT (AM)	−0.0002	0.0032	0.0032	0.5675	0.9886
LIBRO-CVaR (AM)	0.0002	0.0465	0.0464	0.5561	1.3111
CVaR (AM)	0.0003	0.0581	0.0585	0.6392	1.4638
Constrained minimum variance (GM)	−0.0003	−0.0226	−0.0227	0.5147	0.8857
Global minimum variance (GM)	−0.0003	−0.0184	−0.0184	0.5185	0.9020
Sharpe ratio (GM)	−21.6523	−0.0167	−0.0163	157.2585	0.1679
F-geometric mean maximization (GM)	0.0005	0.0742	0.0741	0.0109	1.4953
C-geometric mean maximization (GM)	0.0003	0.0567	0.0566	0.2284	1.4133
LIBRO-MPT (GM)	−0.0002	0.0036	0.0036	0.5691	0.9911
LIBRO-CVaR (GM)	0.0002	0.0467	0.0466	0.5561	1.3136
CVaR (GM)	0.0005	0.0709	0.0712	0.6357	1.6044
Constrained minimum variance (BS)	−0.0004	−0.0372	−0.0374	0.5823	0.8245
Global minimum variance (BS)	−0.0003	−0.0184	−0.0184	0.5185	0.9020
Sharpe ratio (BS)	−78.3498	0.0510	0.0567	104.4162	0.0011
F-geometric mean maximization (BS)	0.0005	0.0744	0.0743	0.0124	1.4997
C-geometric mean maximization (BS)	0.0002	0.0464	0.0464	0.2241	1.2855
LIBRO-MPT (BS)	−0.0003	−0.0017	−0.0017	0.5895	0.9569
LIBRO-CVaR (BS)	0.0002	0.0491	0.0490	0.5554	1.3330
CVaR (BS)	0.0005	0.0690	0.0695	0.6374	1.5905

Table 10 Performance metrics for all strategies and all estimators (AM = arithmetic mean, GM = geometric mean, BS = Bayes–Stein) including explicit trading costs (5 basis points for non-crypto assets and 20 basis points for crypto-assets) with respect to the out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, DAX30, FTSE100, Nikkei225, TOPIX small in stratified subsampling, alternative assets, precious metals and cryptocurrencies

	CEQ	SR	ASR	TO	TR
Naive (AM)	0.0006	0.0995	0.0997	0.0031	1.5410
Constrained minimum variance (AM)	−0.0006	−0.0782	−0.0787	0.6376	0.7043
Global minimum variance (AM)	−0.0007	−0.0866	−0.0874	0.6486	0.6771
Sharpe ratio (AM)	−366.3171	−0.0422	−0.0477	70.6090	−0.0011
F-geometric mean maximization (AM)	0.0006	0.0997	0.1000	0.0107	1.5478
C-geometric mean maximization (AM)	0.0004	0.0709	0.0709	0.2064	1.4691
LIBRO-MPT (AM)	0.0002	0.0448	0.0447	0.1052	1.1852
LIBRO-CVaR (AM)	0.0007	0.0868	0.0871	0.4928	1.7957
CVaR (AM)	0.0004	0.0701	0.0711	0.6409	1.4804
Constrained minimum variance (GM)	−0.0007	−0.0808	−0.0814	0.6398	0.6965
Global minimum variance (GM)	−0.0007	−0.0866	−0.0874	0.6486	0.6771
Sharpe ratio (GM)	−191.4874	−0.0453	−0.0514	89.4109	0.0008
F-geometric mean maximization (GM)	0.0006	0.0997	0.0999	0.0093	1.5449
C-geometric mean maximization (GM)	0.0003	0.0529	0.0529	0.2103	1.2988
LIBRO-MPT (GM)	0.0002	0.0450	0.0449	0.1058	1.1863
LIBRO-CVaR (GM)	0.0007	0.0908	0.0910	0.4926	1.8665
CVaR (GM)	0.0005	0.0798	0.0804	0.6411	1.5605
Constrained minimum variance (BS)	−0.0006	−0.0688	−0.0689	0.7403	0.7198
Global minimum variance (BS)	−0.0007	−0.0866	−0.0874	0.6486	0.6771
Sharpe ratio (BS)	−0.0366	−0.0257	−0.0252	17.9427	−0.0061
F-geometric mean maximization (BS)	0.0006	0.1000	0.1003	0.0108	1.5493
C-geometric mean maximization (BS)	0.0002	0.0392	0.0392	0.2123	1.1737
LIBRO-MPT (BS)	0.0003	0.0547	0.0546	0.1231	1.2421
LIBRO-CVaR (BS)	0.0007	0.0870	0.0872	0.4962	1.8004
CVaR (BS)	0.0004	0.0677	0.0684	0.6415	1.4511

Table 11 Performance metrics for all strategies and all estimators (AM = arithmetic mean, GM = geometric mean, BS = Bayes–Stein) including explicit trading costs (5 basis points for non-crypto assets and 20 basis points for crypto-assets) with respect to the out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, TOPIX small, CSI 500 and S&P 600 in stratified subsampling, alternative assets, precious metals and cryptocurrencies

	CEQ	SR	ASR	TO	TR
Naive (AM)	0.0006	0.0971	0.0970	0.0029	1.5369
Constrained minimum variance (AM)	−0.0007	−0.0909	−0.0922	0.5117	0.6792
Global minimum variance (AM)	−0.0007	−0.0940	−0.0953	0.5108	0.6679
Sharpe ratio (AM)	−387.5458	0.0296	0.0322	514.2031	−0.0002
F-geometric mean maximization (AM)	0.0006	0.0973	0.0973	0.0107	1.5432
C-geometric mean maximization (AM)	0.0003	0.0575	0.0579	0.2178	1.3738
LIBRO-MPT (AM)	0.0003	0.0552	0.0550	0.1180	1.3108
LIBRO-CVaR (AM)	0.0007	0.0839	0.0843	0.4984	1.9716
CVaR (AM)	0.0005	0.0739	0.0747	0.6397	1.5197
Constrained minimum variance (GM)	−0.0007	−0.0898	−0.0910	0.5124	0.6827
Global minimum variance (GM)	−0.0007	−0.0940	−0.0953	0.5108	0.6679
Sharpe ratio (GM)	−3.8630	−0.0505	−0.0484	163.0464	−0.0003
F-geometric mean maximization (GM)	0.0006	0.0966	0.0966	0.0093	1.5359
C-geometric mean maximization (GM)	0.0001	0.0383	0.0382	0.2168	1.2016
LIBRO-MPT (GM)	0.0003	0.0547	0.0545	0.1197	1.3091
LIBRO-CVaR (GM)	0.0006	0.0806	0.0807	0.4991	1.8956
CVaR (GM)	0.0005	0.0749	0.0753	0.6374	1.5238
Constrained minimum variance (BS)	−0.0007	−0.0844	−0.0855	0.5709	0.6896
Global minimum variance (BS)	−0.0007	−0.0940	−0.0953	0.5108	0.6679
Sharpe ratio (BS)	−65.8269	0.0231	0.0248	219.8415	−0.0002
F-geometric mean maximization (BS)	0.0006	0.0971	0.0971	0.0106	1.5410
C-geometric mean maximization (BS)	0.0001	0.0299	0.0299	0.2029	1.1353
LIBRO-MPT (BS)	0.0003	0.0523	0.0521	0.1374	1.2972
LIBRO-CVaR (BS)	0.0005	0.0744	0.0744	0.4991	1.7837
CVaR (BS)	0.0004	0.0646	0.0648	0.6417	1.4257

Table 12 Performance metrics for all strategies and all estimators (AM = arithmetic mean, GM = geometric mean, BS = Bayes–Stein) including explicit trading costs (22 basis points for all assets) with respect to the out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, alternative assets, precious metals and cryptocurrencies

	CEQ	SR	ASR	TO	TR
Naive (AM)	0.0005	0.0729	0.0728	0.0033	1.4831
Constrained minimum variance (AM)	−0.0012	−0.1391	−0.1412	0.5140	0.5162
Global minimum variance (AM)	−0.0011	−0.1324	−0.1343	0.5185	0.5267
Sharpe ratio (AM)	−30.2372	−0.1260	−0.1176	166.2052	0.0008
F-geometric mean maximization (AM)	0.0004	0.0717	0.0716	0.0130	1.4758
C-geometric mean maximization (AM)	0.0002	0.0470	0.0471	0.2210	1.3482
LIBRO-MPT (AM)	−0.0011	−0.0857	−0.0857	0.5562	0.5687
LIBRO-CVaR (AM)	−0.0007	−0.0432	−0.0432	0.5520	0.7328
CVaR (AM)	−0.0006	−0.0209	−0.0208	0.6356	0.8228
Constrained minimum variance (GM)	−0.0011	−0.1376	−0.1396	0.5149	0.5189
Global minimum variance (GM)	−0.0011	−0.1324	−0.1343	0.5185	0.5267
Sharpe ratio (GM)	−33.1634	−0.0870	−0.0866	206.0195	0.0002
F-geometric mean maximization (GM)	0.0004	0.0721	0.0720	0.0109	1.4768
C-geometric mean maximization (GM)	0.0000	0.0240	0.0240	0.2283	1.1340
LIBRO-MPT (GM)	−0.0011	−0.0854	−0.0854	0.5579	0.5690
LIBRO-CVaR (GM)	−0.0007	−0.0394	−0.0395	0.5492	0.7521
CVaR (GM)	−0.0006	−0.0298	−0.0298	0.6343	0.7791
Constrained minimum variance (BS)	−0.0014	−0.1628	−0.1649	0.5826	0.4535
Global minimum variance (BS)	−0.0011	−0.1324	−0.1343	0.5185	0.5267
Sharpe ratio (BS)	−1296.0035	−0.0458	−0.0518	186.7772	0.0007
F-geometric mean maximization (BS)	0.0005	0.0723	0.0722	0.0123	1.4806
C-geometric mean maximization (BS)	−0.0001	0.0113	0.0113	0.2241	1.0400
LIBRO-MPT (BS)	−0.0012	−0.0917	−0.0917	0.5772	0.5419
LIBRO-CVaR (BS)	−0.0007	−0.0400	−0.0401	0.5507	0.7462
CVaR (BS)	−0.0006	−0.0234	−0.0233	0.6376	0.8114

Table 13 Performance metrics for all strategies and all estimators (AM = arithmetic mean, GM = geometric mean, BS = Bayes–Stein) including explicit trading costs (22 basis points for all assets) with respect to the out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, DAX30, FTSE100, Nikkei225, TOPIX small in stratified subsampling, alternative assets, precious metals and cryptocurrencies

	CEQ	SR	ASR	TO	TR
Naive (AM)	0.0006	0.0932	0.0936	0.0033	1.5352
Constrained minimum variance (AM)	−0.0011	−0.1795	−0.1842	0.4251	0.5152
Global minimum variance (AM)	−0.0011	−0.1776	−0.1827	0.4189	0.5141
Sharpe ratio (AM)	−839.7322	−0.0852	−0.0979	275.1284	0.0006
F-geometric mean maximization (AM)	0.0006	0.0932	0.0937	0.0140	1.5452
C-geometric mean maximization (AM)	−0.0002	0.0072	0.0072	0.2106	1.0143
LIBRO-MPT (AM)	−0.0001	−0.0043	−0.0043	0.1213	0.9668
LIBRO-CVaR (AM)	−0.0002	0.0175	0.0175	0.4866	1.0923
CVaR (AM)	−0.0005	−0.0245	−0.0243	0.6377	0.8226
Constrained minimum variance (GM)	−0.0011	−0.1809	−0.1858	0.4258	0.5125
Global minimum variance (GM)	−0.0011	−0.1776	−0.1827	0.4189	0.5141
Sharpe ratio (GM)	−1048.1402	−0.0729	−0.0833	332.9490	0.0014
F-geometric mean maximization (GM)	0.0006	0.0916	0.0921	0.0130	1.5298
C-geometric mean maximization (GM)	−0.0004	−0.0221	−0.0221	0.2185	0.8670
LIBRO-MPT (GM)	−0.0001	−0.0035	−0.0035	0.1218	0.9700
LIBRO-CVaR (GM)	−0.0001	0.0242	0.0242	0.4891	1.1525
CVaR (GM)	−0.0005	−0.0232	−0.0231	0.6354	0.8307
Constrained minimum variance (BS)	−0.0013	−0.2090	−0.2133	0.5279	0.4492
Global minimum variance (BS)	−0.0011	−0.1776	−0.1827	0.4189	0.5141
Sharpe ratio (BS)	−358044.0920	−0.0516	−0.0585	4695.5687	−0.0003
F-geometric mean maximization (BS)	0.0006	0.0926	0.0931	0.0143	1.5394
C-geometric mean maximization (BS)	−0.0004	−0.0293	−0.0293	0.2055	0.8504
LIBRO-MPT (BS)	−0.0002	−0.0031	−0.0031	0.1554	0.9698
LIBRO-CVaR (BS)	−0.0002	0.0170	0.0170	0.4896	1.0897
CVaR (BS)	−0.0006	−0.0318	−0.0314	0.6391	0.7819

Table 14 Performance metrics for all strategies and all estimators (AM = arithmetic mean, GM = geometric mean, BS = Bayes–Stein) including explicit trading costs (22 basis points for all assets) with respect to the out-of-sample timeframe from 28.07.2016 to 31.12.2018, using stocks from SDAX, TOPIX small, CSI 500 and S&P 600 in stratified subsampling, alternative assets, precious metals and cryptocurrencies

	CEQ	SR	ASR	TO	TR
Naive (AM)	0.0006	0.0961	0.0960	0.0029	1.5296
Constrained minimum variance (AM)	−0.0015	−0.2185	−0.2225	0.5117	0.3992
Global minimum variance (AM)	−0.0016	−0.2192	−0.2228	0.5110	0.3940
Sharpe ratio (AM)	−362.9866	−0.0513	−0.0573	568.2656	0.0000
F-geometric mean maximization (AM)	0.0006	0.0946	0.0946	0.0107	1.5240
C-geometric mean maximization (AM)	0.0000	0.0228	0.0229	0.2178	1.1151
LIBRO-MPT (AM)	0.0001	0.0318	0.0317	0.1175	1.1565
LIBRO-CVaR (AM)	0.0000	0.0305	0.0306	0.4977	1.2252
CVaR (AM)	−0.0006	−0.0411	−0.0408	0.6377	0.7571
Constrained minimum variance (GM)	−0.0015	−0.2177	−0.2216	0.5124	0.4007
Global minimum variance (GM)	−0.0016	−0.2192	−0.2228	0.5110	0.3940
Sharpe ratio (GM)	−221.2654	−0.0140	−0.0136	251.7606	−0.0004
F-geometric mean maximization (GM)	0.0006	0.0945	0.0945	0.0093	1.5206
C-geometric mean maximization (GM)	−0.0002	−0.0012	−0.0012	0.2166	0.9710
LIBRO-MPT (GM)	0.0001	0.0309	0.0309	0.1191	1.1520
LIBRO-CVaR (GM)	−0.0001	0.0256	0.0256	0.4993	1.1740
CVaR (GM)	−0.0006	−0.0405	−0.0402	0.6373	0.7639
Constrained minimum variance (BS)	−0.0016	−0.2224	−0.2266	0.5713	0.3824
Global minimum variance (BS)	−0.0016	−0.2192	−0.2228	0.5110	0.3940
Sharpe ratio (BS)	−105.0137	−0.0437	−0.0451	327.2976	0.0000
F-geometric mean maximization (BS)	0.0006	0.0943	0.0942	0.0106	1.5205
C-geometric mean maximization (BS)	−0.0002	−0.0115	−0.0115	0.2030	0.9279
LIBRO-MPT (BS)	0.0000	0.0262	0.0262	0.1370	1.1253
LIBRO-CVaR (BS)	−0.0002	0.0189	0.0190	0.5047	1.1092
CVaR (BS)	−0.0005	−0.0333	−0.0331	0.6385	0.7980

Acknowledgements We thank our anonymous reviewers for their thoughtful comments and efforts to improve our article. The financial support of European Union’s Horizon 2020 “FIN-TECH” Project, under the grant no. 825215 (Topic ICT-35-2018, Type of actions: CSA) are greatly acknowledged.

Funding Open Access funding enabled and organized by Projekt DEAL.

Declarations

Conflict of interest The authors declare they have no conflict of interest.

Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the

material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>.

References

- Artzner, P. (1999). Application of coherent risk measures to capital requirements in insurance. *North American Actuarial Journal*, 3, 11–25.
- Baur, D. G., & McDermott, T. K. (2010). Is gold a safe haven? International evidence. *Journal of Banking & Finance*, 34, 1886–1898.
- Bessler, W., & Wolff, D. (2015). Do commodities add value in multi-asset portfolios? An out-of-sample analysis for different investment strategies. *Journal of Banking & Finance*, 60, 1–20.
- Bessler, W., Opfer, H., & Wolff, D. (2017). Multi-asset portfolio optimization and out-of-sample performance: an evaluation of Black-Litterman, mean-variance, and naive diversification approaches. *The European Journal of Finance*, 23, 1–30.
- Bosch, D. (2017). The impact of market participants' interaction on futures prices: Comparing three US wheat futures markets. *International Journal of Financial Markets and Derivatives*, 6, 120–148.
- Bulmer, M. G. (1979). Principles of statistics. Dover Publications.
- Byrd, R., Lu, P., Nocedal, J., & Zhu, C. (1995). A limited memory algorithm for bound constrained optimization. *SIAM Journal on Scientific Computing*, 16, 1190–1208.
- Clarke, R., Silva, H. D., & Thorley, S. (2013). Risk parity, maximum diversification, and minimum variance: An analytic perspective. *The Journal of Portfolio Management*, 39, 39–53.
- DeMiguel, V., Garlappi, L., & Uppal, R. (2009). Optimal versus naive diversification: How inefficient is the 1/N portfolio strategy. *The Review of Financial Studies*, 22, 1915–1953.
- Dobrynskaya, V., & Kishilova, J. (2018). Lego—The toy of smart investors. Available at SSRN: <https://ssrn.com/abstract=3291456>
- Elton, E. J., Gruber, M. J., Brown, S. J., & Goetzmann, W. N. (2003). Modern portfolio theory and investment analysis (6h ed.). Wiley.
- Estrada, J. (2010). Geometric mean maximization: An overlooked portfolio approach? *The Journal of Investing*, 19, 134–147.
- Fabozzi, F. J., Gupta, F., & Markowitz, H. M. (2002). The legacy of modern portfolio theory. *The Journal of Investing*, 11, 7–22.
- Glaser, F., Zimmermann, K., Haferkorn, M., Weber, M. C., & Siering, M. (2014). Bitcoin—Asset or currency? Revealing users' hidden intentions. Available at SSRN: <https://ssrn.com/abstract=2425247>
- Goldfarb, D., & Idnani, A. (1983). A numerically stable dual method for solving strictly convex quadratic programs. *Mathematical Programming*, 5, 1–33.
- Jacquier, E., Kane, A., & Marcus, A. J. (2003). Geometric or arithmetic mean: A reconsideration. *Financial Analysts Journal*, 59, 46–53.
- James, W., & Stein, C. (1961). Estimation with quadratic loss. In: 4th Berkeley symposium on probability and statistics (Vol. 1, pp. 361–379).
- Jorion, P. (1986). Bayes–Stein estimation for portfolio analysis. *Journal of Financial and Quantitative Analysis*, 21, 279–292.
- Klein, T., Thu, H. P., & Walther, T. (2018). Bitcoin is not the new gold—A comparison of volatility, correlation, and portfolio performance. *International Review of Financial Analysis*, 59, 105–116.
- Krokhmal, P., Palmquist, J., & Uryasev, S. (2003). Portfolio optimization with conditional value-at-risk objective and constraints. *Journal of Risk*, 4, 43–68.
- Markowitz, H. (1952). Portfolio selection. *The Journal of Finance*, 7, 77–91.
- Nelder, J., & Mead, R. (1965). A simplex algorithm for function minimization. *The Computer Journal*, 7, 308–313.
- Petukhina, A., Trimborn, S., Härdle, W. K., & Elendner, H. (2020). Investing with cryptocurrencies—Evaluating the potential of portfolio allocation. Available at SSRN: <https://ssrn.com/abstract=3274193>
- Pézier, J., & White, A. (2008). The relative merits of investable hedge fund indices and of funds of hedge funds in optimal passive portfolios. *The Journal of Alternative Investments*, 10, 37–49.

- Razali, N. M., & Yap, B. W. (2011). Power comparisons of Shapiro-Wilk, Kolmogorov-Smirnov, Lilliefors and Anderson-Darling tests. *Journal of Statistical Modeling and Analytics*, 2, 21–33.
- Rockafellar, R. T., & Uryasev, S. (2000). Optimization of conditional value-at risk. *Journal of Risk*, 2, 21–41.
- Scott, F., & Yelowitz, A. (2010). Pricing anomalies in the market for diamonds: Evidence of conformist behavior. *Economic Inquiry*, 48, 353–368.
- Sharpe, W. F. (1966). Mutual fund performance. *The Journal of Business*, 39, 119–138.
- Stein, C. (1955). Inadmissibility of the usual estimator for the mean of multivariate normal distribution. In: 3rd Berkeley symposium on probability and statistics (Vol. 1, pp. 197–206).
- Stonehouse, J. M., & Forrester, G. J. (1998). Robustness of the t and U tests under combined assumption violations. *Journal of Applied Statistics*, 25, 63–74.
- Trimborn, S., Li, M., & Härdle, W. K. (2019). Investing with cryptocurrencies—A liquidity constrained investment approach. *Journal of Financial Econometrics*, 18, 280–306.

Publisher's Note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.