CORRECTION

Correction to: Implications of the Overlapping Degree Between Proximal Fibula and Tibia for Placing the Optimal Syndesmotic Screw: A Virtual Cadaveric Study

Gu-Hee Jung^{1,2} · Jun-Young Lee³ · Jae-Hwan Lim⁴ · Hyeon-Joon Lee³ · June-Yeon Lee³

Published online: 6 July 2021
© Indian Orthopaedics Association 2021

Correction to: Indian Journal of Orthopaedics (2021)
<https://doi.org/10.1007/s43465-021-00437-y>

The original version of this article, published on June 15, 2021, contained a mistake. The funding note was missing. The correct information is given below. The original article has been corrected.

Funding note.

This work was supported by a grant from the Clinical Medicine Research Institute of the Chosun University Hospital (2019).

The original article can be found online at <https://doi.org/10.1007/s43465-021-00437-y>.

✉ Jun-Young Lee
leejy88@chosun.ac.kr

Gu-Hee Jung
jyujin2001@hotmail.com

Jae-Hwan Lim
eternul@naver.com

Hyeon-Joon Lee
dtscream@naver.com

June-Yeon Lee
republicor7@naver.com

- ² College of Medicine, Medical ICT Convergence Research Center, Institute of Health Sciences, Gyeongsang National University, 816 Beongil 15, Jinju-daero, Jinju-si 52727, Korea
- ³ Department of Orthopaedic Surgery, Chosun University, Chosun University Hospital, 365 Pilmundae-ro, Dong-gu, Gwangju 61453, Korea
- ⁴ Department of Orthopaedic Surgery, Gwangju Suwan Hospital, 370 Imbangueldae-ro, Gangsan-gu, Gwangju 62247, Korea

¹ Department of Orthopaedic Surgery, Gyeongsang National University, College of Medicine, Gyeongsang National University Changwon Hospital, 11, Samjeongja-ro, Seongsan-gu, Changwon-si 51472, Korea