www.palgrave-iournals.com/iors

## Corrigendum

## New heuristic for the dynamic layout problem

E Erel<sup>1</sup>, JB Ghosh<sup>2</sup> and JT Simon<sup>3</sup>

<sup>1</sup>Bilkent University, Turkey; <sup>2</sup>University of Southern California, USA; and <sup>3</sup>State University of New York at Geneseo, USA

Journal of the Operational Research Society (2005) 56, 1001. doi:10.1057/palgrave.jors.2601978

**Correction to**: *Journal of the Operational Research Society* (2003) **54**, 1275–1282. doi:10.1057/palgrave.jors.2601646

A few of the results for the 15- and 30-department problems (Tables 2 and 3) reported by us in our paper<sup>1</sup> were incorrect (because of certain typographical errors in the input data). The correct results have now been obtained and differ from the incorrectly reported ones only slightly; some of the new results actually represent an improvement. Encouraged by the interest of other researchers in our detailed results, we

have also constructed a website (http://bilkent.edu.tr/~erel/dynlayout.html) so that one can easily download, for all relevant problem instances, the best layout in each period and the associated cost found by us.

## References

1 Erel E, Ghosh JB and Simon JT (2003). New heuristic for the dynamic layout problem. J Opl Res Soc 54: 1275– 1282.