Part 3: These literature surveys on Dioxins and other POPs from ESPR and UWSF reflect Otto Hutzinger's influence as Editor-in-Chief on both journals beyond his active time (1989–2005) into the future

Almut B. Heinrich

On behalf of Springer-Verlag at: Hühlig Jehle Rehm GmbH, Im Weiher 10, 69121 Heidelberg, Germany (almut.heinrich@hjr-verlag.de)

DOI: <http://dx.doi.org/10.1065/espr2008.01.473.3>

Env Sci Pollut Res (ESPR)

Founder and Editor-in-Chief: Otto Hutzinger from 1994 to 2005

- Allsopp M, Costner P, Johnston P (2001): Incineration and human health – State of knowledge of the impacts of waste incinerators on human health (Executive summary). *Env Sci Pollut Res* 8, 141–145
- Ballschmitter K, Hackenberg R, Jarman WM, Looser R (2002): Man-made chemicals found in remote areas of the world: The experimental definition for POPs. *Env Sci Pollut Res* 9, 274–288
- Basler A (1995): Dioxins and related compounds – Status and regulatory aspects in Germany. *Env Sci Pollut Res* 2, 117–121
- Behnisch PA, Hosoe K, Shiozaki K, Kiryu T, Komatsu K, Schramm KW, Sakai S (2002): Melting and incineration plants of municipal waste – Chemical and biochemical diagnosis of thermal processing samples (emission, residues). *Env Sci Pollut Res* 9, 337–344
- Berding V, Schwartz S, Matthies M (2000): Scenario analysis of a level III multimedia model using generic and regional data. *Env Sci Pollut Res* 7, 147–158
- Buchert A, Cederberg T, Dyke P, Fiedler H, Furst P, Hanberg A, Hosseinpour J, Hutzinger O, Kuenen JG, Malisch R, Needham LL, Olie K, Papke O, Aranda JR, Thanner G, Umlauf G, Vartiainen T, van Holst C (2001): Dioxin contamination in food – Bayreuth, Germany, from September 28 to October 1, 2000. *Env Sci Pollut Res* 8, 84–88
- Bunge M, Kahkonen MA, Ramisch W, Opel M, Vogler S, Walkow F, Salkinoja-Salonen M, Lechner U (2007): Biological activity in a heavily organohalogen-contaminated river sediment. *Env Sci Pollut Res* 14, 3–10
- Campanella BF, Bock C, Schroder P (2002): Phytoremediation to increase the degradation of PCBs and PCDD/Fs – Potential and limitations. *Env Sci Pollut Res* 9, 73–85
- Chaudhry Q, Schroder P, Werck-Reichhart D, Grajek W, Marecik R (2002): Prospects and limitations of phytoremediation for the removal of persistent pesticides in the environment. *Env Sci Pollut Res* 9, 4–17
- Cheng SP (2003): Heavy metals in plants and phytoremediation – A state-of-the-art report with special reference to literature published in Chinese journals. *Env Sci Pollut Res* 10, 335–340
- Clement RE, Birmingham B, Reiner E, Waddell D (1996): Dioxin '95 – 15th International Symposium on Chlorinated Dioxins and Related Compounds – Edmonton, Alberta, Canada, August 21–25, 1995. *Env Sci Pollut Res* 3, 59–60
- Coleman JOD, Frova C, Schroder P, Tissot M (2002): Exploiting plant metabolism for the phytoremediation of persistent herbicides. *Env Sci Pollut Res* 9, 18–28
- Corsolini S, Borghesi N, Schiamone A, Focardi S (2007): Polybrominated diphenyl ethers, polychlorinated dibenzo-dioxins, -furans, and -biphenyls in three species of Antarctic penguins. *Env Sci Pollut Res* 14, 421–429
- Fiedler H, Denison M (2002): 22nd International Symposium on Environmental Halogenated Organic Pollutants and POPs – Barcelona, Spain, August 12–16, 2002. *Env Sci Pollut Res* 9, 296–296
- Fiedler H, Furst P, Malisch R, Papke O, Schrenk D (2000): 20th International Symposium on Halogenated Environmental Organic Pollutants & POPs – Monterey, California, USA, August 13–17, 2000. *Env Sci Pollut Res* 7, 239–242
- Fiedler H, VandenBerg M (1996): Polychlorinated dibenzo-p-dioxins, polychlorinated dibenzofurans and related compounds: Update and recent developments. *Env Sci Pollut Res* 3, 122–128
- Fossi MC, Casini S, Marsili L (2006): Endocrine disruptors in Mediterranean top marine predators. *Env Sci Pollut Res* 13, 204–207
- Frische M, Garofalo K, Hansteen TH, Borchers R, Harnisch J (2006): The origin of stable halogenated compounds in volcanic gases. *Env Sci Pollut Res* 13, 406–413
- Fuster G, Schuhmacher M, Domingo JL (2001): Flow analysis of PCDD/Fs for Tarragona Province, Spain – A preliminary inventory. *Env Sci Pollut Res* 8, 91–94
- Fuster G, Schuhmacher M, Domingo JL (2002): Human exposure to dioxins and furans – Application of the substance flow analysis to health risk assessment. *Env Sci Pollut Res* 9, 241–249
- Fuster G, Schuhmacher M, Domingo JL (2004): Cost-benefit analysis as a tool for decision making in environmental projects – Application to a reduction of dioxin emissions in Tarragona Province, Spain. *Env Sci Pollut Res* 11, 307–312
- Grochowalski A, Lassen C, Holtzer M, Sadowski M, Hudyma T (2007): Determination of PCDDs, PCDFs, PCBs and HCB emissions from the metallurgical sector in Poland. *Env Sci Pollut Res* 14, 326–332
- Gustavsson L, Hollert H, Jonsson S, van Bavel B, Engwall M (2007): Reed beds receiving industrial Sludge Containing Nitroaromatic compounds – Effects of outgoing water and bed material extracts in the umu-C genotoxicity assay, DR-CALUX assay and on early life stage development in Zebrafish (*Danio rerio*). *Env Sci Pollut Res* 14, 202–211
- Gustavsson LK, Klee N, Olsman H, Hollert H, Engwall M (2004): Fate of ah receptor Agonists during biological treatment of an industrial sludge containing explosives and pharmaceutical residues. *Env Sci Pollut Res* 11, 379–387
- Harnisch J, Hohne N (2002): Comparison of emissions estimates derived from atmospheric measurements with national estimates of HFCs, PFCs and SF6. *Env Sci Pollut Res* 9, 315–320
- Herve S, Paasivirta J, Heinonen P (2001): Trends of organochlorine compounds in Finnish inland waters – Results of musel incubation monitoring 1984–1998. *Env Sci Pollut Res* 8, 19–26

- Herve S, Prest HF, Heinonen P, Hyotylainen T, Koistinen J, Paasivirta J (1995): Lipid-filled semipermeable membrane devices and mussels as samplers of organochlorine compounds in lake water. *Env Sci Pollut Res* 2, 24–30
- Hilscherova K, Machala M, Kannan K, Blankenship AL, Giesy JP (2000): Cell bioassays for detection of aryl hydrocarbon (AhR) and estrogen receptor (ER) mediated activity in environmental samples. *Env Sci Pollut Res* 7, 159–171
- Hofmann T, Wendelborn A (2007): Colloid facilitated transport of polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/Fs) to the groundwater at Ma Da area, Vietnam. *Env Sci Pollut Res* 14, 223–224
- Holoubek I, Ansorgova A, Shatalov V, Dutchak S, Kohoutek J (2001): Regional background monitoring of PBT compounds – The comparison of the results from measurements and modelling. *Env Sci Pollut Res* 8, 201–211
- Holoubek I, Kocan A, Holoubkova I, Kohoutek J, Falandysz J (1999): Persistent, bioaccumulative and toxic chemicals in central and eastern European countries – State-of-the-art report. *Env Sci Pollut Res* 6, 183–183
- Hoogenboom R (2002): The combined use of the CALUX bioassay and the HRGC/HRMS method for the detection of novel dioxin sources and new dioxin-like compounds. *Env Sci Pollut Res* 9, 304–306
- Hu ZB, Navarro R, Nomura N, Kong HN, Wijesekara S, Matsumura M (2007): Changes in chlorinated organic pollutants and heavy metal content of sediments during pyrolysis. *Env Sci Pollut Res* 14, 12–18
- Hutzinger O (1995): Dioxins – Furans – And no end. *Env Sci Pollut Res* 2, 67–67
- Iesce MR, della Greca M, Cermola F, Rubino M, Isidori M, Pascarella L (2006): Transformation and ecotoxicity of carbamic pesticides in water. *Env Sci Pollut Res* 13, 105–109
- Iesce RM, Cermola F, Graziano ML, Montella S, Di Gioia L, Isidori M (2004): Sensitized photooxygenation of the fungicide furalaxyl. *Env Sci Pollut Res* 11, 222–226
- Isikhuemhen OS, Anoliefo GO, Oghale OI (2003): Bioremediation of crude oil polluted soil by the white rot fungus, *Pleurotus tuberregium* (Fr.) Sing. *Env Sci Pollut Res* 10, 108–112
- Isosaari P, Tuhkanen T, Vartiainen T (2004): Photo degradation of polychlorinated dibenzo-p-dioxins and dibenzofurans in soil with vegetable oil. *Env Sci Pollut Res* 11, 181–185
- Jemenez B, Merino R, Abad E, Rivera J, Olie K (2007): Evaluation of organochlorine compounds (PCDDs, PCDFs, PCBs and DDTs) in two raptor species inhabiting a Mediterranean island in Spain. *Env Sci Pollut Res* 14, 61–68
- Jones PD, Newsted JL, Henningsen G, Slocumb J, Giesy JP (2005): Distribution of PCDDs and PCDFs in soils collected from the Denver front range – Principal components analysis of diffuse dioxin sources. *Env Sci Pollut Res* 12, 189–198
- Karlaganis G, Marioni R, Sieber I, Weber A (2001): The elaboration of the 'Stockholm Convention' on persistent organic pollutants (POPs): A negotiation process fraught with obstacles and opportunities. *Env Sci Pollut Res* 8, 216–221
- Kevekordes S, Grahl K, Zaulig A, Dunkelberg H (1996): Nitro musk compounds – Genotoxic activity – Genotoxicity testing of nitro musks with the SOS-chromotest and the sister-chromatid exchange test. *Env Sci Pollut Res* 3, 189–192
- Kjeller LO (1998): Addition of surrogate standards in the routine analysis of investigating polychlorinated dibenzo-p-dioxins and dibenzofurans (PCDD/F). *Env Sci Pollut Res* 5, 198–198
- Koci V, Ocelka T, Dragoun D, Vit M, Grabic R, Svab M (2007): Concentration of organochlorine pollutants in surface waters of the Central European biosphere reserve Krivoklatsko. *Env Sci Pollut Res* 14, 94–101
- Lammel G, Klöpffer W, Semeena VS, Schmidt E, Leip A (2007): Multicompartmental Fate of Persistent Substances: Comparison of predictions from multi-media box models and a multicompartment chemistry atmospheric transport model. *Env Sci Pollut Res* 14 (3) 153–165
- Lassen C, Hansen E, Jensen AA, Olendrzynski K, Kolsut W, Zurek J, Kargulewicz I, Debski B, Skoskiewicz J, Holtzer M, Grochowalski A, Brante E, Poltimae H, Kallaste T, Kaputauskas J (2003): Survey of dioxin sources in the Baltic Region – Extended summary. *Env Sci Pollut Res* 10, 49–56
- Laturnus F (2001): Marine macroalgae in polar regions as natural sources for volatile organohalogenes. *Env Sci Pollut Res* 8, 103–108
- Laturnus F, Fahimi I, Gryndler M, Hartmann A, Heal MR, Matucha M, Scholer HF, Schroll R, Svensson T (2005): Natural formation and degradation of chloroacetic acids and volatile organochlorines in forest soil – Challenges to understanding. *Env Sci Pollut Res* 12, 233–244
- Liem AKD, vanZorge JA (1995): Dioxins and related compounds: Status and regulatory aspects. *Env Sci Pollut Res* 2, 46–56
- Loecke S (2006): The precautionary principle and chemicals regulation – Past achievements and future possibilities. *Env Sci Pollut Res* 13, 342–349
- Manninen H, Perkio A, Vartiainen T, Ruuskanen J (1996): Formation of PCDD/PCDF – Effect of fuel and fly ash composition on the formation of PCDD/PCDF in the co-combustion of refuse-derived and packaging-derived fuels. *Env Sci Pollut Res* 3, 129–134
- Melas D, Zerefos C, Rapsomanikis S, Tsangas N, Alexandropoulou A (2000): The war in Kosovo – Evidence of pollution transport in the Balkans during operation "Allied Force". *Env Sci Pollut Res* 7, 97–104
- Mendoza G, Gutierrez L, Pozo-Gallardo K, Fuentes-Rios D, Montory M, Urrutia R, Barra R (2006): Polychlorinated biphenyls (PCBs) in mussels along the Chilean Coast. *Env Sci Pollut Res* 13, 67–74
- Miglioranza KSB, de Moreno JEA, Moreno VJ (2004): Land-based sources of marine pollution: Organochlorine pesticides in stream systems. *Env Sci Pollut Res* 11, 227–232
- Miglioranza KSB, Sagrario M, de Moreno JEA, Moreno VJ, Escalante AH, Osterrieth ML (2002): Agricultural soil as a potential source of input of organochlorine pesticides into a nearby pond. *Env Sci Pollut Res* 9, 250–256
- Mueller JE, Prange J, Gaus C, Moore MR, Papke O (2001): Polychlorinated dibenzodioxins and dibenzofurans in butter from different states in Australia. *Env Sci Pollut Res* 8, 7–10
- Mueller T, Thissen R, Braun S, Dott W, Fischer G (2004): (M)VOC and composting facilities. Part 1: (M)VOC emissions from municipal biowaste and plant refuse. *Env Sci Pollut Res* 11, 91–97
- Mutsch F (1998): Indication of long-range transport of heavy metals based on the Austrian Forest Soil Monitoring System. *Env Sci Pollut Res* 5, 81–87
- Navas JM, Segner H (1998): Antiestrogenic activity of anthropogenic and natural chemicals. *Env Sci Pollut Res* 5, 75–82
- Niederer M (1998): Determination of polycyclic aromatic hydrocarbons and substitutes (nitro-, oxy-PAHs) in urban soil

- and airborne particulate by GC-MS and NCI-MS/MS. *Env Sci Pollut Res* 5, 209–216
- Norstrom RJ (2002): Understanding bioaccumulation of POPs in food webs – Chemical, biological, ecological and environment considerations. *Env Sci Pollut Res* 9, 300–303
- Oeberg TG (2002): Prediction of vapour pressures for halogenated diphenyl ether congeners from molecular descriptors. *Env Sci Pollut Res* 9, 405–411
- Olsman H, Hagberg J, Kalbin G, Julander A, van Bavell B, Strid A, Tysklind M, Engwall M (2006): Ah receptor agonists in UV-exposed toluene solutions of decabromodiphenyl ether (decaBDE) and in soils contaminated with polybrominated diphenyl ethers (PBDEs). *Env Sci Pollut Res* 13, 161–169
- Olsman H, Schnurer A, Bjornfoth H, van Bavel B, Engwall M (2007): Fractionation and determination of Ah receptor (AhR) agonists in organic waste after anaerobic biodegradation and in batch experiments with PCB and decaBDE. *Env Sci Pollut Res* 14, 36–43
- Raccanelli S, Bonamin V (2000): Dioxins in the Venice Lagoon – Present situation, projects and recovering hypotheses. *Env Sci Pollut Res* 7, 125–129
- Richter S, Steinhauser KG (2003): BAT and BEP as instruments for reducing emissions of unintentionally produced POPs and development of guidelines under the Stockholm Convention. *Env Sci Pollut Res* 10, 265–270
- Roots O, Zitko V (2004): Chlorinated dibenzo-p-dioxins and dibenzofurans in the Baltic herring and sprat of Estonian coastal waters. *Env Sci Pollut Res* 11, 186–193
- Rosenberg E, Haunold A, Schubert P, Grasserbauer M (1998): Measurement of volatile organic compound (VOC) concentrations along an altitude profile. *Env Sci Pollut Res* 5, 32–37
- Ruzickova P, Holoubek I, Klanova J (2006): Experimental studies of environmental processes: A practical course in environmental chemistry. *Env Sci Pollut Res* 13, 435–440
- Santillo D, Johnston P (2006): Effect thresholds and 'adequate control' of risks – The fatal flaws in the EU Council's position on authorisation within REACH. *Env Sci Pollut Res* 13, 425–431
- Saski EK, Mikkola R, Kukkonen JVK, SalkinojaSalonen MS (1997): Bleached kraft pulp mill discharged organic matter in recipient lake sediment – Environmental and molecular properties. *Env Sci Pollut Res* 4, 194–202
- Scheringer M (2004): Persistent Organic Pollutants (POPs) in the Focus of Science and Politics (Editorial). *Env Sci Pollut Res* 11 (1) 1–2
- Scheringer M, Hungerbühler K, Matthies M (2001): The spatial scale of organic chemicals in multimedia fate modeling – Recent developments and significance for chemical assessment. *Env Sci Pollut Res* 8, 150–155
- Scheringer M, Stroebe M, Wania F, Wegmann F, Hungerbühler K (2004): The Effect of Export to the Deep Sea on the Long-Range Transport Potential of Persistent Organic Pollutants. *Env Sci Pollut Res* 11 (1) 41–48
- Schlummer M, Maurer A, van Eldik R, Quicker P, Fischer W, Faulstich M (2007): Post-combustion syntheses of PCDD/F and PBDD/F from halogen-rich fuel is suppressed by a pebble heater technology. *Env Sci Pollut Res* 14, 414–420
- Schoenmuth BW, Pestemer W (2004): Dendroremediation of trinitrotoluene (TNT) – Part 1: Literature overview and research concept. *Env Sci Pollut Res* 11, 273–278
- Senthilkumar K, Kannan K, Subramanian A, Tanabe S (2001): Accumulation of organochlorine pesticides and polychlorinated biphenyls in sediments, aquatic organisms, birds, bird eggs and bat collected from South India. *Env Sci Pollut Res* 8, 35–47
- Skutlarek D, Exner M, Farber H (2006): Perfluorinated surfactants in surface and drinking water. *Env Sci Pollut Res* 13, 299–307
- Snyder EM, Snyder SA, Giesy JP, Blonde SA, Hurlburt GK, Summer CL, Mitchell RR, Bush DM (2000): SCRAM: A scoring and ranking system for persistent, bioaccumulative, and toxic substances for the North American Great Lakes Part IV. Results from representative chemicals, sensitivity analysis, and discriminatory power. *Env Sci Pollut Res* 7, 220–224
- Snyder EM, Snyder SA, Giesy JP, Blonde SA, Hurlburt GK, Summer CL, Mitchell RR, Bush DM (2000): SCRAM: A scoring and ranking system for persistent, bioaccumulative, and toxic substances for the North American Great Lakes. *Env Sci Pollut Res* 7, 175–175
- Snyder EM, Snyder SA, Giesy JP, Blonde SA, Hurlburt GK, Summer CL, Mitchell RR, Bush DM (2000): SCRAM: A scoring and ranking system for persistent, bioaccumulative, and toxic substances for the North American Great Lakes part III. Acute and subchronic or chronic toxicity. *Env Sci Pollut Res* 7, 176–184
- Snyder EM, Snyder SA, Giesy JP, Blonde SA, Hurlburt GK, Summer CL, Mitchell RR, Bush DM (2000): SCRAM: A scoring and ranking system for persistent, bioaccumulative, and toxic substances for the North American Great Lakes – Part II. Bioaccumulation potential and persistence. *Env Sci Pollut Res* 7, 116–121
- Snyder EM, Snyder SA, Giesy JP, Blonde SA, Hurlburt GK, Summer CL, Mitchell RR, Bush DM (2000): SCRAM: A scoring and ranking system for persistent, bioaccumulative, and toxic substances for the North American Great Lakes – Part I. Structure of the scoring and ranking system. *Env Sci Pollut Res* 7, 52–61
- Steinhauser KG (2001): Environmental risks of chemicals and genetically modified organisms: A comparison – Part II: Sustainability and precaution in risk assessment and risk management. *Env Sci Pollut Res* 8, 222–226
- Suominen KP, Jaakkola T, Elomaa E, Hakulinen R, Salkinoja, Salonen MS (1997): Sediment accumulation of organic halogens in pristine forest lakes. *Env Sci Pollut Res* 4, 21–30
- Svecevicus G, Syvokiene J, Stasiunaite P, Mickeniene L (2005): Acute and chronic toxicity of chlorine dioxide (ClO₂) and chlorite (ClO₂⁻) to rainbow trout (*Oncorhynchus mykiss*). *Env Sci Pollut Res* 12, 302–305
- Thacker NP, Nitnaware VC, Das SK, Devotta S (2007): Dioxin formation in pulp and paper mills of India. *Env Sci Pollut Res* 14, 225–226
- Tickner JA, Geiser K, Coffin M (2005): The US experience in promoting sustainable chemistry. *Env Sci Pollut Res* 12, 115–123
- Trapp S, Yu XZ, Mosbaek H (2003): Persistence of methyl tertiary butyl ether (MTBE) against metabolism by Danish vegetation. *Env Sci Pollut Res* 10, 357–360
- Van denBerg M, Sinnige TL, Tysklind M, Bosveld ATC, Huisman M, KoopmansEssenboom C, Koppe JG (1995): Individual PCBs as predictors for concentrations of non and mono-ortho PCBs in human milk. *Env Sci Pollut Res* 2, 73–82

- Verstraete F (2002): Development and implementation of an EC strategy on dioxins, furans and dioxin-like PCBs in food and feed. *Env Sci Pollut Res* 9, 297–299
- Vrana B, Paschke A, Popp P, Schuurmann G (2001): Use of semipermeable membrane devices (SPMDs) – Determination of bioavailable, organic, waterborne contaminants in the industrial region of Bitterfeld, Saxony-Anhalt, Germany. *Env Sci Pollut Res* 8, 27–34
- Wania F (1999): On the origin of elevated levels of persistent chemicals in the environment. *Env Sci Pollut Res* 6, 11–19
- Weiss P, Lorbeer G, Scharf S (1998): Persistent organic pollutants in remote Austrian forests – Altitude-related results. *Env Sci Pollut Res* 5, 46–52
- Weistrand C, Noren K, Nilsson A (1997): Occupational exposure – Organochlorine compounds in blood plasma from potentially exposed workers. *Env Sci Pollut Res* 4, 2–9
- Young AL (2002): The volunteers: The first human biopsy studies of TCDD from agent orange exposure. *Env Sci Pollut Res* 9, 157–157
- Young AL (2002): Vietnam and agent orange revisited. *Env Sci Pollut Res* 9, 158–161
- Young AL (2004): TCDD biomonitoring and exposure to agent orange: Still the gold standard. *Env Sci Pollut Res* 11, 143–146
- Young AL (2006): Enhanced co-metabolism of TCDD in the presence of high concentrations of phenoxy herbicides. *Env Sci Pollut Res* 13, 149–150
- Young AL, Cecil PE, Guilmartin JF (2004): Assessing possible exposures of ground troops to agent orange during the Vietnam war: The use of contemporary military records. *Env Sci Pollut Res* 11, 349–358
- Young AL, Giesy JP, Jones P, Newton M, Guilmartin JF, Cecil PR (2004): Assessment of potential exposure to agent orange and its associated TCDD. *Env Sci Pollut Res* 11, 347–348
- Young AL, Giesy JP, Jones PD, Newton M (2004): Environmental fate and bioavailability of agent orange and its associated dioxin during the Vietnam war. *Env Sci Pollut Res* 11, 359–370
- Young AL, Newton M (2004): Long overlooked historical information on Agent Orange and TCDD following massive applications of 2,4,5-T-containing herbicides, Eglin Air Force Base, Florida. *Env Sci Pollut Res* 11, 209–221

UWSF – Z Umweltchem Ökotox

Founder and Editor-in-Chief: Otto Hutzinger from 1989 to 2005

- Bausinger T, Dehner U, Preuss J (2005): Determination of nitrodiphenylamines and related compounds in the leachate water of a military contaminated site. [German]. *UWSF – Z Umweltchem Ökotox* 17 (1) 7–12
- Caspers N (1998): Biological effects of hexachlorobenzene (HCB) in aquatic model ecosystems. [German]. *UWSF – Z Umweltchem Ökotox* 10 (4) 205–213
- Coelhan M, Fingerling G, Angerhofer D, Parlar H (1998): Toxaphene in the environment. Part I. Behaviour and persistence of the insecticide toxaphene in the environment. [German]. *UWSF – Z Umweltchem Ökotox* 10 (1) 37–59
- Egeler P, Meller M, Rombke J, Sporlein P (2001): Uptake routes of POPs in biota: biomagnification of hexachlorobenzene in a laboratory test. [German]. *UWSF – Z Umweltchem Ökotox* 13 (5) 284–290
- Elbert J, Fischer K (2007): Disposal of toxic chemical wastes in August 2006 at Abidjan, Ivory Coast: Attempt of a reconstruction. [German]. *UWSF – Z Umweltchem Ökotox* 19, 265–271
- Falk O, Wichmann H, Jopke P, Schmidt-Nadler C, Matthies B, Bahadir M, Meyer-Pittroff R (2004): Fate of trace pollutants during the production of methylesters based on waste-edible fats. [German]. *UWSF – Z Umweltchem Ökotox* 16 (4) 255–261
- Fels T (2007): Economic-organisational analysis of sewage sludge disposal: Costs – Benefit – Disposal scenarios. [German]. *UWSF – Z Umweltchem Ökotox* 19, 108–114
- Fischer K (2007): Environmental analysis with ion chromatography – Current status and future perspectives, Part I: Methodical principles, environmental analysis of inorganic anions. [German]. *UWSF – Z Umweltchem Ökotox* 19, 49–61
- Fischer K (2007): Environmental analysis with ion chromatography – Current status and future perspectives, Part II: Cations, metal- and metalloidspecies. [German]. *UWSF – Z Umweltchem Ökotox* 19, 243–254
- Flidner A, Schafers C (2007): Hazard potential of native oils and fats considering physical effects. [German]. *UWSF – Z Umweltchem Ökotox* 19, 103–107
- Florenz K-H (2007): REACH after the second reading. [German]. *UWSF – Z Umweltchem Ökotox* 19, 4–5
- Foerster H, Ullrich F (2007): Zur humusaussstattung ostbaye-rischer mittelgebirgsboden. [German]. *UWSF – Z Umweltchem Ökotox* 19, 234–239
- Frank U, Greiner P, Helmich S, Nenno W, Preuss G, Schulte C (2007): 25 years of the chemicals law. [German]. *UWSF – Z Umweltchem Ökotox* 19, 1–3
- Frerichs H, Hann C (2005): Coplanar polychlorinated biphenyls (coplanar PCBs) in topsoils of Hamburg. [German]. *UWSF – Z Umweltchem Ökotox* 17 (4) 201–207
- Gocht T, Grathwohl P (2004): Diffuse input of polycyclic aromatic hydrocarbons: atmospheric deposition and enrichment in soils of rural areas. [German]. *UWSF – Z Umweltchem Ökotox* 16 (4) 245–254
- Goss KU (2003): The octanol/water partitioning coefficient – the remedy of environmental chemistry? [German]. *UWSF – Z Umweltchem Ökotox* 15 (4) 273–279
- Grunewald K, Schmidt W (2001): Occurrence of persistent pollutants in soils, waters and firs of the Pirin Mountains (Bulgaria). [German]. *UWSF – Z Umweltchem Ökotox* 13 (2) 79–85
- Grunewald K, Unger C, Brauch HJ, Schmidt W (2004): Elbe flood 2002 in retrospect: pollution of sediments due to the extreme flood situation around Dresden (Saxony, Germany). [German]. *UWSF – Z Umweltchem Ökotox* 16 (1) 7–14
- Gutberlet D (2007): The comparison of mines with regard to a sustainable development by using the Hasse diagram technique. [German]. *UWSF – Z Umweltchem Ökotox* 19, 17–26
- Hanisch B, Abbas B, Kratz W, Schuurmann G (2004): Human drugs in aquatic ecosystems: approach for the environmental risk assessment of drug residues. [German]. *UWSF – Z Umweltchem Ökotox* 16 (4) 223–238

- Heinisch E, Kettrup A (2000): Elimination of highly volatile, chlorinated hydrocarbons from aquatic sediments which stem from building projects in Berlin. [German]. UWSF – Z Umweltchem Ökotox 12 (6) 337–342
- Helm D (2007): Weighting of data in trend analysis. [German]. UWSF – Z Umweltchem Ökotox 19, 240–242
- Hofer H, Manfred V, Fabry R (2007): SOLOBIOMA – Soil biota and biogeochemistry in the coastal rainforests of south Brazil – A German-Brazilian research project in the background of understanding biological diversity. [German]. UWSF – Z Umweltchem Ökotox 19, 128–131
- Hollert H, Heise S, Keiterl S, Heiningen P, Forstner U (2007): European water framework directive – Progress and shortcomings. [German]. UWSF – Z Umweltchem Ökotox 19 (Sp, 1) 58–70
- Jobst H, Aldag R (2000): Dioxins in clay deposits. [German]. UWSF – Z Umweltchem Ökotox 12 (1) 2–4
- Kallenborn R, Herzke D (2001): Long-range transport of persistent pollutants into Arctic regions (series). [German]. UWSF – Z Umweltchem Ökotox 13 (4) 216–226
- Kampen H, Kiel E, Schroeder W (2007): Bluetongue disease in Germany 2006. Epizootiological background, entomological analysis and consequences to be drawn. [German]. UWSF – Z Umweltchem Ökotox 19, 37–46
- Klinger R (2005): Microwave digestion as enhancement to total digestion in geochemical analytics. [German]. UWSF – Z Umweltchem Ökotox 17 (3) 151–158
- Korner W (2005): Dioxin-like polychlorinated biphenyls (PCBs) in the environment. [German]. UWSF – Z Umweltchem Ökotox 17 (2) 115–121
- Kratz W, Klepka S (1998): The effect of BaP [benz(a)pyrene] and PCB 52 [2,2',5, 5'-tetrachloro biphenyl] in sewage farm soils on the population development of *Folsomia candida* (Willem 1902) (Collembola, Insecta). [German]. UWSF – Z Umweltchem Ökotox 10 (3) 143–146
- Lammel G, Semeena VS, Guglielmo F, Ilyina T, Leip A (2006): Determination of long-range transport of persistent organic substances and of the environmental exposure by model investigations. [German]. UWSF – Z Umweltchem Ökotox 18 (4) 254–261
- Larsen LC, Zambrano KC, Christiansen H, Kohler A, Karlson U, Trapp S (2001): Planting of a filling station with willows (series). [German]. UWSF – Z Umweltchem Ökotox 13 (4) 227–236
- Malkomes H-P, Lemnizer B (2007): Investigations on the suitability of neutral salts as reference compounds in the microbiological-ecotoxicological evaluation of pesticides in soil. [German]. UWSF – Z Umweltchem Ökotox 19, 96–102
- Mohr K (2007): Biomonitoring of nitrogen pollution – Possibilities and limitations of bioindication techniques. [German]. UWSF – Z Umweltchem Ökotox 19, 255–264
- Peichl L (2001): Environmental indicators for pollution effects: calculation of indicators. [German]. UWSF – Z Umweltchem Ökotox 13 (3) 130–138
- Preuss TG, Ratte HT (2007): Ökotoxikologische Charakterisierung von Nonylphenol isomeren. [German]. UWSF – Z Umweltchem Ökotox 19, 227–233
- Rahtkens K, von der Trenck KT (2007): Heavy metals in earthworms of Baden-Wuerttemberg part 2: Ecotoxicological assessment of soil. [German]. UWSF – Z Umweltchem Ökotox 19, 27–36
- Reeck R, Hoyer J (2003): Environmental monitoring of herbicides in aquatic systems. [German]. UWSF – Z Umweltchem Ökotox 15 (3) 157–162
- Reifferscheid G, Dill F, Fieblinger D, Gminski R, Grummt H-J, Hafner C, Hollert H, Kunz S, Rodrigo G, Stopper H, Ziemann C, Selke D (2007): Measurement of Genotoxicity in waste water samples – Results of a collaborative study on the in vitro micronucleus test in the context of standardisation according to ISO. [German]. UWSF – Z Umweltchem Ökotox 19, 7–16
- Reischl A, Joneck M, Dumler-Gradl R (2005): Chlorocarbazoles in soils. [German]. UWSF – Z Umweltchem Ökotox 17 (4) 197–200
- Richter S, Kallweit D, Wiandt S (2001): POPs: emission inventories – current state (review). [German]. UWSF – Z Umweltchem Ökotox 13 (3) 165–170
- Richter S, Steinhäuser KG, Fiedler H (2001): Global treaty for the regulation of POPs. [German]. UWSF – Z Umweltchem Ökotox 13 (1) 39–44
- Schoppe G, Kube-Schwickardi C (1998): Entry of PCDD/PCDF loads through agricultural raw materials and feeds into the human food chain. [German]. UWSF – Z Umweltchem Ökotox 10 (2) 107–108
- Schramm KW, Marth P, Wolf A, Hahn K, Oxynos K, Schmitzer J, Kettrup (1999): A Partition coefficients of chlorinated hydrocarbons between muscle and liver of fish. [German]. UWSF – Z Umweltchem Ökotox 11 (5) 277–280
- Schroeder W, Bast H, Pesch R, Schmidt G, Kiel E (2007): Climate change and malaria – Modeling the potential reproduction rate of the malaria parasite *Plasmodium vivax* spreaded by *Anopheles atroparvus* based on measured and projected air temperature values in Lower Saxony. [German]. UWSF – Z Umweltchem Ökotox 19, 115–122
- Schulze T, Wetterauer B, Schwarzbauer J, Hollert H, Braunbeck T, Ricking M (2003): DDT and metabolites in aquatic sediments of Berlin area: Occurrence, analysis and ecotoxicological potential. [German]. UWSF – Z Umweltchem Ökotox 15 (2) 71–77
- Schuster M, Sandor K, Muller J (1998): Extraction of heavy metals from soil with a high silt content. [German]. UWSF – Z Umweltchem Ökotox 10 (2) 99–106
- Storch V, Wehe T (2007): Biodiversity of marine organisms: Origin, scope, endangering. [German]. UWSF – Z Umweltchem Ökotox 19, 213–218
- Trapp S (2000): Aspects of the phytoremediation of organic pollutants. [German]. UWSF – Z Umweltchem Ökotox 12 (5) 246–255
- Trenck KTvd, Baum F, Hartwig H, Malisch R, Schilling F, Straub HP, Zimmermann RD (2006): Organochlorine pollutants in Peregrine falcon eggs. [German]. UWSF – Z Umweltchem Ökotox 18 (4) 228–241
- Vespermann A, Riepert F, Pflugmacher J (2003): Investigations performed on the compost worm *Eisenia fetida* and selected species of earthworms concerning the intake of HCB and pyrene with the goal of deriving a bioaccumulation test. [German]. UWSF – Z Umweltchem Ökotox 15 (3) 143–151
- von der Trenck KT, Schilling F, Schmidt D (2007): Bioindication with Peregrine falcons: New results from Baden-Wuerttemberg. [German]. UWSF – Z Umweltchem Ökotox 19, 75–82
- Wagner BO (1998): The new chemical programme of UNEP chemicals. [German]. UWSF – Z Umweltchem Ökotox 10 (4) 245–253