QUESTIONS OF NOMENCLATURE

New Replacement Names for the Genera *Adamas* Afanasieva, 2000 and *Wonella* Afanasieva, 2000 (Radiolaria)

M. S. Afanasieva

Paleontological Institute, Russian Academy of Sciences, Profsoyuznaya ul. 123, Moscow, 117647 Russia

e-mail: mafan@paleo.ru

Received February 12, 2008

DOI: 10.1134/S0031030109010122

The generic names *Adamas* (Afanasieva, 2000, p. 85) and *Wonella* (Afanasieva, 2000, p. 34), established by myself for Frasnian and Famennian radiolarian genera of the Timan–Pechora Province, have been found to be preoccupied, the former by the genera *Adamas* Malaise, 1945 (Malaise, 1945, p. 97) (Insecta: Hymenoptera), and, in addition, *Adamas* Huber, 1979 (Huber, 1979, p. 6) (Actinopterygii: Cyprinodontiformes); the latter by the genus *Wonella* Kozur et Mostler (Kozur and Mostler, 1989, p. 220) (Radiolaria) (now regarded as a junior synonym of the genus *Latentifistula* (Nazarov and Ormiston, 1983, p. 371)).

Thus, the genera *Adamas* Afanasieva, 2000 and *Wonella* Afanasieva, 2000 are junior homonyms of previously described taxa, and according to the principle of homonymy of the *International Code...* (1999, Article 52.1) require new replacement names. I introduce for the two genera the following new replacement names: for *Adamas* (Afanasieva, 2000), *Adamasirad* Afanasieva, nom. nov., derived from the previous name *Adamas* (from the Greek, diamond) and the name of the phylum Radiolaria (type species *Adamas catherdrarius* Afanasieva, 2000), and for *Wonella* (Afanasieva, 2000), *Munzuwonella* Afanasieva, nom. nov., which is derived from the previous name *Wonella* in honor of the well-known Korean radiolariologist Won, with the addition of his name Mun-Zu (type species *Retentactinia impedita* Won, 1997).

ACKNOWLEDGMENTS

I am grateful to A.S. Pavlova and G.P. Nestell, who indicated the homonymy of the generic names in question.

This study was supported by the Program of the Presidium of the Russian Academy of Sciences “Origin and Evolution of the Biosphere” and the Russian Foundation for Basic Research (project no. 07-04-00649).

REFERENCES

1. M. S. Afanasieva, *Atlas of Paleozoic Radiolaria from the Russian Platform* (Nauchnyi Mir, Moscow, 2000a) [in Russian].
2. J. H. Huber, “Cyprinodontidés de la cuvette congolaise (*Adamas formosus* n. gen., n. sp. et nouvelle description de *Aphyosemion splendidum*),” *Rev. Franç. Aquariol.* **6** (1), 5–10 (1979).
3. *International Code of Zoological Nomenclature*, 4th ed. (Intern. Trust Zool. Nomen., London, 1999).
4. H. Kozur and H. Mostler, “Radiolarien und Schwammklerden aus dem unterperm des Vorurals,” *Geol. Paläontol. Mitt. Innsbruck.* **2**, 147–275 (1989).
5. R. Malaise, “Tenthredinoidea of South-Eastern Asia,” *Opusc. Entomol. Lund., Suppl.* **4**, 90–286 (1945).
6. B. B. Nazarov and A. R. Ormiston, “A New Superfamily of Stauraxon Polycystine Radiolaria from the Late Paleozoic of the Soviet Union and North America,” *Senckenb. Leth.* **64** (2/4), 363–379 (1983).
7. M.-Z. Won, “The Proposed New Radiolarian Subfamily Retentactiinae (Entactiniidae) from the Late Devonian (Frasnian) Gogo Formation, Australia,” *Micropaleontol.* **43** (4), 371–418 (1997).