ERRATA

Erratum to: Distribution and Some Biological Features of Ixodid Ticks (Parasitiformes, Ixodidae) in Kuznetsk-Salair Mountain Area (Kemerovo Province, Russia)

A. V. Kovalevskiy^{a*}, K. S. Zubko^a, A. R. Efimova^b, E. M. Luchnikova^a, O. M. Drozdova^c

^aKemerovo State University, Kemerovo, 650000 Russia

*e-mail: passer125@yandex.ru

^bCenter of Hygiene and Epidemiology of Kemerovo Province, Kemerovo, 650002 Russia

^cKemerovo State Medical University, Kemerovo, 650056 Russia

Received February 24, 2018

DOI: 10.1134/S0013873819010184

The figure on p. 1381 should be as follows:

Schematic map of distribution of ixodid ticks attacking their hosts in pastures by physiographic regions of Kemerovo Province: 1, the zone of distribution of *I. persulcatus*, *I. pavlovskyi* is present in small numbers in environs of some towns and villages; 2, the zone of joint dwelling of *I. persulcatus* and *I. pavlovskyi*; 3, the zone of distribution of *I. persulcatus*, *I. pavlovskyi* is unknown; 4, the zone where ticks of the genus *Dermacentor* prevail; 5, the zone with simultaneous distribution of *I. persulcatus*, *I. pavlovskyi*, *D. reticulatus*, and *D. silvarum*; 6, the zone of simultaneous distribution of *I. persulcatus*, *I. pavlovskyi*, *D. reticulatus*, *D. silvarum*, and *Haemaphysalis concinna*.

The original article can be found online at <https://doi.org/10.1134/S0013873818090154>.