
ERRATUM

Erratum to: Effect of Anakinra on the Gene Expression of Receptors Activated by the Peroxisome Proliferator in the Rat Brain in the Lithium Pilocarpine Model of Epilepsy

A. I. Roginskaya^a, A. V. Dyomina^a, A. A. Kovalenko^a, M. V. Zakharova^a, A. P. Schwarz^a,
T. B. Melik-Kasumov^b, and O. E. Zubareva^{a,*}

^a*Sechenov Institute of Evolutionary Physiology and Biochemistry, Russian Academy of Sciences,
St. Petersburg, Russia*

^b*Institute of Physiology, National Academy of Sciences of Belarus, Minsk, Belarus*
**e-mail: ZubarevaOE@mail.ru*

Received September 16, 2022

Revised September 16, 2022

Accepted September 16, 2022

DOI: 10.1134/S0022093022050350

The method of administration of the drugs has been corrected by the authors as follows:

In section Abstract: Anakinra was administered for one week after pilocarpine (the first injection of 100 mg/kg one hour after convulsion, then for 5 days at 100 mg/kg and 2 days at 50 mg/kg).

In section Methods:

1. In Fig. 1. The experimental scheme: Anakinra (i/p, time per day): the first 5 days after the

injection of PC—100 mg/kg; subsequent 2 days—50 mg/kg.

2. Anakinra (Research Institute of Highly Pure Biopreparations, St. Petersburg, Russia) was administered for a week, i.p., dissolved in saline, the first injection of 100 mg/kg one hour after convulsions, then once a day, 5 days at 100 mg/kg per day, 2 days at 50 mg/kg per day.

The original article can be found online at <https://doi.org/10.1134/S0022093022020260>