RETRACTION NOTES

Retraction Note to: Mechanical and Bioactivity Assessment of Wollastonite/PVA Composite Synthesized from Bentonite Clay

L. A. Adams^{a, *}, E. R. Essien^{b, **}, and E. E. Kaufmann^c

^a*Department of Chemistry, University of Lagos, Akoka, Lagos, Nigeria*

^b*Department of Chemical and Food Sciences, Bells University of Technology, Ota, Ogun, Nigeria*

^c*Department of Biomedical Engineering, School of Engineering Sciences, University of Ghana, Legon, Accra, Ghana*

^{*}*e-mail: ladams@unilag.edu.ng*

^{**}*e-mail: reggiessien@gmail.com*

DOI: 10.1134/S1087659619080017

The authors, the editor, and the publisher have retracted this article [1] as it has been published by the same authors [2] due to miscommunication between the journal and the authors after submission. The editors and the publisher apologize for any inconvenience caused. All authors have agreed to this retraction.

[1] Adams, L.A., Essien, E.R. & Kaufmann, E.E. Glass Phys Chem (2019) 45: 119.

<https://doi.org/10.1134/S1087659619020020>

[2] Adams, L.A., Essien, E.R. & Kaufmann, E.E. Cerâmica (2019) 65: 246.

<http://dx.doi.org/10.1590/0366-69132019653742584>