ERRATA

Erratum to: Decays $\tau \rightarrow \nu_\tau(K^*(892), K^*(1410), K_1(1270), K_1(1650), a_1(1260), a_1(1640))$ in the Extended Nambu–Jona-Lasinio Model

M. K. Volkov^{a, *} and K. Nurlan^{a, b, **}

^aJoint Intsitute for Nuclear Research, Dubna, 141980 Russia

^bDubna State University, Dubna, 141982 Russia

*e-mail: volkov@theor.jinr.ru

**e-mail: nurlan.qanat@gmail.com

Submitted December 21, 2016; accepted for publication December 21, 2016

DOI: 10.1134/S154747711905011X

Replace the Table 1 on page 697 with the one below:

Table 1

Decay	NJL-predicted width, MeV	Measured width, PDG, MeV [19]
$\tau \rightarrow \nu_\tau K^*(892)$	1.7×10^{-11}	$(2.72 \pm 0.15) \times 10^{-11}$
$\tau \rightarrow \nu_\tau K^*(1410)$	3.5×10^{-12}	$3.4(+3.178, -2.27) \times 10^{-12}$
$\tau \rightarrow \nu_\tau K_1(1270)$	0.63×10^{-11}	$(1.06 \pm 0.244) \times 10^{-11}$
$\tau \rightarrow \nu_\tau K_1(1650)$	0.59×10^{-12}	—
$\tau \rightarrow \nu_\tau a_1(1260)$	2.65×10^{-10}	—
$\tau \rightarrow \nu_\tau a_1(1640)$	6.88×10^{-12}	—

The original article can be found online at
<https://doi.org/10.1134/S1547477117050132>