

Erratum to: Isospin dependence of nucleon correlations in ground-state nuclei^{*}

R.J. Charity^{1,a}, W.H. Dickhoff², L.G. Sobotka^{1,2}, and S.J. Waldecker³

¹ Department of Chemistry, Washington University, St. Louis, Missouri 63130, USA

² Department of Physics, Washington University, St. Louis, Missouri 63130, USA

³ Department of Physics, University of Tennessee, Chattanooga, Tennessee 37403, USA

Original article: Eur. Phys. J. A (2014) 50: 23, DOI: 10.1140/epja/i2014-14023-0

Received: 20 March 2014

Published online: 31 March 2014 – © Società Italiana di Fisica / Springer-Verlag 2014

In sect. 2.2, the difference in the neutron and proton effective masses in the center of a ^{208}Pb nucleus is $\tilde{m}_n - \tilde{m}_p = 0.054m$ and not $\tilde{m}_p - \tilde{m}_n = 0.054m$ as written in the original article, *i.e.*, the neutron effective mass is slightly larger than the proton effective mass, and not vice versa.

^{*} Contribution to the Topical Issue “Nuclear Symmetry Energy” edited by Bao-An Li, Àngels Ramos, Giuseppe Verde, Isaac Vidaña.

^a e-mail: charity@wustl.edu