

CORRECTION

Open Access



Correction: Evaluating renal iron overload in diabetes mellitus by blood oxygen level-dependent magnetic resonance imaging: a longitudinal experimental study

Weiwei Geng^{1†}, Liang Pan^{1†}, Liwen Shen¹, Yuanyuan Sha¹, Jun Sun¹, Shengnan Yu¹, Jianguo Qiu^{1*} and Wei Xing^{1*}

Correction: Geng et al. *BMC Medical Imaging* (2022) 22:200

<https://doi.org/10.1186/s12880-022-00939-7>

Following the publication of the original article [1], the authors reported an error with regard to Figure 5. In the original article, the wrong image was used in the hematoxylin and eosin staining image of DI group at week 0, as seen below:

[†]Weiwei Geng and Liang Pan contributed equally to this study.


The online version of the original article can be found at <https://doi.org/10.1186/s12880-022-00939-7>.

*Correspondence:


Jianguo Qiu
qjg_step9999@163.com
Wei Xing
suzhxingwei@suda.edu.cn

¹Department of Radiology, Third Affiliated Hospital of Soochow University, 185 Juqian Street, 213003 Changzhou, Jiangsu, China





The correct Figure is as follows:



longitudinal experimental study. *BMC Med Imaging*. 2022;22:200. <https://doi.org/10.1186/s12880-022-00939-7>.

The original article [1] has been updated.

Published online: 26 March 2024

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

References

1. Geng W, Pan L, Shen L, et al. Evaluating renal iron overload in diabetes mellitus by blood oxygen level-dependent magnetic resonance imaging: a