

RESEARCH

Open Access



Regulatory emotional self-efficacy and psychological distress among medical students: multiple mediating roles of interpersonal adaptation and self-acceptance

Xuemin Zhang^{1,2}, Heng Yue¹, Junfang Sun¹, Min Liu¹, Cuiyun Li¹ and Hugejiletu Bao^{3*}

Abstract

Background: Psychological distress (depression, anxiety and stress) is more common among medical students than in the general population, and is an important cause of insomnia, internet addiction, substance abuse, decreased academic performance and increased suicidality in medical students.

Methods: To examine the mechanism by which regulatory emotional self-efficacy affects medical students' psychological distress, a questionnaire of 539 medical students using an interpersonal adaptability scale, regulatory emotional self-efficacy scale, self-acceptance scale and depression-anxiety-stress scale was conducted.

Results: ① Regulatory emotional self-efficacy, interpersonal adaptability and self-acceptance are positively correlated, but they are negatively correlated with psychological distress. ② The mediation model shows that interpersonal adaptation and self-acceptance are the mediation variables of the effect of regulatory emotional self-efficacy on psychological distress, and the total mediation effect value is -0.37, accounting for 86.05% of the total effect (-0.43). Specifically, the effect involves three paths: first, regulatory emotional self-efficacy indirectly affects psychological distress through interpersonal adaptation (effect value -0.24); second, regulatory emotional self-efficacy indirectly affects psychological distress through interpersonal adaptation and self-acceptance (effect value -0.08); and third, regulatory emotional self-efficacy indirectly affects psychological distress through self-acceptance (effect value -0.05).

Conclusions: Interpersonal adaptation and self-acceptance have a significant mediating effect between regulatory emotional self-efficacy and psychological distress, and the chain mediating effect of interpersonal adaptation and self-acceptance is also significant.

Keywords: Interpersonal adaptation, Psychological distress, Regulatory emotional self-efficacy, Self-acceptance, Medical students, DASS-21

Background

In recent years, mental health problems in medical students have become more common. Long-term medical education, strict examination systems, intensive professional learning tasks and tense doctor-patient relationships make medical students more anxious and depressed than others of the same age [1]. Psychological distress involves a state of emotional pain and a mixed

*Correspondence: baohuge@imnu.edu.cn

³ School of Physical Education, Inner Mongolia Normal University, 81 Zhaowuda Road, Saihan District, Hohhot010022, China

Full list of author information is available at the end of the article



state of negative emotions such as depression and anxiety, sometimes accompanied by physical symptoms [2]. Researchers usually use the Depression-Anxiety-Stress Scale (DASS-21) to assess the degree of psychological distress. Research shows that almost half of medical students experience serious psychological distress during their school years [3–5]. Psychological distress is a risk factor that leads to sleep problems [6, 7], internet addiction [8], suicide risk [9, 10], substance abuse [11] and academic performance decline in medical students [12]. Intense psychological distress also interferes with medical students' studies and lives, reduces their quality of life [13], and even affects their future medical service quality [14]. Therefore, it is essential to explore the predictive factors of medical students' psychological distress (anxiety, depression and stress), which will facilitate intervention and the treatment of medical students' psychological distress and improve their health.

The level of self-efficacy is the core factor that determines an individual's thinking mode, behaviour mode and emotive response in stressful situations [15]. It is found that self-efficacy plays a very important role in the education of medical students [16]. Self-efficacy is related to medical students' motivation, professional commitment, academic achievement and depression [17–19]. Therefore, it is very important to explore how self-efficacy affects the life of medical students. Regulatory emotional self-efficacy embodies the role of self-efficacy in the process of emotional self-regulation, which refers to the subjective evaluation of an individual's ability to express positive emotions in response to positive events and manage undesirable emotions in times of adversity [20]. Individuals who believe that they have the ability to adjust their emotions will make active attempts to do so several times and finally gain more emotional experiences that are more beneficial to them by constantly trying to master emotional adjustment strategies [21]. An experimental study found that compared to a control group, participants who believed their regulatory emotional self-efficacy to be enhanced had a relatively less negative emotional response to negative emotions [22]. Other cross-sectional studies have shown that regulatory emotional self-efficacy can negatively predict depression [23, 24], posttraumatic stress disorder [25], academic stress [26] and trait anxiety [27]. Therefore, it can be inferred that medical students with high regulatory emotional self-efficacy experience less psychological distress, but the influencing mechanism between regulatory emotional self-efficacy and psychological distress has not yet been determined.

Emotions are closely related to an individual's social system and have important communication value [28]. Different emotions convey unique information through

the process of communication. Many psychological troubles are caused by interpersonal problems. Anxiety, depression and stress are always accompanied by interpersonal problems [29–31]. According to the theory of the interpersonal relationships of depression, depressed individuals exhibit more limitations in interpersonal problem solving ability and more interpersonal maladjustment [32, 33]. Therefore, difficulties and obstacles experienced in interpersonal relationships are important reasons for psychological distress. Studies have found that interpersonal psychotherapy, as a widely used psychotherapy method, has a positive effect in relieving psychological distress [34]. The interpersonal ability of medical students is related to whether they can become qualified doctors in the future. It is difficult for medical students who do not have interpersonal communication skills to establish a good doctor-patient relationship [35]. On the other hand, the main influencing factor of self-efficacy is the experience of success or failure, and considerable experience with regulating emotions is acquired through interpersonal interaction, so individuals with a high level of self-efficacy experience more harmonious interpersonal relationships [36, 37]. It has also been found that regulatory emotional self-efficacy can predict interpersonal adaptation, and people who are confident in their emotional regulation capacities have stronger communication skills [38]. Therefore, interpersonal adaptation may play an intermediary role between regulatory emotional self-efficacy and psychological distress.

Among the internal factors that affect psychological distress, the degree of self-acceptance is an important factor. Self-acceptance occurs when an individual makes an objective and reasonable evaluation of his own advantages and disadvantages, confirms his own value, and fully accepts his own reality [39]. It is found that medical students with high self-acceptance scores are also more inclined to accept others, which will help doctors and patients form a trusting relationship [40]. Studies have proven that self-acceptance is a predictor of psychological distress [41] in that it can protect individuals from symptoms of depression [42, 43] and significantly predict stress and anxiety levels [44, 45]. Improving self-acceptance of individuals through group activities can help them reduce symptoms of depression and stress [46]. On the other hand, persons with a high level of self-efficacy exhibit greater self-acceptance [47, 48], and self-efficacy can positively predict the level of self-acceptance [49]. Other studies have found a strong correlation between self-acceptance and expectations of emotional regulation [50]. Therefore, it is inferred that self-acceptance may play an intermediary role between regulatory emotional self-efficacy and psychological distress.

According to the theory of interpersonal relationships of depression, people who experience more interpersonal rejection and conflict are more likely to form negative self-evaluations, which ultimately increases the risk of experiencing depression [32]. It has also been found that the more negative interpersonal relationships are, the lower levels of self-acceptance are, which is accompanied by greater anxiety and depression [44]. It can be inferred that the level of interpersonal adaptation can affect psychological distress through self-acceptance. Regulatory emotional self-efficacy is also closely related to interpersonal adaptation [38]. Therefore, it can be speculated that emotional self-efficacy negatively predicts psychological distress through the chain mediation of interpersonal adaptation and self-acceptance. The present study was designed to test the following research hypotheses and conceptual model (see Fig. 1):

Based on the foregoing, the following research hypotheses are proposed: H1: interpersonal adaptation among medical students is the mediating factor of regulatory emotional self-efficacy affecting psychological distress; H2: self-acceptance in medical students is the intermediary factor of regulatory emotional self-efficacy affecting psychological distress; H3: regulatory emotional self-efficacy in medical students affects psychological distress through the chain mediation of interpersonal adaptation and self-acceptance. In this study, intermediary analysis was used to explore the relationships between medical students' regulatory emotional self-efficacy, interpersonal adaptation, self-acceptance and psychological distress.

Methods

Participants

We conducted the study at Baotou Medical College in Inner Mongolia, China from May 2021 to July 2021. Students' provided data through the Tencent questionnaire platform between their public courses. A total of 570 questionnaires were distributed, and 539 questionnaires

(94.6%) were effectively collected. As our exclusion criterion, the questionnaire had to be completed in less than 2 min. The participants included 169 men (31.4%) and 370 women (68.6%) aged between 17 and 22 years old (M=19.26, SD=0.93). 192 (35.6%) were first year students, 166 (30.8%) were second year students, 116 (21.5%) were third year students, 65(12.1%) were fourth year students. In total, 164(30.4%) of the participants were from cities, 169(31.4%) were from towns and 206(38.2%) were from rural areas and 229 (42.5%) were only children while 310 (57.5%) were not only children.

All participants were selected using the cluster random sampling method, who were asked to sign informed consent forms. They were informed that they could withdraw from the study at any time, and were assured that data were anonymous. The study had received ethical approval from the Ethics Committee of Baotou Medical College (3/4 2021).

Measures

Interpersonal adaptability

The Interpersonal Adaptability Scale was compiled by Lu Xiefeng (2003) [51]. It includes 11 questions administered through a single-dimensional questionnaire. An example item is "I find people around me difficult to get along with". Among the items, 1, 3, 4, 5, 8 and 10 are reverse scores. All the items were rated on a 5-point Likert scale, ranging from 1=very nonconforming to 5=very conforming. The higher a score is, the more interpersonal adaptability a college students exhibits. This measure has demonstrated good reliability among college students [52]. In the present study, the Cronbach's alpha of this questionnaire was measured as 0.88.

Regulatory emotional self-efficacy

The Regulatory Emotional Self-efficacy Questionnaire was compiled by Caprara et al. and revised by Yu Guoliang et al. (2009) [20, 53]. The questionnaire includes




Fig. 1 The conceptual model

12 questions about expressing positive emotions (four items, e.g., "When something pleasant happens, I will express my pleasure"), regulating depression (five items, e.g., "I can keep myself away from depression when I am lonely") and regulating anger (three items, e.g., "I can avoid getting annoyed when others are deliberately picking on me"). Responses are made on a 5-point Likert scale, ranging from 1 = very nonconforming to 5 = very conforming. The higher a score is, the better regulatory emotional self-efficacy is. This measure has demonstrated good reliability among college students [54]. In the present study, the values of Cronbach's alpha of this scale and three subscales (i.e., expressing positive emotions, regulating depression and regulating anger) were 0.89, 0.85, 0.85, and 0.81.

Self-acceptance

The Self-acceptance Questionnaire was designed by Zhong Wen and Gao Wenfeng (1999) [55] and includes 16 questions on the two dimensions of self-acceptance (eight items, e.g., "My inner wish never dares to say it") and self-evaluation (eight items, e.g., "I am almost all advantages"). Participants were asked to evaluate themselves, and answers were scored on a 4-point Likert scale, ranging from 1 = strongly disagree to 4 = strongly agree. The higher the total score is, the higher the level of self-acceptance is. This measure has demonstrated good reliability among college students [56]. In the present study, the Cronbach's alpha of this questionnaire and two subscales (i.e., self-acceptance and self-evaluation) was measured as 0.86, 0.85, and 0.84.

Psychological distress

Psychological distress was measured by the simplified Chinese version of the Depression-Anxiety-Stress Scale (DASS-21) compiled by Lovibond et al. and introduced by Gong Xu et al. (2010) [57]. The questionnaire includes 21 questions about expressing depression (seven items, e.g., "I don't seem to feel happy or comfortable at all"), anxiety (seven items, e.g., "I feel thirsty") and stress (seven items, e.g., "I find it hard to calm myself down"), measured across 4 grades (from 0 = nonconforming to 3 = always

conforming). The higher a score is, the more serious psychological distress is. This measure has demonstrated good reliability among college students [58]. In the present study, the Cronbach's alpha of this questionnaire and three subscales (i.e., depression, anxiety and stress) was measured as 0.89, 0.80, 0.71, and 0.78, respectively.

Data analysis

SPSS22 statistical software was used to sort and analyse the data. The statistical methods used include descriptive analysis, Pearson correlation analysis, and mediation effect tests completed with Process plug-in (Model 6) [59]. Mediation hypotheses were tested with bootstrapping via a resampling of 5000 samples to calculate 95% confidence intervals (CIs). If the 95% CI did not contain zero and the p value was < 0.05 , results were deemed statistically significant.

Results

Descriptive and correlation analysis

Descriptive and correlation analysis were performed on interpersonal adaptability, regulatory emotional self-efficacy, self-acceptance and psychological distress. The results are shown in Table 1. Regulatory emotional self-efficacy, interpersonal adaptability and self-acceptance are negatively correlated with psychological distress ($r = -0.39$, -0.59 , and -0.53) to a moderate degree [60]. Self-acceptance is moderately positively correlated with interpersonal adaptability ($r = 0.65$) and regulatory emotional self-efficacy ($r = 0.49$), and interpersonal adaptability is also moderately positively correlated with self-acceptance ($r = 0.53$).

Multiple mediation analysis

Using the Harman single-factor test method, an exploratory factor analysis of all measurement items without rotation was carried out. The results show 13 common factors with characteristic values of greater than 1, and the first common factor explains the critical standard of 25.61% of the total variance and less than 40% [61]. This shows an absence of common method bias in this study.

Table 1 Descriptive statistical results and correlation analysis ($n = 539$)

Variable	Test Score (mean \pm SD)	Correlation Coefficient (r)			
		1	2	3	4
1. regulatory emotional self-efficacy	43.05 \pm 6.21	-			
2. Interpersonal adaptability	42.50 \pm 7.00	0.53**	-		
3. Self-acceptance	41.73 \pm 6.61	0.49**	0.65**	-	
4. Psychological distress	6.56 \pm 6.84	-0.39**	-0.59**	-0.53**	-

** $p < 0.01$

Model 6 of the SPSS macro compiled by Hayes was used to test the mediating effect of interpersonal adaptation and self-acceptance on the relationship between regulatory emotional self-efficacy and psychological distress. The results (see Table 2) show that medical students' regulatory emotional self-efficacy significantly positively predicts interpersonal adaptation ($\beta = 0.53, P < 0.001$) and self-acceptance ($\beta = 0.20, P < 0.001$). Interpersonal adaptation significantly positively predicted self-acceptance ($\beta = 0.55, P < 0.001$). When all predictive variables are included in the regression equation at the same time, only interpersonal adaptation ($\beta = -0.41, P < 0.001$) and self-acceptance ($\beta = -0.23, P < 0.001$) have a significant negative predictive effect on psychological distress, while regulatory emotional self-efficacy ($\beta = -0.06, P = 0.16$) has no predictive effect on psychological distress.

The mediating effect test results show that (see Table 3), the bootstrap 95% confidence interval of the

indirect effects of interpersonal adaptation and self-acceptance does not contain 0, which indicates that interpersonal adaptation and self-acceptance are mediating variables of regulatory emotional self-efficacy affecting psychological distress with a total mediating effect value of -0.33, accounting for 84.62% of the total effect (-0.39). Specifically, three paths are found: first, the indirect effect of regulatory emotional self-efficacy → interpersonal adaptation → psychological distress (effect value -0.22); second, the indirect effect of regulatory emotional self-efficacy → interpersonal adaptation → self-acceptance → psychological distress (effect value -0.06); and third, the indirect effect of regulatory emotional self-efficacy → self-acceptance → psychological distress (effect value -0.05). The model is presented in Fig. 2.

Table 2 Results of the multiple mediation analysis


Regression Model Outcome Variable	Predictor Variable	Goodness-of-Fit Indices			Regression Coefficient and Significance	
		R	R ²	F	β	t
Interpersonal adaptability	Gender	0.54	0.29	110.77***	-0.18	-2.32*
	Emotional self-efficacy				0.53	14.64***
Self-acceptance	Gender	0.68	0.46	150.42***	0.04	0.52
	Interpersonal adaptability				0.55	5.39***
	Emotional self-efficacy				0.20	14.50***
Psychological distress	Gender	0.63	0.39	85.95***	-0.19	-2.54*
	Interpersonal adaptability				-0.41	-8.70***
	Self-acceptance				-0.23	-5.11***
	Emotional self-efficacy				-0.06	-1.42

* $p < 0.05$, *** $p < 0.001$

Table 3 Bootstrap analysis of multiple mediation effects

Effect	Effect Size	SE	95% CI Boot CI		Percentage of Effects
			Lower	Upper	
Total effects	-0.43	0.04	-0.52	-0.35	100%
Direct effects	-0.06	0.05	0.16	-0.15	13.95%
Total mediation effects	-0.37	0.05	-0.47	-0.28	86.05%
Regulatory emotional self-efficacy → Interpersonal adaptability → Psychological distress	-0.24	0.04	-0.33	-0.17	55.81%
Regulatory emotional self-efficacy → Interpersonal adaptability → Self-acceptance → Psychological distress	-0.08	0.02	-0.12	-0.04	18.60%
Regulatory emotional self-efficacy → Self-acceptance → Psychological distress	-0.05	0.02	-0.09	-0.02	11.63%

N = 539, Bootstrap = 5000. → = unidirectional path



Discussion

The results of this study confirm the following hypothesis: Regulatory emotional self-efficacy affects psychological distress in medical students through interpersonal adaptation and self-acceptance. This role includes three indirect paths: the single intermediary role of interpersonal adaptation, the single intermediary role of self-acceptance, and the chain intermediary role of interpersonal adaptation and self-acceptance, among which the path of interpersonal adaptation has the largest effect value. To the best of our knowledge, this mediation model has not been verified in previous studies. These findings help us further understand the mechanism by which medical students' regulatory emotional self-efficacy affects psychological distress and can help us better treat and prevent medical students' psychological distress.

First, interpersonal adaptation plays an intermediary role between medical students' regulatory emotional self-efficacy and psychological distress, which proves the authenticity of H1, which means that medical students with poor interpersonal adaptation are more likely to experience psychological distress when their level of emotional self-efficacy is low. Low-level regulatory emotional self-efficacy leads to an increase in psychological distress, which is consistent with previous results [23–27]. Individuals with high levels of regulatory emotional self-efficacy are more confident in coping with their emotions, especially negative emotions, and they adopt effective emotional regulation strategies to change the adverse effects of negative events [62]. Therefore, in the face of interpersonal difficulties, individuals with high levels of regulatory emotional self-efficacy can adjust their emotions in time and adapt faster, which has been proven by previous studies [38]. On the other hand, good personal relationships can improve negative emotions and enhance self-efficacy [63]. It is also found that the interpersonal relationship of medical students is related to mental health [64, 65], and the bad interpersonal

relationship is accompanied by more depression [66]. Therefore, promoting interpersonal adaptation may help directly or indirectly reduce psychological distress in medical students. Research shows that medical students are under great academic pressure, and suffer more psychological problems than the general population and college students in other fields [1]. Managers of medical colleges should pay attention to the interpersonal adaptation of medical students, because the ability of interpersonal communication and communication has become the core competence of medical graduates all over the world [67], which is related to the quality of doctor-patient relationship in future work. It is difficult for students who have difficulty in interpersonal adjustment to master this ability. This study provides a solution to help medical students improve their ability to regulate emotions and make them believe that they have the ability to deal with various emotions. An intervention study found that teaching intervention can significantly improve college students' regulatory emotional self-efficacy [68]. A strong sense of emotional self-efficacy can help students improve their interpersonal adaptability, acquire richer interpersonal skills and help them prevent or manage psychological problems. In addition, some studies have found that group interpersonal therapy is often used to improve the interpersonal skills of college students, and the effect is remarkable, which also provides us with a method to improve the interpersonal adaptation of medical students [69].

Second, self-acceptance plays an intermediary role between medical students' emotional self-efficacy and psychological distress, which proves the authenticity of H2. that is, lower emotional self-efficacy is accompanied by a lower degree of self-acceptance among medical students, which leads to more serious psychological distress. Some studies have shown that individuals who lack confidence in their own skills tend to exaggerate their shortcomings, deny their value and refuse to accept

themselves [47, 48]. Individuals with little self-acceptance easily to retreat when encountering problems and are more likely to fail when facing challenges, which will spur more psychological difficulty. Because the higher the level of self-acceptance, the lower the individual's anxiety, depression and stress [44, 70, 71], and some researchers use self-acceptance group counseling to help teenagers relieve depression [46]. Therefore, it is of great significance to promote the self-acceptance level of medical students to reduce their psychological distress. In addition, medical students with high self-acceptance level are more receptive to others, which will help them form a good relationship with patients [40]. It has been found that painting therapy, dance therapy, group therapy, cognitive behaviour therapy and hypnotherapy are effective in improving self-acceptance [46, 72–74]. Health workers can consider combining these methods to improve self-acceptance in medical students and reduce the influence of psychological distress on these students.

Finally, the results of this study show that when interpersonal adaptation and self-acceptance are included the regression equation, the direct predictive effect of emotional self-efficacy on psychological distress becomes insignificant. Moreover, the results of our intermediary test show that the chain intermediary function of interpersonal adaptation and self-acceptance also serves as an important mean through which emotional regulation self-efficacy affect medical students' psychological distress. A higher level of emotional self-efficacy can help individuals better achieve interpersonal adaptation [38]. Individuals with good interpersonal relationships usually have higher levels of self-acceptance and experience less anxiety and depression [44]. Therefore, students with high self-efficacy in emotional regulation are less likely to face challenges when facing interpersonal difficulties and more likely to mobilize emotional regulation resources, respond positively, understand themselves and accept themselves in practice. Self-accepting students are more likely to experience psychological harmony, have more satisfaction with life and experience fewer psychological difficulties [75]. Thus, in order to reduce medical students' psychological problems, improve their mental health status and be better qualified for medical work in the future, medical educators should start from three aspects: emotion regulation, self-efficacy, interpersonal adaptation and self-acceptance, so as to comprehensively improve medical students' abilities in these aspects.

Research also has some limitations. Although the model verified in this study is based on the existing research and theoretical basis, it is limited by questionnaire and cross-sectional study, so it is impossible to infer the exact causal relationship. In the future, longitudinal study can be used to investigate the relationship between

them. In addition, the self-assessment method is used to investigate the subjects in this study, and the results may be influenced by the reaction deviation of the subjects. Finally, this study selects medical students from the same medical college as the research object, which means that the representativeness of the sample is biased.

Conclusions

This study provides researchers with the overall relationship between emotional self-efficacy and psychological distress. Those medical students who believe that they can adjust their emotions and have good interpersonal adaptability and self-acceptance will face less depression, anxiety and pressure, and at the same time, they will be easier to communicate with patients efficiently and achieve a good doctor-patient relationship. Future research can combine teaching intervention, cognitive behaviour therapy and group interpersonal therapy to formulate a holistic intervention plan for medical students' emotional self-efficacy, self-acceptance and interpersonal adaptation, and verify the effectiveness of the plan in reality.

Abbreviations

DASS 21: Depression Anxiety Stress Scale.

Acknowledgements

We thank Mr. Wang Pei of East China Normal University and his team members for their amendments to this article.

Authors' contributions

Study design: ML, HY, JS, CL, XZ; investigation: JS, CL, HB, HY; data analysis: HY, JS, CL, ML; writing—original draft preparation: XZ, HY, JS, ML, CL; writing—review and editing: XZ, HB; project administration: HY. All authors have read and approved of the published version of the manuscript.

Funding

This research was funded by the Scientific Research Project of Colleges and Universities in the Inner Mongolia Autonomous Region under grant number NJSY20181; the Baotou Medical College's "Wen Xue" "Wei Xue" and "Jian Xue" Research Project under grant number 2021BYWWJ-YB-37; Baotou Social Science Planning Project under grant number 2021-yy16; and the Natural Science Foundation of Inner Mongolia under grant number 2021MS03099.

Availability of data and materials

The datasets generated and analysed during the current study are not publicly available because they contain medical student information that they did not consent to have shared publicly at the individual level but aspects of the dataset may be available from the corresponding author on reasonable request.

Declarations

Ethics approval and consent to participate

The study was conducted according to the guidelines of the Declaration of Helsinki, and approved by the Ethics Committee of Baotou Medical College (3/4 2021). At the same time, informed consent was obtained from all subjects in declaration section.

Consent for publication

Not applicable.

Competing interests

The authors have no conflicts of interest to declare.

Author details

¹School of Psychology, Inner Mongolia Normal University, 81 Zhaowuda Road, Saihan District, Hohhot 010022, China. ²School of Humanity, Baotou Medical College, No.31 Jiانشe Road, East District, Baotou 014040, China. ³School of Physical Education, Inner Mongolia Normal University, 81 Zhaowuda Road, Saihan District, Hohhot010022, China.

Received: 28 December 2021 Accepted: 4 April 2022

Published online: 15 April 2022

References

- Heinen I, Bullinger M, Kocalevent RD. Perceived stress in first year medical students - associations with personal resources and emotional distress. *BMC Med Educ.* 2017;17(1):4.
- Gebremedhin HT, Bifftu BB, Lebessa MT, Weldeyes AZ, Gebru TT, Petrucka P. Prevalence and Associated Factors of Psychological Distress Among Secondary School Students in Mekelle City, Tigray Region, Ethiopia: Cross-Sectional Study. *Psychol Res Behav Manag.* 2020;13:473–80.
- Abdel Wahed WY, Hassan SK. Prevalence and associated factors of stress, anxiety and depression among medical Fayoum University students. *Alexandria Journal of Medicine.* 2019;53(1):77–84.
- Fawzy M, Hamed SA. Prevalence of psychological stress, depression and anxiety among medical students in Egypt. *Psychiatry Res.* 2017;255:186–94.
- Moutinho IL, Maddalena NC, Roland RK, Lucchetti AL, Tibirica SH, Ezequiel OD, Lucchetti G. Depression, stress and anxiety in medical students: A cross-sectional comparison between students from different semesters. *Rev Assoc Med Bras (1992).* 2017;63(1):21–8.
- Eller T, Aluoja A, Vasar V, Veldi M. Symptoms of anxiety and depression in Estonian medical students with sleep problems. *Depress Anxiety.* 2006;23(4):250–6.
- Toubasi AA, Khraisat BR, AbuAnzeh RB, Kalbouneh HM. A cross sectional study: The association between sleeping quality and stress among second and third medical students at the University of Jordan. *Int J Psychiat Med.* 2021;57:009121742110112.
- Yucens B, Uzer A. The relationship between internet addiction, social anxiety, impulsivity, self-esteem, and depression in a sample of Turkish undergraduate medical students. *Psychiatry Res.* 2018;267:313–8.
- Miletic V, Lukovic JA, Ratkovic N, Aleksic D, Grgurevic A. Demographic risk factors for suicide and depression among Serbian medical school students. *Soc Psychiatry Psychiatr Epidemiol.* 2015;50(4):633–8.
- Yang X, Yang C, Chen P, Sun X, Wang Y. Relationship between Self-regulation Orientation, Depression, Anxiety symptoms and Suicide risk of Medical Students. *Chin J School Health.* 2020;41(09):1354–7.
- van Zyl PM, Joubert G, Bowen E, du Plooy F, Francis C, Jadhunandan S, Fredericks F, Metz L. Depression, anxiety, stress and substance use in medical students in a 5-year curriculum. *Afr J Health Prof Ed.* 2017;9(2):67–72.
- Waqas A, Rehman A, Malik A, Muhammad U, Khan S, Mahmood N. Association of Ego Defense Mechanisms with Academic Performance, Anxiety and Depression in Medical Students: A Mixed Methods Study. *Cureus.* 2015;7(9):e337.
- Gan GG, Yuen Ling H. Anxiety, depression and quality of life of medical students in Malaysia. *Med J Malaysia.* 2019;74(1):57–61.
- Bashir MBA, Mohamed SOA, Nkfusai CN, Bede F, Oladimeji O, Tsoka-Gwegweni JM, Cumber SN. Assessment of minor psychiatric morbidity, stressors, and barriers of seeking help among medical students at the University of Khartoum, Khartoum. *Sudan Pan Afr Med J.* 2020;35:87.
- Bandura A. Self-Efficacy Mechanism in Human Agency. *Am Psychol.* 1982;37(2):122–47.
- Klassen RM, Klassen JRL. Self-efficacy beliefs of medical students: a critical review. *Perspect Med Educ.* 2018;7(2):76–82.
- Wu H, Li S, Zheng J, Guo J. Medical students' motivation and academic performance: the mediating roles of self-efficacy and learning engagement. *Med Educ Online.* 2020;25(1):1742964.
- Hayat AA, Shateri K, Amini M, Shokrpour N. Relationships between academic self-efficacy, learning-related emotions, and metacognitive learning strategies with academic performance in medical students: a structural equation model. *BMC Med Educ.* 2020;20(1):76.
- Goodin JB, Duffy RD, Borges NJ, Ulman CA, D'Brot VM, Manuel RS. Medical students with low self-efficacy bolstered by calling to medical speciality. *Perspect Med Educ.* 2014;3(2):89–100.
- Caprara GV, Di Giunta L, Eisenberg N, Gerbino M, Pastorelli C, Tramontano C. Assessing regulatory emotional self-efficacy in three countries. *Psychol Assess.* 2008;20(3):227–37.
- Tamir M, Mauss IB. Implications for Well-Being. In: *Social Cognitive Factors in Emotion Regulation. Emotion Regulation and Well-Being.* edn. 2011. p. 31–47.
- Benfer N, Bardeen JR, Clauss K. Experimental manipulation of emotion regulation self-efficacy: Effects on emotion regulation ability, perceived effort in the service of regulation, and affective reactivity. *J Contextual Behav Sci.* 2018;10:108–14.
- Chen G, He J, Zhang B, Fan X. Revisiting the relationship between body dissatisfaction and eating disorder symptoms in Chinese adolescents: the mediating roles of regulatory emotional self-efficacy and depression symptoms. *Eat Weight Disord.* 2021;26(1):239–47.
- Dou K, Wang Y-J, Bin JLI, Liu YZ. Core Self-Evaluation, Regulatory Emotional Self-Efficacy, and Depressive Symptoms: Testing Two Mediation Models. *Soc Behav Personal Int J.* 2016;44(3):391–9.
- Yuan G, Xu W, Liu Z, Liu C, Li W, An Y. Dispositional Mindfulness, Posttraumatic Stress Disorder Symptoms and Academic Burnout in Chinese Adolescents Following a Tornado: The Role of Mediation through Regulatory Emotional Self-Efficacy. *Journal of Aggression, Maltreatment & Trauma.* 2018;27(5):487–504.
- Ying J, You J, Guo J. The protective effects of youth assets on the associations among academic stress, regulatory emotional self-efficacy, and suicidal risk: A moderated mediation model. *Children and Youth Services Review.* 2020;119:105660.
- Wu Q, Ran G, Zhang Q. Rejection sensitivity and trait anxiety: the indirect effects of regulatory emotional self-efficacy and shyness. *Curr Psychol.* 2020;1–10.
- Darwin C. The history of psychology. In: *Expression of the emotions in man and animals. Fundamental questions.* edn. New York, NY: Oxford University Press; 2003. p. 188–202.
- Bedel A. The Relationship between Interpersonal Problem Solving, Positive - Negative Affect and Anxiety. *Stud Psychol.* 2015;57(2):121–33.
- Huh HJ, Kim SY, Yu JJ, Chae JH. Childhood trauma and adult interpersonal relationship problems in patients with depression and anxiety disorders. *Ann Gen Psychiatry.* 2014;13:26.
- Shin KE, Newman MG. Self- and other-perceptions of interpersonal problems: Effects of generalized anxiety, social anxiety, and depression. *J Anxiety Disord.* 2019;65:1–10.
- Coyne JC. Toward an interactional description of depression. *Psychiatry.* 1976;39(1):28–40.
- Joiner TE, Metalsky GI. A prospective test of an integrative interpersonal theory of depression: A naturalistic study of college roommates. *J Pers Soc Psychol.* 1995;69(4):778–88.
- Bright KS, Mughal MK, Wajid A, Lane-Smith M, Murray L, Roy N, Van Zanten SV, McNeil DA, Stuart S, Kingston D. Internet-based interpersonal psychotherapy for stress, anxiety, and depression in prenatal women: study protocol for a pilot randomized controlled trial. *Trials.* 2019;20(1):814.
- Ha JF, Longnecker N. Doctor-patient communication: a review. *Ochsner J.* 2010;10(1):38–43.
- Kong L, Chu Z, Li Y. A Study of Effects of E-Learning Based Exploratory Education on Students' Self-Efficacy and Interpersonal Relationship. *Revista de Cercetare si Interventie Sociala.* 2021;72:33–43.
- Pu J, Zhou X, Liu L, Zhang Y, Yang L, Yuan S, Zhang H, Han Y, Zou D, Xie P. Efficacy and acceptability of interpersonal psychotherapy for depression in adolescents: A meta-analysis of randomized controlled trials. *Psychiatry Res.* 2017;253:226–32.
- Hu R, Peng S, Mao H. Zhang b: The Relationship between Smartphone Addiction and Interpersonal Adaptation in Adolescents: The Mediating Role of Emotional Adjustment Efficacy and Cognitive Failure. *Chin J Health Psychol.* 2021;29(01):156–60.

39. Williams JC, Lynn SJ. Acceptance: An Historical and Conceptual Review. *Imagin Cogn Pers*. 2010;30(1):5–56.
40. Fey WF. Acceptance by others and its relation to acceptance of self and others: a reevaluation. *J Abnorm Psychol*. 1955;50(2):274–6.
41. Li H. The Influence of Perfectionism on Negative Emotion of College Students. Master: Sichuan Normal University; 2021.
42. Liao P, Li Y, Wang F, Zhang L. The Mediating Effect of Perceived Stress on Maternal Self-acceptance and Postpartum Depression. *Chinese General Practice*. 2020;23(03):319–22.
43. Zhou Y, Liang B. The Mediating Role of Unconditional Self-acceptance between Perfectionism and Depression of College Students. *Chin J Clin Psychol*. 2011;19(03):350–2.
44. Kim SH-S. The Moderating Effects of Self-Acceptance in terms of the Interpersonal-Relationships, Depression, Anxiety of High School Students. *Kor J of Child Stud*. 2012;33(3):119–30.
45. Rodriguez MA, Xu W, Wang X, Liu X. Self-acceptance mediates the relationship between mindfulness and perceived stress. *Psychol Rep*. 2015;116(2):513–22.
46. Du F. Study on the Intervention of Self-acceptance Group Counseling on Adolescents with Depressive Tendency. *Contemp Educ Sci*. 2015;05:61–4.
47. Arli D, Sutanto N. Investigating the importance of self-acceptance and self-efficacy on weight management in a developing country. *Int J Non-profit Volu*. 2018;23(2):e1583.
48. Crapolicchio E, Vezzali L, Regalia C. "I forgive myself": The association between self-criticism, self-acceptance, and PTSD in women victims of IPV, and the buffering role of self-efficacy. *J Community Psychol*. 2021;49(2):252–65.
49. Zhe al. Mediating Effects of Self Acceptance in General Self-Efficacy and Psychological Resilience in College Students with Suicidal Ideation in Shandong Province. *Med Soc*. 2019;32(8):89–93.
50. Jimenez SS, Niles BL, Park CL. A mindfulness model of affect regulation and depressive symptoms: Positive emotions, mood regulation expectancies, and self-acceptance as regulatory mechanisms. *Pers Individ Differ*. 2010;49(6):645–50.
51. Lu X. Development and Standardization of College Students' adaptability Scale. Master: Central China Normal University; 2003.
52. Wang D, Liu C, Liu S, Wang S, Sun M, Ouyang X, Yang X. The Influence of Family Function on Psychiatric Experience: Chain Mediating Effect of Interpersonal Adaptation and Loneliness. *Chinese J Clin Psych*. 2019;27(06):1135–8 +1143.
53. Wen S, Tang D, Yu G. Research on the Application of Emotional Self-efficacy. *Journal of Psychological Science*. 2009;32(3):666–8.
54. Zhang P, Wang H. The Mediating Role of College Students' Emotion-regulated Self-efficacy among Neuroticism, Extroversion and Subjective Well-being. *Chin Ment Health J*. 2015;29(02):139–44.
55. Cong Z, Gao W. Development of Self-acceptance Questionnaire and Reliability and Validity Test. *Chinese Behavioral Medicine Science*. 1999;01:20–2.
56. Iuan Y, Cao J, Zhou Y, Yang J, Li Y. The Relationship between Gender Role and Social Anxiety of College Students and the Mediating Role of Self-acceptance. *Chinese Men Health J*. 2015;29(04):311–5.
57. Gong X, Xie X, Xu R, Luo Y. The Test Report of Depression-Anxiety-Stress Scale Simplified Chinese Version (DASS-21) among Chinese College Students. *Chin J Clin Psychol*. 2010;18(04):443–6.
58. Chen H, Li Y, Li Y, Fan C. The Influence of Internet Bullying on Non-Suicidal Self-injury: Chain Mediating Effect of Social Exclusion and Negative Emotion. *Chin J Spec Educ*. 2020;01:73–8.
59. Hayes AF. Introduction to Mediation, Moderation, and Conditional Process Analysis: A Regression-Based Approach. York, NY, USA: Guilford Press; 2013.
60. Akoglu H. User's guide to correlation coefficients. *Turk J Emerg Med*. 2018;18(3):91–3.
61. Zhou H, Long L. Statistical test and control method of common method deviation. *Advances in Psychological Science*. 2004;06:942–50.
62. Jiang Y, Zhang L, Mao Z. Physical Exercise and Mental Health: the Role of Emotion Regulation Self-efficacy and Emotion Regulation Strategies. *Studies of Psychology and Behavior*. 2018;16(04):570–6.
63. Wang PY, Lin PH, Lin CY, Yang SY, Chen KL. Does Interpersonal Interaction Really Improve Emotion, Sleep Quality, and Self-Efficacy among Junior College Students? *Int J Environ Res Public Health*. 2020;17(12):4542.
64. Yan F. Study on the Relationship among Medical Students' Interpersonal Relationship, Family Rearing Style and Mental Health. *J Chifeng Univ(Natural Science Edition)*. 2016;32(20):65–7.
65. Berney A, Carrard V, Berney S, Schlegel K, Gaume J, Gholam M, Bart PA, Preisig M, Wac K, Schmid Mast M, et al. Study protocol for the ETMED-L project: longitudinal study of mental health and interpersonal competence of medical students in a Swiss university using a comprehensive framework of empathy. *BMJ Open*. 2021;11(12):e053070.
66. Qin Z, Shen Y, Zhang J, Xiao J. HE S: Human relationship and depressed symptoms and their influencing factors were identified by Logistic regression analysis among the medical students. *Med J of Communications*. 2013;27(02):149–51.
67. Gilligan C, Powell M, Lynagh MC, Ward BM, Lonsdale C, Harvey P, James EL, Rich D, Dewi SP, Nepal S, et al. Interventions for improving medical students' interpersonal communication in medical consultations. *Cochrane Database Syst Rev*. 2021;2:CD012418.
68. Pool LD, Qualter P. Improving Emotional Intelligence and Emotional Self-Efficacy through a Teaching Intervention for University Students. *Learn Individ Differ*. 2012;22(3):306–12.
69. Hu C, Wang Qiang, Zhong Di, Sun Minglin, Jiang Di. Effect of Satir Model group psychological intervention on the improvement of the university students interpersonal relationships. *China J Health Psych*. 2020;28(05):767–71.
70. Flett GL, Besser A, Davis RA, Hewitt PL. Dimensions of Perfectionism, Unconditional Selfacceptance and Depression. *J Rational-Emot Cognitive-Behav Ther*. 2003;21(2):119–38.
71. Zhang Q, Zhu C, Zhou X, Tian Y. Study on the Mediating Effect of Self-acceptance between Depression and Depression. *acta universitatis medicinalis anhui*. 2016;51(07):1049–52.
72. Milburn MC. Cognitive-Behavior Therapy and Change: Unconditional Self Acceptance and Hypnosis in CBT. *J Rat-Emo Cognitive-Behav Ther*. 2011;29:177–91.
73. Qiu-Qiang Z, Wen-Jun L, Wan-Yi F, Qi-Zhe Z, Jan MA. College Students' Self-Acceptance: A Paint Therapy Group Counseling Intervention. *Sci Program*. 2021;2021:1–9.
74. Zhang Y, Xu G. Application of group hypnotic counseling in improving college students' self-acceptance. *Psychol Sci*. 2006;29(01):236–8 +197.
75. Huang X, Chen H, Li S. The Relationship Between Assistance Satisfaction and Negative Affect in Long-Term Social Assistance Recipients in China: The Moderating Role of Self-Acceptance. *Front Psychol*. 2019;10:109.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more biomedcentral.com/submissions

