
CORRECTION



Correction to: Prediction and prognosis of adverse maternal and foetal/neonatal outcomes in pulmonary hypertension: an observational study and nomogram construction



Yuqin Chen^{1†}, Dansha Zhou^{1†}, Mingmei Xiong^{2†}, Xin Xi^{3†}, Wenni Zhang^{4†}, Ruifeng Zhang^{5†}, Lishi Chen², Qian Jiang¹, Ning Lai¹, Xiang Li¹, Jieer Luo¹, Xuanyi Li¹, Weici Feng¹, Chuhui Gao¹, Jiyuan Chen¹, Xin Fu⁶, Wei Hong⁶, Mei Jiang¹, Kai Yang¹, Wenju Lu¹, Yiping Luo^{4*†}, Jun Zhang^{3,9*†}, Zhe Cheng^{7*†}, Chunli Liu^{1*†} and Jian Wang^{1,8*†}

Correction to: Respiratory Research (2022) 23:314 https://doi.org/10.1186/s12931-022-02235-y

Following publication of the original article [1], the authors identified an error in Fig. 3. The correct version of Fig. 3 is given.

The original article has been corrected.

¹Yuqin Chen, Dansha Zhou, Mingmei Xiong, Xin Xi, Wenni Zhang and Ruifeng Zhang contributed equally to this work and share first authorship

¹Yiping Luo, Jun Zhang, Zhe Cheng, Chunli Liu and Jian Wang contributed equally to this work and share senior authorship

The original article can be found online at https://doi.org/10.1186/s12931-022-02235-y.

*Correspondence: Yiping Luo doctorluoyiping@126.com Jun Zhang drzhangj@outlook.com Zhe Cheng fccchengzhe@zzu.edu.cn Chunli Liu chunli@gird.cn Jian Wang jiw037@health.ucsd.edu

¹ State Key Laboratory of Respiratory Diseases, Guangdong Key Laboratory of Vascular Diseases, National Clinical Research Centre for Respiratory Diseases, Guangzhou Institute of Respiratory Health,

The First Affiliated Hospital of Guangzhou Medical University, 151 Yanjiang Road, Guangzhou 510120, Guangdong, People's Republic of China ² The Third Affiliated Hospital of Guangzhou Medical University, Guangzhou 510140, Guangdong, People's Republic of China ³ Sleep Centre and Department of Respiratory Medicine, Beijing Anzhen

Hospital of Capital Medical University, Beijing 100029, People's Republic of China ⁴ Guangdong Women and Children's Hospital, 521 Xingnan Avenue, Panyu District, Guangzhou 511442, Guangdong, People's Republic

⁵ Department of Respiratory Medicine, Zhongda Hospital of Southeast

University, Nanjing 210009, People's Republic of China

⁶ GMU-GIBH Joint School of Life Sciences, Guangzhou Medical University, Guangzhou, Guangdong, People's Republic of China

⁷ Pulmonary and Critical Care Medicine, The First Affiliated Hospital of Zhengzhou University, Zhengzhou 450052, Henan, People's Republic of China

⁸ Section of Physiology, Division of Pulmonary, Critical Care and Sleep Medicine, University of California, San Diego, La Jolla, CA, USA ⁹ Department of Obstetrics and Gynecology of Beijing Anzhen Hospital, Capital Medical University, No.2 Anzhen Road, 100029 Beijing, People's Republic of China



© The Author(s) 2023. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/4.0/. The Creative Commons Public Domain Dedication waiver (http://creativecommons.org/publicdomain/zero/1.0/) applies to the data made available in this article, unless otherwise stated in a credit line to the data.




Fig. 3 Calibration curves of the 1, 2, and 3-year overall survival and risk stratification. A (a–c) Calibration curves of the 1, 2, and 3-year OS for pregnant women with PH in the Follow-up set. B (a–c) Calibration curves of the 1, 2, and 3-year OS for pregnant women with PH in the Validation set. The light blue line indicates the ideal reference line where predicted probabilities would match the observed survival rates. The red dots are calculated by bootstrapping (resample: 1000) and represent the nomogram's performance. The closer the solid red line is to the light blue line, the more accurately the model predicts survival. C Kaplan–Meier OS curves for the low-risk and high-risk pregnant women with PH stratified by the prognostic nomogram in the Follow-up set. According to the median cut-off value, samples were divided into high-risk and low-risk groups. D Kaplan–Meier OS curves for the low-risk and high-risk pregnant in the Validation set. *OS* overall survival, *PH* pulmonary hypertension

Published online: 07 January 2023

Reference

 Chen Y, Zhou D, Xiong M, Xi X, Zhang W, Zhang R, Chen L, Jiang Q, Lai N, Li X, Luo J, Li X, Feng W, Gao C, Chen J, Fu X, Hong W, Jiang M, Yang K, Lu W, Luo Y, Zhang J, Cheng Z, Liu C, Wang J. Prediction and prognosis of adverse maternal and foetal/neonatal outcomes in pulmonary hypertension: an observational study and nomogram construction. Respir Res. 2022;23:314. https://doi.org/10.1186/s12931-022-02235-y.

Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.